

Invoice address:

USTAV FYZIKALNI CHEMIE
 J. HEYROVSKEHO AVCR, v.v.i.

DOLEJSKOVA 3
 CZ 182 23 PRAHA 8

Delivery address:

USTAV FYZIKALNI CHEMIE
 J. HEYROVSKEHO AVCR, v.v.i.
 NAKUPNI ODDELENI

DOLEJSKOVA 3
 CZ 182 23 PRAHA

Order Acceptance 9 19100804 - 2019-03-04

Customer ID: 102151
VAT-ID: CZ61388955
Your Order: 001190254
dated: 2019-03-04
Orderer: [REDACTED]

Our reference: [REDACTED]
Direct dial: [REDACTED]
E-Mail: [REDACTED]
Representative: [REDACTED]

Item	Article	Quantity	Delivery date	Price in CZK
1.0	PF A51 033 AVC 040 SX, DN 40 ISO-KF Angle valve, manual	1 ks	2019-03-11	
2.0	PF A41 033 AVC 025 SX, DN 25 ISO-KF Angle valve, manual	2 ks	2019-03-11	
3.0	120SWN016-1000 Corrugated Hose, DN 16 ISO-KF Stainless steel, flexible, length 1000 mm	2 ks	2019-03-11	
4.0	110RKS016 Cross Piece, DN 16 ISO-KF Aluminum EN AW-6082/3.2315	4 ks	2019-03-11	
5.0	122ZRG025 Centering Ring, DN 25 ISO-KF Stainless steel 304/1.4301, O-Ring FKM	20 ks	2019-03-11	
6.0	110BSR025 Klema, DN 20 / 25 ISO-KF Aluminum ADC 12, pro elastomerová těsnění	10 ks	2019-03-11	
7.0	170SFK016-120 Bellows, DN 16 ISO-KF Stainless steel, length 120 mm	2 ks	2019-03-11	
8.0	110ASC025-12 Hose Connector, DN 25 ISO-KF Aluminum EN AW-6082/3.2315, for 12 mm hose	4 ks	2019-03-11	
9.0	120ASW040-6 Swagelok® Adapter, DN 40 ISO-KF Stainless steel, tube external diameter 6 mm	6 ks	2019-03-11	
10.0	120RRG025-016-40 Reducing Piece, Straight, DN 25 ISO-KF DN 25-16 ISO-KF, stainless steel, length 40 mm	6 ks	2019-03-11	

Order Acceptance 9 19100804 - 04.03.2019

Item	Article	Quantity	Delivery date	Price in CZK
11.0	PT R24 601 CMR 361, Active Capacitance Transmitter DN 16 ISO-KF 0,1 - 1100 mbar Accuracy: 0.2% of measurement Supply voltage: 18-30 V Output signal: 0- 10 V with integrated error signal Ceramic technology sensor: - no memory effects - excellent zero stability !!! ATTENTION !!! This pressure transducer to be shipped to you is subject to export controls (2B230, Annex I EG-Dual-use-VO). For the export of this good from the European Community an export license is necessary. *****	1 ks	2019-04-01	
12.0	PT R24 611 CMR 362 Active Capacitance Transmitter DN 16 ISO-KF 0,01 - 110 mbar Accuracy: 0.2% of measurement Supply voltage: 18-30 V Output signal 0- 10 V with integrated error signal Ceramic technology sensor: - no memory effects - excellent zero stability !!! ATTENTION !!! This pressure transducer to be shipped to you is subject to export controls (2B230, Annex I EG-Dual-use-VO). For the export of this good from the European Community an export license is necessary. *****	1 ks	2019-04-01	
13.0	PT R24 621 CMR 363 Active Capacitance Transmitter DN 16 ISO-KF 0,001 - 11 mbar Accuracy: 0.2% of measurement Supply voltage: 18-30 V Output signal 0- 10 V with integrated error signal Ceramic technology sensor: - no memory effects - excellent zero stability !!! ATTENTION !!! This pressure transducer to be shipped to you is subject to export controls (2B230, Annex I EG-Dual-use-VO). For the export of this good from the European Community an export license is necessary. *****	1 ks	2019-04-01	
14.0	PT 448 250 -T Sensor cable CG for Single/Dual/MaxiGauge length: 3 m	3 ks	2019-04-01	
15.0	PT G28 290 TPG 362, DualGauge Display and control unit for two gauges 100-250 V AC, 50/60 Hz - For operation of two gauges with analog output signal - Brilliant display - Simultaneous display of both pressure readings	1 ks	2019-04-01	

Order Acceptance 919100804 - 04.03.2019

Item	Article	Quantity	Delivery date	Price in CZK
	<ul style="list-style-type: none">- Simple to operate- Four freely configurable relay set points- Versatile connectivity<ul style="list-style-type: none">- USB- RS-485- Ethernet- Direct data storage on USB flash memory (data and settings)- Can be used as table top or as rack mount unit			
16.0	P 4564 309 YU Mains cable, 230V AC, (DE) 1 mm ² , length: 2,5 m with Schuko-plug CEE (7) VII Euro style EN 60320/C13	1 ks	2019-04-01	

Value of goods	180.247,00
Taxable amount	180.247,00
VAT 0,0%	0,00
Total amount	180.247,00

Pfeiffer Vacuum Austria GmbH

Terms of delivery: FCA

Delivery method: UPS - United Parcel Service

Payment: 30 dní po vystavení, netto

Net weight in kg: 8,595

- Anzeige / Advert -

VACUUM SOLUTIONS FROM A SINGLE SOURCE
www.pfeiffer-vacuum.com