

- 3.4. Kupující stanovuje jako osobu kontaktní pro jednání ve věcech technických pana Bc. et Bc. Radka Hlouška, tel: xxxxxxxxxxxxxxxxx.
- 3.5. Místa plnění předmětu Smlouvy jsou jednotlivé inspektoráty České republiky - Státní zemědělské a potravinářské inspekce dle Přílohy č. 1 Smlouvy.
- 3.6. Dopravu zajišťuje Prodávající na své náklady.

4. Cena předmětu plnění

- 4.1. Celková cena předmětu plnění podle článku 2 je stanovena dohodou a činí:

Popis	Cena bez DPH	DPH (21%)	Cena včetně DPH
Celková cena za 2 ks tiskáren multifunkčních barevných inkoustových	38.320,00	8.047,20	46.367,20
Celková cena za 20 ks tiskáren stolních černobílých - laserových	127.880,00	26.854,80	154.734,80
Celková cena za 22 ks tiskáren	166.200,00	34.902,00	201.102,00

5. Platební podmínky

- 5.1. Daňový doklad (faktura) bude vystaven v den předání a převzetí zboží na posledním pracovišti SZPI (Kupujícího). Na daňovém dokladu musí být uvedena cena bez DPH a cena včetně DPH. Daňový doklad musí obsahovat náležitosti vyžadované příslušnými právními předpisy v platném znění. Daňový doklad, který nebude obsahovat uvedené náležitosti nebo ty budou uvedeny nesprávně či neúplně, je Kupující oprávněn vrátit, a to do konce sjednané doby jeho splatnosti. Při nezaplacení takto vystaveného a doručeného daňového dokladu, prodávající vystaví daňový doklad znovu a sjednaná lhůta splatnosti běží od data doručení nového daňového dokladu Kupujícímu.
- 5.2. Splatnost dokladu bude 21 dnů ode dne doručení faktury na adresu sídla Kupujícího nebo do datové schránky Kupujícího: avraiqq. Prodávající doručí daňový doklad nejpozději do 23. 12. 2016. Prodávající přiloží k daňovému dokladu (faktuře) fotokopii předávacích protokolů podepsaných zástupci obou smluvních stran.
- 5.3. Prodávající se zavazuje uhradit Kupujícímu smluvní pokutu ve výši 0,05 % z celkové kupní ceny předmětu plnění vč. DPH za každý, i započatý den prodlení s dodávkou zboží ve stanoveném termínu dle čl. 3.1. této Smlouvy.
- 5.4. Kupující se zavazuje uhradit Prodávajícímu v případě prodlení s úhradou sjednané ceny úrok z prodlení v zákonné výši.

6. Zmocnění k jednání

6.1. Kontaktní osoby

6.1.1. Kontaktní osoba Prodávajícího:

Účel - provozní, technické záležitosti
Jméno, Příjmení: xxxxxxxxxxxxxxxx
e-mail: xxxxxxxxxxxxxxxx
tel: xxxxxxxxxxxxxxxx
adresa: xxxxxxxxxxxx

6.1.2. Kontaktní osoba Kupujícího:

Účel - provozní, technické záležitosti
Jméno, Příjmení: Bc. et Bc. Radek Hloušek
e-mail: xxxxxxxxxxxxxxxx
mobil xxxxxxxxxxxxxxxx
adresa: Státní zemědělská a potravinářská inspekce, Květná 15, 603 00 Brno

6.2. Oprávněné osoby

Jsou zmocněné osoby smluvních stran, které jsou oprávněny jednat jménem smluvních stran o všech smluvních a obchodních záležitostech týkajících se Smlouvy a souvisejících s jejím plněním.

6.2.1. Oprávněné osoby Prodávajícího:

Jméno, Příjmení: xxxxxxxxxxxxxxxx
e-mail: xxxxxxxxxxxxxxxx
tel: xxxxxxxxxxxxxxxx
adresa: xxxxxxxxxxxxxxxx

6.2.2. Oprávněné osoby Kupujícího:

Jméno, Příjmení: Ing. Martin Klanica
e-mail: xxxxxxxxxxxxxxxx
tel: xxxxxxxxxxxxxxxx, fax: xxxxxxxxxxxxxxxx
adresa: Státní zemědělská a potravinářská inspekce, Květná 15, 603 00 Brno

- 6.3. Všechna oznámení mezi smluvními stranami, která se vztahují k této smlouvě, nebo která mají být učiněna na základě této smlouvy, musí být učiněna v písemné formě (tzn. datovou schránkou, listinou, e-mailem, faxem) a doručena opačné straně, nebude-li stanoveno, nebo mezi smluvními stranami dohodnuto jinak.
- 6.4. V pochybnostech se oznámení považují za doručena uplynutím třetího (3) dne po jejich prokazatelném odeslání.
- 6.5. Smluvní strany se zavazují, že v případě změny údajů pro doručení oznámení dle čl. 6.3. této Smlouvy budou o této změně druhou smluvní stranu informovat nejpozději do tří (3) dnů.

7. Přechod vlastnictví a nebezpečí škody

- 7.1. Vlastnické právo k předmětu plnění, které je specifikované v článku 2 / Příloze č. 1 této Smlouvy, přechází na Kupujícího v okamžiku zaplacení předmětu plnění podle článku 5 této Smlouvy.
- 7.2. Jednotlivé části předmětu plnění budou předávány v termínu uvedeném v článku 3 Smlouvy. Předání bude potvrzeno podpisem předávacích protokolů či obdobných dokladů.
- 7.3. Nebezpečí vzniku nahodilé škody na předmětu plnění přechází na Kupujícího okamžikem jeho převzetí.

8. Náhrada újmy

- 8.1. Prodávající je vůči Kupujícímu povinen k náhradě majetkové i nemajetkové újmy, vzniklé v souvislosti s plněním této Smlouvy, v souladu s ustanoveními Občanského zákoníku.
- 8.2. Prodávající neodpovídá za škodu v důsledku okolností vylučujících odpovědnost dle ustanovení Občanského zákoníku.

9. Záruka

- 9.1. Vedle odpovědnosti za vady přebírá Prodávající na plnění dle bodu 2.1. záruku za jakost.
- 9.2. Záruční doba běží 36 měsíců.
- 9.3. Záruční doba touto Smlouvou sjednaná začne plynout ode dne předání a převzetí příslušného předmětu plnění.
- 9.4. Prodávající garantuje odstranění funkčních závad zařízení v záruční době prostřednictvím servisní sítě Prodávajícího v případné spolupráci autorizovaného servisu.
Servisní středisko Prodávajícího pro hlášení závad je:
Název: AUTOCONT CZ a.s.
Adresa: xxxxxxxx
tel.: xxxxxxxxxxxxxxxx
e-mail: xxxxxxxxxxxxxxxx
- 9.5. Prodávající provede o každém servisním zásahu písemný záznam, který předá Kupujícímu a nechá si ho od něj potvrdit.

10. Platnost, odstoupení a zánik smlouvy

- 10.1. Tato Smlouva nabývá platnosti a účinnosti dnem podpisu zástupců obou smluvních stran.
- 10.2. Smluvní strany se zavazují nepostoupit závazky nebo pohledávky z této Smlouvy třetí osobě bez písemného souhlasu druhé strany.
- 10.3. Skončit platnost této Smlouvy lze dohodou smluvních stran, která musí mít písemnou formu.
- 10.4. Jednostranně lze okamžitě od Smlouvy odstoupit v těchto případech:
 - 10.4.1. Kupující je v prodlení s placením dle specifikace v čl. 5 déle než 30 dnů
 - 10.4.2. Prodávající je ve zpoždění v plnění dle čl. 3 déle než 30 dnů
- 10.5. Kterákoliv ze smluvních stran je oprávněna odstoupit od smlouvy, jestliže:
 - 10.5.1. druhá smluvní strana neplní hrubě podmínky smlouvy, byla na tuto skutečnost upozorněna a nesjedнала nápravu ani v dodatečně poskytnuté přiměřené lhůtě,
 - 10.5.2. druhá smluvní strana je v insolvenčním řízení nebo ztratila oprávnění k podnikatelské činnosti podle platných předpisů (o této skutečnosti je povinnost podat informaci neprodleně),
 - 10.5.3. na majetek druhé smluvní strany byly zahájeny úkony, které nasvědčují zahájení exekučního řízení (o této skutečnosti je povinnost podat informaci neprodleně),
 - 10.5.4. druhá smluvní strana se vůči ní dopustila jednání vykazujícího znaky nekalé soutěže.
- 10.6. Odstoupení nabývá účinnosti dnem doručení písemného oznámení o odstoupení druhé smluvní straně. Smluvní strany jsou povinny vzájemnou dohodou písemně vypořádat dosavadní smluvní plnění nejpozději do 1 měsíce od ukončení Smlouvy odstoupením.

11. Řešení sporů

- 11.1. Jakýkoliv právní postup, nebo soudní spor vedený v souvislosti s touto smlouvou, bude zahájen a veden u příslušného soudu České republiky.

12. Závěrečná ustanovení

- 12.1. Vztahy mezi stranami se řídí ustanoveními této Smlouvy a občanským zákoníkem.
- 12.2. Obsah Smlouvy může být měněn jen dohodou stran smluvních a to vždy jen vzestupně číslovanými písemnými dodatky potvrzenými Oprávněnými osobami smluvních stran.
- 12.3. Smlouva se vyhotovuje ve dvou stejnopisech vlastnoručně signovaných smluvními stranami, z nichž každá smluvní strana obdrží po jednom.
- 12.4. Vzhledem k veřejnoprávnímu charakteru Kupujícího smluvní strany výslovně sjednávají, že Prodávající je obeznámen a souhlasí se zveřejněním smluvních podmínek obsažených v této smlouvě v rozsahu a za podmínek vyplývajících z příslušných právních předpisů.
- 12.5. Nedílnou součástí Smlouvy je příloha:

Příloha č. 1 – Technická specifikace předmětu plnění

Příloha č. 2 – Plná moc

V Brně dne 21. 12. 2016

V Brně dne 21. 12. 2016

Za Prodávajícího
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
ředitel regionálního obchodního centra
na základě plné moci

Za Kupujícího
Ing. Martin Klanica
ústřední ředitel

Příloha č. 1 – Technická a cenová specifikace předmětu plnění**1) 2ks tiskárna multifukční barevná – inkoustová (viz příložený katalogový list)**

Místo plnění	ks
Ústřední inspektorát SZPI, Květná 15, 603 00 Brno	1
Inspektorát SZPI v Hradci Králové, Březhradská 182, 503 32 Hradec Králové	1
CELKEM	2

2) 20 ks tiskárna stolní standardní černobílá – laserová (viz příložený katalogový list)

Místo plnění	ks
Inspektorát SZPI v Praze, Za Opravnou 6, 150 00 Praha 5 – Motol	4
Inspektorát SZPI v Táboře, Purkyňova 2533, 390 02 Tábor	4
Inspektorát SZPI v Plzni, Jiráskovo nám. 8, 308 58 Plzeň 8	4
Inspektorát SZPI v Ústí nad Labem, Masarykova 19/275, 403 40 Ústí nad Labem	3
Inspektorát SZPI v Hradci Králové, Březhradská 182, 503 32 Hradec Králové	0
Inspektorát SZPI v Brně, Běhounská 10, 601 26 Brno	2
Inspektorát SZPI v Olomouci, Pavelkova 13, 772 85 Olomouc	0
Ústřední inspektorát SZPI, Květná 15, 603 00 Brno	3
CELKEM	20

Popis	Cena bez DPH	DPH (21%)	Cena vč. DPH
Cena za 1 ks tiskárna multifunkční barevná – inkoustová	19.160,00	4.023,60	23.183,60
Cena za 1 ks tiskárna stolní černobílá - laserová	6.394,00	1342,74	7.736,74



HP PageWide Pro 477dw MFP

Vysoká užitná hodnota a rychlost – tiskárna HP PageWide Pro nabízí nízké celkové náklady na vlastnictví a úžasné rychlosti ve své třídě. Získejte barevný tisk v profesionální kvalitě plus bohaté funkce zabezpečení a nízkou spotřebu energie.

Rozlišení[DPI]:

Černobíle: Optimalizované rozlišení až 1 200 x 1 200 dpi při vstupním rozlišení 600 x 600 dpi

Barevně: Optimalizované rozlišení až 2 400 x 1 200 dpi při vstupním rozlišení 600 x 600 dpi

Rychlost černého tisku [str/min]: 40

Rychlost barevného tisku [str/min]: 40

Tisk první strany [sec]: 6,5

Max. měsíční zatížení [str]: 50 000

Paměť [MB]: 768

Oboustranný tisk: Ano

Automatický podavač pro skenování: Ano

Kapacita zásobníku [str]: 500

Rozhraní:

2 vysokorychlostní hostitelské porty USB 2.0

1 vysokorychlostní port USB 2.0 zařízení

1 síťový port Ethernet 10/100 Base-TX

2 porty modemu/telefonní linky RJ-11

Stanice s rozhraním 802.11 b/g/n

Přístupový bod 802.11 b/g

Tiskové jazyky: HP PCLXL (PCL6), nativní tisk PDF, emulace HP Postscript úroveň 3

Kapacita startovacího toneru [str]: černá 3000, azurová/purpurová/žlutá 1500

Skener: Plochý skener

Fax: Ano

Spotřeba [W]: 70

Spotřeba StandBy [W]: 10

Hlučnost [dB]: 56

Rozměry [VxŠxH mm]: 467 x 530 x 407

Hmotnost [kg]: 22,15

Podporované operační systémy:

Windows 10, Windows 8, Windows 7

Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion

Linux

Obsah balení:

Multifunkční tiskárna HP PageWide Pro 477dw

HP 913 Startovací černá kazeta PageWide (cca 3 000 stran)

HP 913 Startovací azurová kazeta PageWide, HP 913 Startovací purpurová kazeta PageWide, HP 913

Startovací žlutá kazeta PageWide: kombinovaná výtěžnost (cca 1 500 stran)

Napájecí kabel

Telefonní kabel

Instalační příručka

Disky CD-ROM (se softwarem, ovladači tiskárny pro systémy Windows a Mac a uživatelskou příručkou)

HP LaserJet Pro M402dne



Printing performance and robust security built for how you work. This capable printer finishes jobs faster and delivers comprehensive security to guard against threats.¹ Original HP Toner cartridges with JetIntelligence give you more pages.²



Fast printing. Strong protection.

- Grab pages and go—without waiting around. This printer wakes up and prints faster than the competition.¹
- Breeze through multipage documents with two-sided printing that's faster than the competition.¹
- Help keep printing safe from boot up to shutdown with security features that guard against complex threats.

More. Pages, Performance, and Protection.

- Get the most prints for your money—with Original HP High Yield Black Toner cartridges with JetIntelligence.²
- Count on consistent results at high speeds with precision black toner.
- Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.
- Print right away with preinstalled toner cartridges. Replace them with optional high-yield cartridges.

Help save energy and easily manage tasks

- Help save energy with HP Auto-On/Auto-Off Technology.³
- Print using less energy than competitors—enhanced by Original HP Toner cartridges with JetIntelligence.⁴
- Make the most of your office space, with a printer that conveniently fits right into your work style.
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.⁵

Stay connected with easy mobile printing options

- Easily print from a variety of smartphones and tablets—generally no setup or apps required.⁶
- Easily set up, print, and share with built-in Ethernet networking.



¹ Based on HP internal testing of top three leading competitors' first page out from Sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>. Automatic two-sided printing not available for the HP LaserJet Pro M402n. ² Based on cartridge yields for HP 80X compared with HP 26X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>. ³ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; May require a firmware upgrade. ⁴ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov of top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>. ⁵ HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>. ⁶ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

HP LaserJet Pro M402dne Specifications Table

Print Speed	Letter: Up to 40 ppm black; ⁴ First Page Out: As fast as 5.6 sec black; ⁵	Compatible Network Operating Systems	Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); MS Windows Server 2012 R2 Terminal Services: Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2012 Terminal Services: Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2008 R2 SP1 Terminal Services: Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2008 R2 Terminal Services: Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6; MS Windows Server 2008 Terminal Services: Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3; MS Windows Server 2003 Terminal Services: Citrix Presentation Server(TM) 4.5, Citrix Presentation Server 4.0; MS Windows Server 2003 Terminal Services: Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3); Novell Servers (http://www.novell.com/iprint): Novell Open Enterprise Server 11/SP1/SP2, Novell Open Enterprise Server 2 for Linux; NetWare 6.5/SP8; Novell Clients (http://www.novell.com/iprint): Novell iPrint Client v5.4 for Vista & Win7 & Win8 (32-bit, 64-bit), Novell iPrint Client v5.4 for WinXP (32-bit, 64-bit)
Print Resolution	Black (best): Up to 4800 x 600 enhanced dpi, HP FastRes 1200	Minimum System Requirements	PC: Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit); 1 GHz processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Vista (32-bit): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) SP2: Pentium 233 MHz processor, 512 MB RAM 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 (32-bit) (SP1 or greater), Windows Server 2003 R2 (32-bit), Windows Server 2008 (32-bit) (SP1 or greater); 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2008 (64-bit) (SP1 or greater), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit) (SP1); 1 GHz 64-bit (x64) processor, 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; MAC: OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Internet, USB; 1 GB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.apple.com)
Print Technology	Laser	Power	Power Supply Type: Internal (built-in) power supply; Power Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with #option code identifier); Power Consumption: 591 watts (Active Printing), 6.1 watts (Ready), 2.8 watts (Sleep), 0.6 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (Shutdown or Off) ¹⁴
Print Resolution Technologies	HP FastRes 1200, HP ProRes 1200, 600 dpi	Acoustics	Acoustic Power Emissions (active): 6.8 B(A); Acoustic Power Emissions (ready): Inaudible; Acoustic Pressure Emissions (active): 54 dB(A); Acoustic Pressure Emissions (ready): Inaudible ¹⁷
Print Cartridges Number	1 (black)	Operating Environment	Operating Temperature Range: 59 to 90.5°F; Recommended Operating Temperature: 63.5 to 77°F; Storage Temperature Range: -4 to 104°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH
Standard Print languages	HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWF	Security Management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; SNMPv3, 802.1X, Secure Boot
Printer Smart Software Features	Auto-duplex printing, N-up printing, collation, HP ePrint, Apple AirPrint™, Google Cloud, Print Mopria-certified, Instant-on Technology, HP Auto-On/Auto-Off technology, JetIntelligence Cartridge Technology, Job Storage with PIN printing	Accessories	HP LaserJet 550-sheet Feeder/Tray D9P29A; HP v222v 16GB Mini USB Drive P0R81AA
Printer Management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox	HP Service and Support Options	UBTMSE - HP 3 year Next business day Exchange LaserJet M402 Service; UBTM6E - HP 3 year Return LaserJet M402 Hardware Service; H3110E - HP Network Install Inkjet/Personal LaserJet Service; UBTM0E - HP 1 year Next Business Day LaserJet M402 Hardware support; UBTM1E - HP 2 years Next Business Day LaserJet M402 Hardware support; UBTM2E - HP 3 years Next Business Day LaserJet M402 Hardware Support; UBTM3E - HP 4 years Next Business Day LaserJet M402 Hardware Support; UBTM4E - HP 5 years Next Business Day LaserJet M402 Hardware Support; UBTM7PE - HP 1 year Post Warranty Next business day LaserJet M402 Hardware Support
Standard Connectivity	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network		
Network Capabilities	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X		
Network Ready	Standard (built-in Gigabit Ethernet)		
Wireless Capability	No		
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0; Mobile Apps		
Memory	Standard: 256MB DRAM; Maximum: 256MB DRAM		
Processor Speed	1200 MHz / Hard disk: None		
Duty Cycle	Monthly, letter: Up to 80,000 pages ⁶		
Recommended Monthly Page Volume	750 to 4000 ⁷		
Media Types Supported	Paper (plain, ECOFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; transparencies		
Media Weight Supported	Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb		
Media Sizes Supported	Tray 1: Letter, Legal, Executive, Envelope #10, Envelope Monarch, Custom size 4 x 6 in, 5 x 8 in, 10 x 15 in statement; Tray 2 & Tray 3: Letter, Legal, Executive, Custom Size, 5 x 8 in, statement		
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2 and 3: 4.13 x 5.85 to 8.5 x 14 in		
Paper Handling	100-sheet multipurpose Tray 1, 250-sheet input Tray 2; 150-sheet output bin; Duplex Options: Automatic(standard); Envelope Feeder: No; Standard Paper Trays: 2; Input Capacities: Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets); Output Capacities: Up to 150 sheets; Up to 10 envelopes; Up to 75 sheets		
What's in the box	C5J91A HP LaserJet Pro M402dne; Preinstalled HP 26A Black LaserJet Toner Cartridge (~3100 pages); Getting Started Guide; Setup Poster; Support Flyer; Warranty Guide; Printer documentation and software on CD-ROM; Power cord		
Replacement Cartridges	HP 26A Black LaserJet Toner Cartridge (~3100 pages), CF226A; HP 26X Black LaserJet Toner Cartridge (~9000 pages), CF226X ¹		
Product Dimensions	W x D x H: 15 x 14.06 x 8.5 in ² ; Maximum: 15 x 25 x 9.5 in		
Product Weight	18.92 lb		
Warranty Features	One-year warranty, return to HP Authorized Service Provider		
Energy Efficiency Compliance	ENERGY STAR® certified; Blue Angel; EPEAT® Silver		
Control Panel	2-line backlit LCD graphic display; Buttons (OK, Menu, Cancel, Back); LED indicator lights (Attention, Ready)		
Display Description	2-line backlit LCD graphic display		
Software Included	For Windows 7: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Device Toolbox, HP Printer Status and Alerts, HP Product Improvement Study, Reconfigure your HP Device; Warranty and Legal Guide, User Guide; For Windows 8+: HP Software Installer/Uninstaller, HP PCL-6 Printer Driver, HP Device Experience (DXP), Warranty and Legal Guide, User Guide, Reconfigure your HP Device; For Windows XP; Windows Vista and associated servers: HP Software Installer/Uninstaller, HP PCL.6 Printer Driver, Warranty and Legal Guide, User Guide; For Mac OS: Welcome Screen (Directs users to http://www.hp.com or OS App Source for LaserJet Software)		
Fonts and Typefaces	84 scalable TrueType fonts		
Compatible Operating Systems	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32 & 64-bit editions, Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32 & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32 & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32 & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32 & 64-bit editions, Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32 & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP); Auto install: BOSS (3.0, 5.0), DEBIAN (6.0, 6.0.1, 6.0.2, 6.0.3, 6.0.4, 6.0.5, 6.0.6, 6.0.7, 6.0.8, 6.0.9, 6.0.10, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6), FEDORA (17, 18, 19, 20), LINUX MINT (13, 14, 15, 16, 17), SUSE LINUX (11.2, 12.3, 13.1), UBUNTU (10.04, 11.10, 12.04.12, 10, 13.04, 13.10, 14.04, 14.10); Manual install: MANDRIVA LINUX (2010.0, 2011.0), MEPIS (6.0, 6.5, 7.0, 8.0), PCLINUXOS (2006.0, 2006, 2007.0, 2007, 2008.0, 2008, 2009.0, 2009), RED HAT (8.0, 9.0), RED HAT ENTERPRISE LINUX (5.0, 6.0, 7.0), SLACKWARE LINUX (9.0, 9.1, 10.0, 10.1, 10.2, 11, 12, 12.1), GOS (8.04.1), IIGOS (1.0), LIMPUS LINUX(9.4, 9.5), LINUX FROM SCRATCH (6); Other OS: UNIX ⁸		

¹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies> ² Without optional 550-sheet tray; Dimensions with optional 550-sheet tray: 15 x 14.06 x 13.58 in (381 x 357 x 345 mm) ³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity. ⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Measured using ISO/IEC 17629, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁶ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups. ⁷ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁸ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit <http://www.hp.com/go/SureSupply>; only available with Original HP supplies; Internet access required. ⁹ Not all "Compatible Operating Systems" are supported with in-box software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print drivers only; Windows RT OS for Tablets (32-bit & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX Modeldrivers are available on HP.com (Modeldrivers are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from <http://www.hp.com> - the Mac driver and Mac Utility are installed for Mac operating systems. ¹³ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ¹⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



Příloha č. 2 – Plná moc

PLNÁ MOC

Zmocnitel:

AutoCont CZ a.s.

Ostrava - Moravská Ostrava, Hornopolská 3322/34, PSČ 702 00
IČ 47676795

zapsaný do obchodního rejstříku u KS v Ostravě, oddíl B, vložka 814
jednatel představenstva Ing. Jaroslav Biolkem

Zmocněnec:

funkce: ředitel regionálního obchodního centra

r.č.: [redacted]

trvale bytem: [redacted]


Zmocnitel uděluje tímto zmocněnci plnou moc k tomu, aby:

za zmocnitele jednal s třetími osobami, podepisoval s třetími osobami smlouvy, rámcové smlouvy a přijímal od třetích osob objednávky, pokud předmětem takových právních úkonů bude dodávka zboží nebo služeb třetím osobám, a to do rozsahu 1.000.000 Kč bez DPH:

Tato plná moc se uděluje na období ode dne jejího vystavení do 31. 3. 2017.

Zmocnitel je oprávněn tuto plnou moc kdykoli písemně odvolat.

V Ostravě dne 1.12.2016




AutoCont CZ a.s.

Ing. Jaroslav Biolkem, předseda představenstva

Plnou moc přijímám

V Brně dne 21. 12. 2016



ředitel regionálního obchodního centra