Od: Customer Service <cs.cz@molnlycke.com>
Odesláno: 27. listopadu 2019 10:18
Komu:
Předmět: FW: Objednávka vydaná VO-2019-110-003427
Přílohy: Objednávka vydaná VO-2019-110-003427.pdf

Dobrý den,
Potvrzuji přijetí objednávky v plném rozsahu.
S pozdravem

Molnlycke

Customer Service Coordinator

Tel.:+420
Mobile: +420

www.molnlycke.com

-----Original Message-----
From: EIS (na tuto zprávu neodpovídejte) <qi@nempk.cz>
Sent: Monday, November 4, 2019 12:35 PM
To: Customer Service <cs.cz@molnlycke.com>
Subject: Objednávka vydaná VO-2019-110-003427

Vygenerováno Prvním elastickým informačním systémem QI - licence Nemocnice Pardubického kraje, a.s.

Please note that the content of this e-mail is intended only for the confidential use of the person(s) to whom it is addressed above. If the reader of this e-mail is not the person to whom it is addressed, you are hereby notified that you have received this communication in error and that reading it, copying it, or in any way disseminating its content to any other person, is strictly prohibited. If you have received this e-mail in error, please notify the author by using the reply key immediately.

To find out more about Mölnlyckes privacy practices and how we handle personal data, please see our privacy notice https://eur03.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.molnlycke.com%2Fabout-this-site%2Fpolicies%2F&data=02%7C01%7Ccs.cz%40molnlycke.com%7Cd6303b04f3b84b44e03a08d7611c3698%7C4d3f6608ec8c4b1f9484274a4b699efb%7C1%7C1%7C637084646119792895&sdata=z9iyou%2Fv%2Bs9f2pZKvGydUeTuSlnjpOAiG2WDle%2F24Os%3D&reserved=0

Please note that the content of this e-mail is intended only for the confidential use of the person(s) to whom it is addressed above. If the reader of this e-mail is not the person to whom it is addressed, you are hereby notified that you have received this communication in error and that reading it, copying it, or in any way disseminating its