




QUOTATION			
SELLER ZHENGZHOU CY SCIENTIFIC INSTRUMENT CO.,LTD Tel: 86-0371-55199322 Fax: 86-0371-86036875 Email: s [REDACTED]		REF NO.: CYG200516 DATE: 2020-5-16	
BUYER			
Goods name	Specification	Price (FOB ZHENGZHOU)	Pictures
Low Speed Precision Diamond Cut-off Saw with 4" Diamond Blades	CY-GTQ-5	[REDACTED]	
Sic disc(10pcs)		[REDACTED]	
Al2O3 disc(10pcs)		[REDACTED]	
Diamond disc(10pcs)		[REDACTED]	
1.Delivery time: three weeks after receiving the payment			
2.Payment: T/T in advance			
3.Warranty: one year with whole life technical support			
4. PLY Wooden Box with FOAM			
5.Price valid: 15 days			

3534USD


****Picture is only for reference, our company reserve the right to upgrade the product without prior notice****

Low Speed Precision Diamond Cut-off Saw with 4" Diamond Blades CY-GTQ-5

CY-DTQ-5 type low speed precision cutting machine is suitable for all kinds of hard material cutting precision, especially suitable for all kinds of tiny metal and non-metal components and a variety of electronic components of precision cutting;This machine can be equipped with diamond saw blade or other material resin saw blade, in order to meet the various sample cutting.

Voltage and Power	AC 110V/220V switchable for worldwide usage 110VDC Motor 8Amp fuse installed
Speed Range	Variable 0-600 rpm with LED digital display



Cutting Width & Depth	<p>The cutting width of the slice is controllable from 1mm ~ 24mm by adjusting the LCD digital micrometer. The LCD micrometer is waterproof with a resolution of 0.001 mm and accuracy of +/-0.003 mm.</p> <p>32.5mm max. cutting depth (when using 35mm Dia. blade flange)</p>
Diamond Blades	<p>Three blades are included for cutting various materials</p> <p>SiC blade: 4" x 0.35 mm x 0.5" Arbor for cutting nonferrous metal materials, such as superalloys.</p> <p>Al2O3 blade: 4" x 0.35 mm x 0.5" Arbor for cutting ferrous metal materials, such as iron and steel.</p> <p>Full sintered diamond blade: 4" x 0.35 mm x 0.5" arbor for cutting crystal, ceramic, and plastic materials</p>
Sample Holder & Mini-vise	<p>Two angle adjustable sample holder is included</p> <p>One Mini-vise is included, which can be easily adapted onto the sample holder to clamp rod shape specimens with a diameter up to 1" max.</p> <div style="text-align: center;">  </div>
Package Dimensions	19"(L) x 15"(W) x 15"(H)
Balancing Weights	<p>Front (SYJ150-03): 0.75 lbs</p> <p>Back (SYJ150-02): 0.55 lbs</p>
Warranty	Two years limited with lifetime support (not including rusted parts due to inadequate storage conditions)



Have any need and question, please feel free to contact us via [REDACTED]