Scope of On-Site Overhaul of Intagliocolor 8 machine, serial no. 63303501

Electrical overhaul

Upgrade of existing PLC system T300

Including all I/O modules to EC500 Arcnet or Ethernet.

Package PLC_UG_003_T300 - The package includes three PLC EC500, new I/O modules and an electrical modification kit.

Upgrade of existing cam switch/timing unit

from ABB T300 / BDT L0056076 with 64 cams to ABB AC500 Arcnet or Ethernet. Package CS_UG_004_- The package includes a new PLC based timing unit, a new encoder and a mechanical and electrical modification kit.

Replacement of fast power contactor

CM 62-ITR-80DC/24DC (L0056137) which switches the main motor brake. Package O6xx_012_power_contactor - Package includes electrical modification kit including new circuit diagram.

Converting set main switch

Relays, batteries, switches, etc.

Replacement of DOS control console

Package CC6xx_007_DOS_KOSO.
The package includes new control console desk including computer system, Windows 7 and new application SW.
Remote maintenance (VPN) for printing machines, including VPN router.

Replacement of main drive BKD6/100/460 (L0052963)

For current motor GNAG160KV drive BKF12/200/420-703. PLC must be KT 94 or newer.

Replacement of suction roller drives

Package SR633_001_INT_35-38 - The package includes 2 new brushless DC motors with integrated speed controller as well as mechanical and electrical modification parts.

Replacement of double sheet detection

Package DS634_001_SOI_02-11 - The package includes the new double sheet detection DB 18 UP and VDB12B and a mechanical modification kit.

Replacement of printing pressure measurement device VP-3/A (L0053968)

Package O634_005_SOI_11-23 - Package includes new sensors, new measuring device and new software for control console. Requires KOSO control console (Windows based).

Push button panels

Replacement of all push buttons, wire terminals and light bulbs.

Documentation update

- CZ (hard copy), EN/DE (USB flash drive)
- Software for operating and maintenance of the machine on a new control consoles (control, error messages, etc.) must have Czech localization

Mechanical overhaul

Retrofit of new type wiping system in existing wiping tank

Chablon cylinder for mounting photopolymer plates

with hydraulic plate clamping device, for direct inking.

Set of mechanical parts such as cones, shafts and gears for the 4 inking cylinder stations.

Supply of all the bearings, rings and seals to complete the exchange with the old and worn units.

Electrically operated crane

To be installed on the Intagliocolor 8 bridge to rise and lower the polychablon cylinders

Hydraulic pump SKF

For hydraulic plate clamping device with pressure gauge and flexible hose

Thermoregulation 76 SF/M, without water chiller

Compact 6 circuits unit for the automatic temperature control of reciprocating distributor rollers.

Auxiliary tank for wiping solution

Cylinder surface repair

On-Site mechanical overhaul:

Sheet Feeder

- Replacing vacuum and pressure valve
- · Replacing all drive chains
- · Replacing plastic bevel gears

Infeed

- Drive Stop Drum
 - Replacing cam rollers and bolts;
- Cover Drive Stop Drum
 - Exchange of sealing;
- Stop Drum
 - o Replacing gripper bar incl. bearings;
 - Exchange gripper pads on Stop Drum;
- Transfer Drum 1
 - Replacing gripper bar incl. bearings, screws and torsion spring;
- Front Lays
 - Exchange Front Lays complete;
- Side Lays
 - Exchange Side Lays complete on machine SI and SII;
- Gripper Control Stop Drum
 - o Replace all bearings and wear parts;

Printing Unit

- Printing Cylinder
 - o Exchange of complete gripper bar;
 - New cam roller and gripper;
- Bearing Printing Cylinder

- o Replacing bearings and cup springs of printing cylinder lift;
- · Printing cylinder On/Off
 - Replacing hydraulic cylinders
- Plate cylinder
 - o Replacing rotary unions and hoses;
- · Plate clamping device
 - Replacing bolts and cup springs;

Inking Unit

- Ink fountain
 - o Replace ink knives;
 - Exchange wear parts such as bearings and springs;
 - Replace screws;
- Distributor roller bearings
- · Replace cam rollers, bolts and bearings

Wiping Unit

- Locking hydraulic cylinders
 - o Exchange hydraulic cylinders;
- Wiping cylinder oscillation
 - Exchange cam rollers and drive;
- Wiping cylinder On/Off
 - Replace all wear nánd tear parts;
 - Replace hydraulic cylinders;
 - New adjustment of wiping cylinder;
- Drying blade
 - Exchange hydraulic cylinders;
- Wiping Tank
 - Replace wiping tank illumination;
- Steel blade
 - o Exchange hydraulic cylinder;
- Tubing Spray Wiping
 - Exchange spray gun and hose;
- Main base
 - o Exchange hydraulic cylinders;

Delivery Unit

- Gripper System control
 - o Replacing hydraulic cylinders;
- Gripper system
 - Complete new gripper system;