

KUPNÍ SMLOUVA

(dále jen „smlouva“)

uzavřená ve smyslu § 2079 a násl. zákona č. 89/2012 Sb., občanského zákoníku, ve znění pozdějších předpisů (dále jen „občanský zákoník“)

I.

Smluvní strany

1.1. Kupující: Česká zemědělská univerzita v Praze
Sídlo: Kamýcká 129, 165 00 Praha – Suchbátka
Zastoupený: Ing. Jakubem Kleindienstem, kvestorem
bankovní spojení: Česká spořitelna, a. s.
číslo účtu: xxxx
IČO: 60460709
DIČ: CZ60460709
(dále jen „kupující“) na straně jedné

a

1.2 Prodávající: Af Office, s.r.o.
Sídlo: Jednořadová 1051/53, 160 00 Praha 6
Zastoupený: Jiřím Sikorou, jednatelem
Bank. spojení: Raiffeisenbank a.s.
Číslo účtu: xxxx
IČO: 26768771
DIČ: CZ26768771
Zapsaný v obchodním rejstříku vedeném Městským soudem v Praze, oddíl C, vložka 92433
(dále jen „prodávající“) na straně druhé

(společně dále také jako „smluvní strany“)

uzavírají na základě výsledku zadávacího řízení dle zákona č. 134/2016 Sb., o zadávání veřejných zakázek, ve znění pozdějších předpisů, k plnění veřejné zakázky s názvem „**Dodávka počítačů, komponent do PC, tiskáren, projektorů, tonerů a kamer**“ smlouvu následujícího znění:

II.

Předmět smlouvy

2.1. Prodávající se zavazuje dodat kupujícímu na základě objednávek tiskárny (dále jen „zboží“), a to v rozsahu a za podmínek stanovených touto smlouvou, a převést na kupujícího vlastnické právo k tomuto zboží. Přesná specifikace zboží je uvedena v příloze č. 1 této smlouvy, která tvoří její nedílnou součást. Součástí závazku prodávajícího je rovněž provedení služeb souvisejících s odevzdáním zboží, a to tak, jak jsou definovány v čl. 2.3. a čl. 2.4. této smlouvy (dále jen „související služby“). Množství uvedené v příloze č. 1 této smlouvy je předpokládané. Kupující bere na vědomí, že prodávající bude zboží objednávat dle jeho skutečné potřeby (různé druhy a rozsah) a vyhrazuje si právo neodebrat dodávky zboží a s nimi související služby v celém množství. Kupující je oprávněn objednat po dobu účinnosti této smlouvy i větší množství zboží, než je uvedeno v příloze č. 1 této smlouvy. Z takového rozhodnutí kupujícího nevzniká prodávajícímu za žádných okolností právo k účtování jakýchkoliv odměn, nákladů, smluvních pokut či náhrad škod.

- 2.2. Kupující se zavazuje zboží převzít a zaplatit za něj sjednanou kupní cenu způsobem a v termínu sjednanými touto smlouvou.
- 2.3. Součástí závazku prodávajícího, stanoveného v čl. 2.1. této smlouvy je rovněž provedení souvisejících služeb, spočívajících v dopravě zboží kupujícímu, přičemž:
- a. dopravou zboží se rozumí jeho dodání do místa plnění dle čl. III. této smlouvy, včetně zajištění jeho vynesení do příslušného patra a místnosti v místě plnění, dle pokynů kupujícího.
- 2.4. Prodávající je povinen dodat zboží zcela nové, plně funkční a kompletní (vč. příslušenství), a dále je povinen na vyžádání dodat prodávajícímu prohlášení o shodě týkající se objednávaného zboží.

III.

Doba, místo a způsob plnění

- 3.1. Prodávající se zavazuje, že sjednané zboží dodá kupujícímu ve lhůtě 14 dnů od odeslání písemné objednávky, a to včetně souvisejících služeb dle čl. 2.3 smlouvy s tím, že kupující bude dle smlouvy zadávat jednotlivé objednávky (výzvy k poskytnutí součinnosti). Objednávka bude obsahovat upřesnění informace o předmětu a rozsahu plnění podle aktuálních potřeb kupujícího v souladu s podmínkami rámcové smlouvy. Objednávka (výzva k poskytnutí plnění) bude obsahovat informace o:
- i) předmětu plnění (specifikace položek, množství jednotlivých položek) – při zpracování objednávky vyplní objedávající,
 - ii) označení projektu, ze kterého bude objednávka financována,
 - iii) identifikační údaje kupujícího a zaměstnance (dle čl. 5.8. této smlouvy), který vystavil objednávku,
 - iv) přesné místo plnění (s ohledem na znění článku 3.4. smlouvy věta druhá).
- 3.2. Objednávku kupující odešle na emailovou adresu uvedenou v čl. 5.7. této smlouvy.
- 3.3. Prodávající je povinen nejpozději do 24 hodin (v pracovních dnech) od obdržení objednávky potvrdit její přijetí.
- 3.4. Místo plnění jsou prostory Fakulty agrobiologie, potravinových a přírodních zdrojů na adrese sídla zadavatele, tj.: Kamýcká 129, 165 00 Praha – Suchbátka. Kupující bere na vědomí, že přesné místo bude prodávajícímu sděleno před dodáním zboží.
- 3.5. Zboží bude předáno prodávajícím a převzato kupujícím na základě oboustranně podepsaného předávacího protokolu.
- 3.6. Povinným obsahem protokolu o předání a převzetí zboží je:
- a. údaj o prodávajícím a kupujícím;
 - b. popis zboží, které je předmětem předání a převzetí;
 - c. údaj o stavu zboží a jeho bezvadnosti, v případě vady uvedení termínu jejího odstranění;
 - d. datum podpisu předávacího protokolu.

IV.

Cena a platební podmínky

- 4.1. Kupní cena za zboží je stanovena na základě jednotlivých objednávek a jednotkových cen dle přílohy č. 1 této smlouvy. Jednotkové ceny musí vždy a výhradně respektovat jednotkové ceny použité prodávajícím při ocenění kalkulačního vzorce (viz technická dokumentace/specifikace plnění ve formátu excel) k výpočtu nabídkové ceny, a to jako ceny maximální a nepřekročitelné.

- 4.2. Ke kupní ceně bude připočtena DPH dle platných právních předpisů.
- 4.3. Kupní cena je sjednána jako nejvýše přípustná, včetně všech poplatků a veškerých dalších nákladů spojených s plněním předmětu této smlouvy. Jednotkové ceny zahrnují provedení souvisejících služeb uvedených v čl. 2.3. této smlouvy. Kupní cena zahrnuje veškeré související náklady, zejména případné náklady na správní poplatky, daně, cla, schvalovací řízení, provedení předepsaných zkoušek, zabezpečení prohlášení o shodě, certifikáty a atesty, převod práv, pojištění, přepravní náklady či náklady na případnou ostrahu zboží do doby jeho řádného odevzdání kupujícím, apod. Kupní cena je nezávislá na vývoji cen a kurzových změnách.
- 4.4. Kupní cena bude kupujícím uhrazena v české měně na základě daňového dokladu – faktury, a to bezhotovostním převodem na bankovní účet prodávajícího. Fakturu je prodávající povinen vystavit do 15 dnů po řádném a včasném dodání a převzetí zboží kupujícím dle této smlouvy na základě předávajícího protokolu.
- 4.5. Prodávající podpisem této smlouvy prohlašuje, že je plně seznámen s rozsahem a povahou předmětu plnění a že správně vyhodnotil a ocenil veškeré související služby a práce, jejichž provedení je pro řádné splnění závazku vyplývajícího z této smlouvy nezbytné, a že při stanovení kupní ceny dle této smlouvy:
- řádně zjistil předmět plnění této smlouvy,
 - prověřil místní podmínky pro provedení předmětu plnění této smlouvy,
 - při kalkulaci kupní ceny zohlednil veškeré technické a obchodní podmínky uvedené ve smlouvě a její příloze.
- 4.6. Není-li uvedeno jinak, rozumí se veškeré ceny uvedené v této smlouvě bez daně z přidané hodnoty (DPH). DPH bude prodávajícím účtována dle zákona č. 235/2004 Sb., o dani z přidané hodnoty, ve znění pozdějších předpisů, ke dni uskutečnění zdanitelného plnění.
- 4.7. Daňový doklad – faktura musí obsahovat všechny náležitosti řádného účetního a daňového dokladu ve smyslu příslušných právních předpisů, zejména zákona č. 235/2004 Sb., o dani z přidané hodnoty, ve znění pozdějších předpisů. Zároveň musí být na faktuře uvedeno označení projektu a operačního programu: „Centrum pro studium vzniku a transformací nutričně významných látek v potravním řetězci v interakci s potenciálně rizikovými látkami antropogenního původu: komplexní posouzení rizika kontaminace půdy“ registrační číslo: CZ.02.1.01/0.0/0.0/16_019/0000845 financovaného z Operačního programu Výzkum, vývoj a vzdělávání. V případě, že faktura nebude mít odpovídající náležitosti, je kupující oprávněn ji vrátit ve lhůtě splatnosti zpět prodávajícímu k doplnění, aniž se tak dostane do prodlení se splatností. Lhůta splatnosti počíná běžet znovu od opětovného doručení náležitě doplněné či opravené faktury kupujícímu.
- 4.8. Splatnost faktury je 30 dnů ode dne jejího prokazatelného doručení kupujícímu. Fakturu je prodávající povinen doručit na adresu: Česká zemědělská univerzita v Praze, Kamýcká 129, 165 00 Praha – Suchbátka. Jiné doručení nebude považováno za řádné s tím, že kupujícímu nevznikne povinnost fakturu doručitou jiným způsobem uhradit.
- 4.9. Za den platby se považuje den odepsání fakturované částky z bankovního účtu kupujícího ve prospěch bankovního účtu prodávajícího.
- 4.10. Úhrada kupní ceny nebo její části bude prodávajícímu převedena na jeho účet zveřejněný správcem daně podle § 98 zákona č. 235/2004 Sb., o dani z přidané hodnoty, ve znění pozdějších předpisů, a to i v případě, že na faktuře bude uveden jiný bankovní účet. Pokud prodávající nebude mít bankovní účet zveřejněný podle § 98 zákona č. 235/2004 Sb., o dani z přidané hodnoty, ve znění pozdějších předpisů, správcem daně, provede kupující úhradu na bankovní účet až po jeho zveřejnění správcem daně, aniž by byl kupující v prodlení s úhradou. Zveřejnění bankovního účtu

správce daně oznámí prodávající bezodkladně kupujícímu. Toto ustanovení se neuplatní v případě, že prodávající není povinen zveřejňovat účet dle zákona č. 235/2004 Sb., o dani z přidané hodnoty ve znění pozdějších předpisů.

- 4.11. Pokud bude v okamžiku uskutečnění zdanitelného plnění o prodávajícím zveřejněna příslušným správcem daně informace, že je nespolehlivým plátcem DPH, vyhrazuje si kupující, jakožto ručitel, právo o částku odpovídající výši DPH uvedenou v čl. 4.2 této smlouvy snížit částku poskytnutou na úhradu kupní ceny prodávajícímu dle této smlouvy. Tuto skutečnost je kupující povinen prodávajícímu předem oznámit. Uplatněním tohoto postupu dojde ke snížení pohledávky prodávajícího za kupujícího o příslušnou částku DPH a prodávající není oprávněn po kupujícího uhrazení částky odpovídající výši DPH jakkoliv vymáhat.
- 4.12. Stane-li se prodávající nespolehlivým plátcem DPH po uhrazení kupní ceny ze strany kupujícího, je kupující oprávněn od této smlouvy odstoupit. V takovém případě smluvní strany vrátí vše, co si navzájem dosud plnily. Tímto ustanovením zůstávají nedotčena práva kupujícího na náhradu škody.

V.

Práva a povinnosti stran

- 5.1. Prodávající je povinen dodat zboží v dohodnutém množství, jakosti a provedení. Veškeré zboží dodávané prodávajícím kupujícímu z titulu této smlouvy musí splňovat kvalitativní požadavky dle této smlouvy.
- 5.2. Prodávající je povinen dodat zboží bez vad kupujícímu v souladu s podmínkami této smlouvy, zejména přílohou č. 1, přičemž za řádné dodání zboží se považuje jeho převzetí kupující, a to na základě potvrzení této skutečnosti v předávacím protokolu. Předávací protokol může být podepsán nejdříve v okamžiku, kdy bude beze zbytku realizována dodávka zboží prodávajícím včetně souvisejících služeb sjednaných touto smlouvou.
- 5.3. Kupující nabývá vlastnického práva ke zboží dnem převzetí zboží od prodávajícího. Stejným okamžikem přechází na kupujícího také nebezpečí škody na věci.
- 5.4. Prodávající je povinen kupujícímu předat všechny doklady, které jsou nutné k převzetí a k řádnému užívání zboží (zejména kompletní technická dokumentace, vč. bezpečnostní a provozní dokumentace, záruční listy) a provést zaškolení obsluhy. Vše v českém případně anglickém jazyce a podle předpisů platných v ČR, pokud nebude dohodnuto jinak.
- 5.5. Prodávající je povinen neprodleně vyrozumět kupujícího o případném ohrožení doby plnění a o všech skutečnostech, které mohou předmět plnění znemožnit.
- 5.6. Prodávající odpovídá kupujícímu za škodu způsobenou porušením povinností podle této smlouvy nebo povinností stanovené obecně závazným právním předpisem.
- 5.7. Prodávající se zavazuje zajistit průmyslově-právní, resp. autorskoprávní nezávadnost zboží a podmínek jeho užívání kupující. Pokud prodávající při plnění realizovaném na základě této smlouvy užije výsledek činnosti třetího subjektu chráněný právem průmyslového nebo jiného duševního vlastnictví a uplatní-li oprávněná osoba z tohoto titulu své nároky vůči kupujícímu, provede prodávající na své náklady vypořádání majetkových důsledků a je odpovědný za jakoukoliv škodu způsobenou kupujícímu.
- 5.8. Strany se dohodly a prodávající určil, že osobou oprávněnou k jednání za prodávajícího ve věcech, které se týkají této smlouvy a její realizace je:
- Jméno: xxxx
- e-mail: xxxx
- tel.: xxxx

- 5.9. Strany se dohodly a kupující určil, že osobou oprávněnou k jednání za kupujícího ve věcech, které se týkají této smlouvy a její realizace je:
- Jméno: xxxx
e-mail: xxxx
tel.: xxxx
- 5.10. Veškerá korespondence, pokyny, oznámení, žádosti, záznamy a jiné dokumenty vzniklé na základě této smlouvy mezi smluvními stranami nebo v souvislosti s ní budou vyhotoveny v písemné formě v českém jazyce a doručují se buď osobně nebo doporučenou poštou, faxem či e-mailem, krukám a na doručovací adresy oprávněných osob dle této smlouvy.
- 5.11. V případě, že v průběhu plnění této smlouvy dojde u prodávajícího ke změně velikosti balení jakékoliv položky nabízeného materiálu uvedeného v příloze č. 1 této smlouvy, je prodávající prostřednictvím své oprávněné osoby podle článku 5.8. této smlouvy povinen tuto skutečnost bez zbytečného odkladu písemně prostřednictvím e-mailu ohlásit oprávněným osobám kupujícího dle čl. 5.9. smlouvy.

VI.

Záruka na zboží

- 6.1. Prodávající přebírá záruku za zboží na dobu uvedenou v příloze č. 1 této smlouvy – Podrobné technické specifikaci (specifikace plnění). Záruční doba počíná běžet dnem dodání zboží kupujícímu, tj. dnem podpisu předávacího protokolu kupujícím v souladu s čl. 3.6. této smlouvy.
- 6.2. Kupující je povinen písemně ohlásit prodávajícímu záruční vady neprodleně po jejich zjištění, a to na e-mailovou adresu prodávajícího: tlusta@afoffice.cz nebo na adresu uvedenou v záhlaví této smlouvy. V písemné reklamaci uvede kupující popis vady nebo informaci o tom, jak se vada projevuje, a způsob, jakým požaduje vadu odstranit v souladu s § 2169 občanského zákoníku. Záruční opravy provede prodávající bezplatně ve lhůtě 7 pracovních dnů. Závada může být řešena dodávkou náhradního zboží. V případě nedodržení těchto lhůt je kupující dále oprávněn nechat nedostatky odstranit třetí osobou na náklady prodávajícího, a to i bez předchozího upozornění na tuto skutečnost.
- 6.3. V případě opravy v záruční době se tato prodlužuje o dobu od oznámení závady kupujícím do jejího řádného odstranění prodávajícím.
- 6.4. Reklamací lze uplatnit nejpozději do posledního dne záruční doby, přičemž i reklamáce odeslaná v poslední den záruční doby se považuje za včas uplatněnou.
- 6.5. Prodávající prohlašuje, že odevzdané zboží je nové, nepoužívané ani nijak repasované, bez faktických a právních vad a odpovídá této smlouvě a platným právním předpisům. Veškeré zboží dodané dle této smlouvy musí odpovídat podmínkám stanoveným technickými normami ČSN či obdobným normám států v rámci Evropské unie.
- 6.6. Kupující může místo záruční opravy požadovat odstranění reklamačních vad dodáním náhradního zboží, a to ve lhůtě dne čl. 6.2. této smlouvy.

VII.

Sankční ujednání

- 7.1. V případě, že prodávající nedodá zboží v termínu dle této smlouvy, zavazuje se kupujícímu uhradit smluvní pokutu ve výši 0,5% z kupní ceny dle příslušné objednávky, a to za každý, byť i jen započatý den prodlení.

- 7.2. Prodávající je povinen kupujícímu uhradit smluvní pokutu ve výši 0,50% u kupní ceny příslušného zboží za každý započatý den prodlení s odstraněním reklamované vady ve lhůtě dle čl. 6.2. této smlouvy.
- 7.3. V případě prodlení kupujícího s úhradou faktury je prodávající oprávněn uplatnit vůči kupujícímu úrok z prodlení ve výši 0,05% z dlužné částky za každý i jen započatý den prodlení s úhradou faktury.
- 7.4. Kupující je oprávněn jakoukoli smluvní pokutu jednostranně započítat proti jakékoliv pohledávce prodávajícího za kupujícím (včetně pohledávky prodávajícího na zaplacení kupní ceny).
- 7.5. Povinná smluvní strana se zavazuje uhradit vyúčtovanou smluvní pokutu (smluvní pokuty) ve lhůtě do 14 dnů ode dne obdržení příslušného vyúčtování. Stejná lhůta se vztahuje rovněž na úhradu úroků z prodlení.
- 7.6. Úhradou smluvní pokuty zůstávají nedotčena práva kupujícího na náhradu škody v plné výši. Ustanovení § 2050 občanského zákoníku se tak nepoužije. Úhradou smluvní pokuty zůstávají nedotčena práva kupujícího na řádné splnění povinností ze strany prodávajícího.
- 7.7. Okolnosti vylučující odpovědnost nemají vliv na povinnost platit smluvní pokutu.

VIII.

Vyšší moc

- 8.1. Smluvní strany jsou zbaveny odpovědnosti za částečné nebo úplné neplnění povinností daných touto smlouvou v případě (a v tom rozsahu), kdy toto neplnění bylo výsledkem události nebo okolnosti způsobené vyšší mocí. Odpovědnost za nesplnění smluvní povinnosti však nevyklučuje překážka, která vznikla v době, kdy povinná smluvní strana byla v prodlení s plněním své povinnosti nebo vznikla z jejich hospodářských poměrů.
- 8.2. Pro účely této smlouvy se vyšší mocí rozumí taková mimořádná a neodvratitelná událost, která je mimo kontrolu smluvní strany, jež se na ni odvolává, kterou smluvní strana nemohla při uzavření této smlouvy předvídat a která smluvní straně brání v plnění závazků vyplývajících z této smlouvy. Takovými událostmi jsou zejména (avšak nikoliv výlučně): válka, živelná katastrofa apod. Za vyšší moc není považována chyba nebo zanedbání ze strany prodávajícího, místní a podnikové stávky, výpadky ve výrobě, v dodávce energií apod. Vyšší mocí není rovněž selhání poddodavatele, nastalo-li z jiných než shora uvedených důvodů.
- 8.3. Nastane-li situace vyšší moci, je dotčená smluvní strana povinna okamžitě o takovém stavu, jeho příčině a předpokládaném termínu skončení informovat druhou smluvní stranu. Smluvní strany se zavazují hledat alternativní prostředky pro splnění předmětu této smlouvy a poskytnout za tímto účelem druhé smluvní straně veškerou součinnost.
- 8.4. Trvá-li vyšší moc nebo její účinky delší dobu než 3 měsíce a nenajdou-li smluvní strany alternativní řešení, má kterákoliv ze smluvních stran právo od smlouvy odstoupit. V takovém případě je na volbě kupujícího, který může rozhodnout, zda (i) si dosud přijaté plnění ponechá za část kupní ceny odpovídající rozsahu a kvalitě dosud přijatého plnění, anebo (ii) zda si smluvní strany vzájemně poskytnuté plnění vrátí.

IX.

Platnost a účinnost smlouvy

- 9.1. Tato smlouva nabývá platnosti dnem podpisu smlouvy oprávněnými zástupci obou smluvních stran. Tato smlouva nabývá účinnosti okamžikem uveřejnění v registru

smluv v souladu se zákonem č. 340/2015 Sb., o zvláštních podmínkách účinnosti některých smluv, uveřejňování těchto smluv a o registru smluv (zákon o registru smluv), ve znění pozdějších předpisů. Tato smlouva se uzavírá na dobu osmnácti měsíců.

- 9.2.** Smluvní vztah založený touto smlouvou může být ukončen:
- a) písemnou dohodu smluvních stran,
 - b) odstoupením od smlouvy.
- 9.3.** Odstoupit od smlouvy lze pouze z důvodů stanovených ve smlouvě nebo zákonem. Smluvní strana dotčená porušením povinnosti druhé smluvní strany může od této smlouvy jednostranně odstoupit pro podstatné porušení této smlouvy, přičemž za podstatné porušení se zejména považuje:
- a) na straně kupujícího nezaplacení kupní ceny podle této smlouvy ve lhůtě delší 30 dní po dni splatnosti příslušné faktury,
 - b) na straně prodávajícího, jestliže nedodá řádně a včas předmět této smlouvy a nezjedná nápravu do 5 pracovních dnů od písemného upozornění kupujícím na neplnění této smlouvy,
 - c) na straně prodávajícího postupuje-li prodávající při plnění smlouvy v rozporu s ujednáními této smlouvy, s pokyny oprávněného zástupce kupujícího či s právními předpisy.

Účinnost odstoupení od smlouvy nastává doručením oznámení o odstoupení druhé smluvní straně na její adresu uvedenou v záhlaví této smlouvy.

- 9.4.** Kupující je oprávněn od smlouvy odstoupit v případě, že podle údajů uvedených v registru plátců DPH se prodávající stane nespolehlivým plátcem DPH.
- 9.5.** Skončením účinnosti smlouvy zanikají všechny závazky smluvních stran ze smlouvy. Skončením účinnosti smlouvy nebo jejím zánikem však nezanikají nároky na náhradu škody a zaplacení smluvních pokut sjednaných pro případ porušení smluvních povinností vzniklých před skončením účinnosti (zánikem) smlouvy, a ty závazky smluvních stran, které podle smlouvy nebo vzhledem ke své povaze mají trvat i nadále, nebo u kterých tak stanoví zákon.

X.

Závěrečná ustanovení

- 10.1.** Vztahy mezi stranami se řídí českým právním řádem. Ve věcech smlouvou výslovně neupravených se právní vztahy z ní vznikající a vyplývající řídí příslušnými ustanoveními občanského zákoníku a ostatními obecně závaznými právními předpisy.
- 10.2.** Veškeré změny či doplnění smlouvy lze učinit pouze na základě písemné dohody smluvních stran. Takové dohody musí mít podobu datovaných, číslovaných a oběma smluvními stranami podepsaných dodatků smlouvy. Jinou než písemnou formu dodatku v listinné podobě smluvní strany tímto vylučují.
- 10.3.** Vztahuje-li se důvod neplatnosti jen na některé ustanovení smlouvy, je neplatným pouze toto ustanovení, pokud z jeho povahy, obsahu anebo z okolností, za nichž bylo sjednáno, nevyplývá, že jej nelze oddělit od ostatního obsahu smlouvy.
- 10.4.** Smluvní strany budou vždy usilovat o přátelské urovnání případných sporů vzniklých ze smlouvy. Pokud nebylo dosaženo přátelského urovnání sporu ani do 30 pracovních dnů po jeho prvním oznámení druhé straně, je kterákoliv ze smluvních stran oprávněna obrátit se svým nárokem k příslušnému soudu.
- 10.5.** Smlouva se vyhotovuje ve 4 (čtyřech) stejnopisech, z nichž každý má platnost originálu. Každá ze smluvních stran obdrží po 2 (dvou) stejnopisech.

- 10.6.** Nedílnou součástí této smlouvy jsou následující přílohy:
Příloha č. 1 – Podrobná technická specifikace (specifikace plnění)
- 10.7.** Prodávající bezvýhradně souhlasí se zveřejněním plného znění smlouvy tak, aby tato smlouva mohla být předmětem poskytnuté informace ve smyslu zákona č. 106/1999 Sb., o svobodném přístupu k informacím, ve znění pozdějších předpisů. Prodávající rovněž souhlasí se zveřejněním plného znění smlouvy dle § 219 zákona č. 134/2016 Sb., o zadávání veřejných zakázek, ve znění pozdějších předpisů a zákona č. 340/2015 Sb., o zvláštních podmínkách účinnosti některých smluv, uveřejňování těchto smluv a o registru smluv (zákon o registru smluv).
- 10.8.** Prodávající bere na vědomí a souhlasí, že je osobou povinnou ve smyslu § 2 písm. e) zákona č. 320/2001 Sb., o finanční kontrole, ve znění pozdějších předpisů. Prodávající je povinen plnit povinnosti vyplývající pro něho jako osobu povinnou z výše citovaného zákona
- 10.9.** Prodávající je povinen nejpozději do 3 pracovních dnů od uplynutí příslušného kalendářního čtvrtletí odeslat email: albrechtvladimir@af.czu.cz celkovou výši skutečně uhrazené ceny za plnění objednávek v daném kalendářním čtvrtletí.
- 10.10.** Smluvní strany prohlašují, že mezi nimi nebyla vedena žádná další jednání ani učiněny žádné dohody, ať ústní či písemné, vztahující se jakkoliv k předmětu této smlouvy.
- 10.11.** Smluvní strany prohlašují, že si smlouvu před jejím podpisem přečetly a s jejím obsahem bez výhrad souhlasí. Smlouva je vyjádřením jejich pravé, skutečné, svobodné a vážné vůle. Na důkaz pravosti a pravdivosti těchto prohlášení připojují oprávnění zástupci smluvních stran své vlastnoruční podpisy.


V Praze dne

V Praze dne

Za kupujícího:
Česká zemědělská univerzita v Praze

Za prodávajícího:
Af Office, s.r.o.


.....
Ing. Jakub Kleindienst, kvestor


.....
Jiří Sikora, jednatel společnosti

TECHNICKÁ SPECIFIKACE PŘEDMĚTU PLNĚNÍ

Název zakázky: Dodávka počítačů, komponent do PC, tiskáren, projektorů, tonerů a kamer

Část: g) Tiskárny

Předmět plnění: tiskárny

Záruka na tiskárnu I a tiskárnu II: 24 měsíců

Technická specifikace - Tiskárna I.

Typ zařízení	multifunkce A3 laser	Zařízení splňuje požadovanou hodnotu parametru ANO/NE	Předpokládaný počet ks	nabídková cena bez DPH/ks	nabídková cena celkem bez DPH
Displej	10,1"	ANO	2	26 000,00	52 000,00
Rychlost tisku/kopírování - A4/A3 - černobíle/barevně	A3 32/16 stran A4/A3 za minutu černobíle i barevně včetně duplexního tisku a duplexního kopírování	ANO			
Doba do vytištění první strany	5,9/7,7 sekundy nebo méně černobíle/barevně	ANO			
Podporované formáty médií	A6 – SRA3 až do kapacity 7150 listů	ANO			
dokončování včetně kompaktního interního sešívacího finišeru	Ano	ANO			
Vysoký stupeň vestavěného zabezpečení, včetně šifrování dat, modulu Trusted Platform, Secure Boot a Run Time Integrity Check	Ano	ANO			
Volitelný Fiery Controller pro nejvyšší produktivitu a kvalitu barev	Ano	ANO			
Rozlišení	200 x 1200 dpi, 2bitová hloubka pro kvalitu tisku ekvivalentní 4800 dpi x 1200 dpi	ANO			
Vstupní kapacita papíru tisk	A6R–SRA3 (320 x 450 mm), uživatelský formát (98x148 mm až 297x457,2 mm); banner max. 304,8 x 1220 mm; 2x univerzální zásobník na 500 listů, 52–300 g/m2, horní zásobník A6R až A4R, spodní zásobník A6R až SRA3	ANO			
Duplexní jednotka - tisk	podpora formátu A6R–SRA3, 64–256 g/m2	ANO			
Max. vstupní kapacita - tisk	7,150 listů A4	ANO			
Max. výstupní kapacita - tisk	standardně 500 listů potiskem dolů, max. výstupní kapacita 4300 listů	ANO			
Počet zásobníku na papír	2x 500 listů	ANO			
Procesor	Freescale QorIQ T1024 (Dual Core) 1.0GHz	ANO			
Operační systémy	všechny stávající operační systémy Windows, Mac OS X verze 10.9 nebo vyšší, UNIX, LINUX	ANO			
Zoom - kopírování	25–400 % v 1% krocích	ANO			
Přednastavené poměry zvětšení - kopírování	5 hodnot zmenšení, 5 hodnot zvětšení	ANO			

8

Funkce skenování	skenování do emailu, skenování do FTP, skenování do SMB, skenování do USB Host, skenování do dokumentové složky, síťové rozhraní TWAIN, WIA/WSD sken	ANO
Rychlost skenování	180 originálů za minutu, černobíle i barevně	ANO
Typy souborů - skenování	TIFF, PDF, PDF/A, JPEG, Open XPS, šifrované PDF, vysoko komprimované PDF, PDF/A-1a/b, PDF/A-2a/b/u, prohlédávatelné PDF (volitelně), soubory MS Office (volitelně)	ANO
Faxové funkce	Rychlost modemu max. 33.6 kbps, přenosová rychlost max. 3 sekundy (JBIG)	ANO
Volitelné příslušenství	Kovový stolek, Podavač originálů otáčením na 50 listů	ANO
Včetně dopravy, instalace	Ano	ANO
Kapacita toneru	černý min. 25 000 A4, min. barva 15 000 A4	ANO
Spotřeba energie	Tisk: max. 580 W	ANO
	Kopírování: max. 580 W	ANO
	Pohotovostní režim: max. 50 W	ANO
	Režim nízké spotřeby: max. 50 W	ANO

Technická specifikace - Tiskárna II.

Typ zařízení:	multifunkce A4 laser	Zařízení splňuje požadovanou hodnotu parametru ANO/NE	Předpokládaný počet ks	nabídková cena bez DPH/ks	nabídková cena celkem bez DPH
Displej	LCD dotykový displej 8,89 cm (barevná grafika)	ANO			
Paměť [MB]	256 MB	ANO			
Rychlost tisku (str/min)	Černobíle min. 30 str/min, barevně min. 30 str/min	ANO			
Rychlost tisku oboustraně (str/min)	Černobíle min. 27 str/min	ANO			
Tisk první strany (sec)	Černobíle max 10,5 s, barevně max. 10,5 str/min	ANO			
Měsíční zařízení:	min. 74000 str A4	ANO			
Počet zásobníku	2	ANO			
Kapacita zásobníku	celkem min. 600 listů	ANO			
Kapacita automatický podavač / ADF	min. 50 listů	ANO			
Rozlišení skener	až 1200 x 1200 dpi	ANO			
Rychlost skeneru (str/min)	černobíle min. 19 str/min, barevně min. 14 str/min	ANO	2	21500	43000
Oboustranný tisk, barevné skenování s dvojitou hlavou	Ano	ANO			
Fax	33,6 kbps	ANO			
Spotřeba (W)	Tisk: max. W	ANO			
	Kopírování: max. 440 W	ANO			
	Pohotovostní režim: max. 52 W	ANO			
	Režim spánku: max. 8,1 W	ANO			
Operační systémy	všechny stávající operační systémy Windows, Mac OS X	ANO			
Rozhraní:	1x vysokorychlostí USB port 2.0, 1x hostitelský port	ANO			
Tiskové jazyky	HP PCL 6, HP PCL 5, emulace HP Postscript úroveň 3,	ANO			

Celková nabídková cena za Tiskárnu I. a II. v Kč bez DPH

95 000,00



Číslo dokladu: AT-202009187_G
Referent: Aneta Tlustá
Telefon: 602 511 959
E-mail: tlusta@afoffice.cz

Datum: 25.09.2020

Dodavatel:

Af Office, s.r.o.

Jednořadá 1051/53
160 00 Praha 6, Dejvice
IČ: 26768771
DIČ: CZ26768771

Odběratel:

Česká zemědělská univerzita v Praze

Kamýčká 129
165 00 Praha 6 - Suchbát
IČ: 60460709
DIČ: CZ60460709

Popis	Ks	Cena bez DPH / kus	Cena celkem bez DPH
Tiskárna I. <i>Kyocera TASKalfa 3253ci</i>	2	26 000,00 Kč	52 000,00 Kč
Tiskárna II. <i>HP L.J Pro 500 Color MFP M570dwPN CZ272A#B 19</i>	2	21 500,00 Kč	43 000,00 Kč

Af Office, s.r.o.
Jednořadá 1051/53
160 00 Praha 6, Dejvice
tel. 235 362 575
info@afoffice.cz
www.afoffice.cz
IČ: 26768771 DIČ: CZ26768771

Celkem bez DPH **95 000,00 Kč**



› PRINT › COPY › SCAN › FAX

TASKalfa 3253ci

COLOR MULTIFUNCTIONAL
SYSTEM

POWER, VERSATILITY AND SEAMLESS INTEGRATION.



Empowering your workforce with productivity-boosting features and functionality, the TASKalfa 3253ci Color Multifunctional System raises the bar on maximizing workflow. A versatile array of scanning, input and professional finishing options delivers exceptional results in vibrant, high-impact color. Eco-friendly, and expertly engineered to drive your business forward, the TASKalfa 3253ci exceeds the needs of even the most demanding offices.

- › Vivid Color and Black and White Imaging up to 32 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi
- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 10.1" Color Touch Screen with Intuitive, Tablet-Like Usability
- › Diverse Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems and Print Management to Control Devices, User Policies, and Output Costs
- › Professional Finishing Options for a Polished Output, Including a Space-Saving 500-Sheet Internal Finisher
- › Optional EFI® Fiery Controller for Complex Color Workflows
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™, Mopria® and KYOCERA Mobile Print Support



Document Solutions

TASKalfa 3253ci

BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax
Pages Per Minute: Color and Black – Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)
Warm Up Time: 18 Seconds or Less (Power On)
First Page Out: Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color
 Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color
Display: 10.1" Color Touch Screen Control Panel
Resolution: Up to 1200 x 1200 dpi
Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard
Duplex: Standard Stackless Duplex Supports Statement (5.5" x 8.5") to Ledger (12" x 18"), 17 lb Bond - 142 lb Index (64 – 256gsm)
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)
Job Separator Output Tray: Statement – 12" x 18" / 100 sheets
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A
Typical Electricity Consumption (TEC): 120V: 1.53 kWh/week; 220V: 1.46 kWh/week
Dimensions: 23.7" W x 26.2" D x 31.1" H
Weight: 198.4 lbs
Maximum Monthly Duty Cycle: 125,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size: Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)
Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)
Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POPover SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, Data Security Kit (C) (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

PRINT SPECIFICATION

Standard Controller: Freescale QonQ T1024 (Dual Core) / 1.0GHz
PDLS / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPD13 (P53), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850
Print Resolution: Up to 1200 x 1200 dpi
Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
OS Compatibility: Windows: 7/8.1/10/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Mobile Printing: Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11 b/g/n Wireless LAN (communication distance 98.5 feet)
 Optional: 10/100/1000BaseTX (iB-S0 for Dual NIC);
 Optional: IEEE 802.11b/g/n (iB-S1 for Wireless LAN interface) (communication distance 328.1 feet)

Specifications and design are subject to change without notice. For the latest on connectivity visit usa.kyoceradocumentsolutions.com.
 TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies.
 Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc.
 All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
 Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
 ©2018 KYOCERA Document Solutions America, Inc.
 ICF 8451400659

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, PP, RawPort, LLTD, SNT, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPB Compression / High Compression PDF)
PDF Extension: Searchable PDF (OCR) Option; MS Office File (Option)
Scan Speeds (b&w/color, @300 dpi):
 DP-7120: Simplex: 48 lpm B&W / 48 lpm Color; Duplex: 15 lpm B&W / 15 lpm Color
 DP-7100: Simplex: 80 lpm B&W / 80 lpm Color; Duplex: 48 lpm B&W / 48 lpm Color
 DP-7110: Simplex: 80 lpm BW / 80 lpm Color; Duplex: 160 lpm B&W / 160 lpm Color
 DP-7130 (with Multi-Feed Detection): Simplex: 100 lpm B&W / 100 lpm Color; Duplex: 180 lpm B&W / 180 lpm Color
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Color Removal, Border Erase, Preview
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"
Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi
Image Mode: Text, Photo, Text/Photo, Graphic/Maj
Continuous Copy: 1 – 9999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Color Removal, Preview, ID Card Copy
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement
Preset Ratios: 25 – 400% in 1% Step Increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS¹

Type / Capacity:
 DP-7120: Reversing Automatic Document Processor / 50 Sheets
 DP-7100: Reversing Automatic Document Processor / 140 Sheets
 DP-7110: Dual Scan Document Processor / 270 Sheets
 DP-7130: Dual Scan Document Processor / 270 Sheets
Acceptable Originals: 5.5" x 8.5" – 11" x 17"
Acceptable Weights:
 DP-7120: Simplex: 13 lb Bond - 90 lb Index (45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)
 DP-7100: Simplex: 13 lb Bond - 90 lb Index (35 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)
 DP-7110 & DP-7130: Simplex: 13 lb Bond - 120 lb Index (35 – 220gsm); Duplex: 16 lb - 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, iBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps
Fax Memory: Standard 170 MB
Driver: Network Fax Driver
Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OUTPUT & FINISHING OPTIONS²

OPTIONAL 500 SHEET INTERNAL FINISHER OF-7100
Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 19.60" W x 20.98" D x 6.73" H
OPTIONAL 1,000 SHEET FINISHER OF-7120³
Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER OF-7110⁴

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 23.91" W x 26.32" D x 41.78" H
Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only; 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet
Optional Multi-Bin Mailbox: MT-370(B) Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (iB-S0), Wireless LAN IEEE 802.11b/g/n (iB-S1), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), EFI Fiery Printing System 15, Numeric Keypad (NK-7130), Job Separator (JS-7100)

¹ Requires PF-7100 or PF-7110
² Only 1 Document Processor can be installed
³ Only 1 Output Option can be installed
⁴ Requires Bridge Unit Attachment Kit (AK-7100)
⁵ Requires OF-7110






LaserJet Pro 500 color MFP M570dn

Finish jobs faster, produce high-impact color, and get set up and connected quickly.¹ Print from your smartphone or tablet with HP ePrint.⁵ Easily conserve resources and recycle used cartridges.⁷

Print Speed:¹ Up to 31 ppm black, Up to 31 ppm color
Scan Resolution (Hardware): Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (mono, flatbed)
Copy Resolution: Up to 300 x 300 dpi; **Max No of Copies:** Up to 99 copies
Paper Handling: 100-sheet multipurpose tray, 250-sheet input tray 2, 50-sheet automatic document feeder, 250-sheet face-down output bin
Standard Connectivity: 1 Hi-Speed USB 2.0, 1 Host USB, 1 Fast Ethernet
Monthly Volume (Duty Cycle):⁸ Up to 75,000 pages



Expand your performance potential

- Increase productivity and finish scanning jobs faster with single-pass, dual-head scanning.
- Print documents at up to 31 pages per minute (ppm).¹ Rely on a robust recommended monthly page volume.
- Convert hard copies to digital files for easy distribution and storage, and make flawless copies.
- Easily handle jobs to stay productive, using the 50-sheet document feeder and automatic two-sided printing.

Show off with powerful color

- Simplify workflows—access, store, and print business content quickly with a 3.5-inch color touchscreen.²
- Make maximum impact—optimize color settings and get vivid results with incredible resolution.
- Produce top-notch marketing materials in the office—in a broad range of media and in a variety of sizes.
- Start working fast with preinstalled cartridges. Get a better value with optional high-capacity cartridges.³

Set up in a snap and stay connected

- Get up and running fast with HP Smart Install—install your printer without a CD.⁴
- HP ePrint—now print from your smartphone and tablet from virtually anywhere.⁵
- Use resources more efficiently with 10/100 Ethernet networking—easily access, print, and share.
- Proactively manage this MFP, using HP Web Jetadmin to remotely monitor office printing and device status.

Help reduce environmental impact

- Help save energy with HP Auto-On/Auto-Off Technology, Instant-on Copy, and Instant-on Technology.⁶
- Conserve resources and save paper—use automatic two-sided printing.
- Get centralized, easy access to custom energy-saving options and printer settings with HP EcoSMART Console.
- Reduce your impact—easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.⁷



ecoHIGHLIGHTS HP LaserJet Pro 500 color MFP M570dn

- Reduce paper use by up to 50% using automatic two-sided printing.
- Reduce energy use with Instant-on Technology and Instant-on Copy.¹
- Save energy—HP Auto-On/Auto-Off Technology turns your printer on when you need it, off when you don't.²

ENERGY STAR[®] qualified

¹Compared with products that use traditional fusing and cold cathode fluorescent lamp (CCFL) copying.
²HP Auto-On and Auto-Off Technology subject to printer and settings.

www.hp.com/ecosolutions Please recycle your computing and for e-waste recycling, visit: www.hp.com/go/planetpartners

¹Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. First page out exact speed varies depending on the system configuration, software program, document complexity, network, media width, media weight, environment, and job size. Requires a wireless access point and an internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see www.hp.com/go/eprintcenter. HP LaserJet 507X Black Toner Cartridge not included; please purchase separately. ²HP Smart Install works with Microsoft Windows only. ³Requires an internet connection to HP web-enabled printer and HP ePrint account registration for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter. Mobile devices require internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ⁴HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes. ⁵Program availability varies. Original HP cartridge return and recycling currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: www.hp.com/go/planetpartners. ⁶Duty cycle is defined as the maximum number of pages per month of images output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.





LaserJet Pro 500 color MFP M570dn

TECHNICAL SPECIFICATIONS

AI OFUNCTIONS	Print, Copy, Scan, Fax
AIOMULTITASKING SUPPORTED	Yes
DUPLEX PRINT OPTIONS	Automatic (standard)
STANDARD PRINTER LANGUAGES	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PDF (v 1.1), AirPrint™ compatible
PRINTER MANAGEMENT	Windows: HP Device Tools, Status Alerts (default installed), SHP Alerts (minimum network install), HP Webjet Admin (download), Mac: HP Utility
PRINT TECHNOLOGY	Laser
PRINTSPEED*	Black (Letter): Up to 31 ppm; Color (Letter): Up to 31 ppm, Duplex (Letter): Up to 29 ppm
PRINT RESOLUTION	Black and Color (Best): Up to 600 x 600 dpi
PRINT TECHNOLOGY RESOLUTION	HP ImageREt1600
NUMBER OF PRINT CARTRIDGES	4 (1 black, cyan, magenta, yellow)
PRINTER SMART SOFTWARE FEATURES	HP ePrint, Apple AirPrint™, Smart Install, HP Auto-On/Auto-Off technology, Simplified control panel, Compact Design
HP ePrint CAPABILITY	Yes
MOBILE PRINTING CAPABILITY	HP ePrint, Apple AirPrint™, Business Applications
DUTY CYCLE (MONTHLY)*	Up to 75,000 pages
RECOMMENDED MONTHLY PAGE VOLUME*	Up to 1,500 to 4,000 pages
COLOR SCANNING	Yes
SCAN TYPE	Flatbed, ADF
DUPLEX ADF SCANNING	Yes, dual head dual image, auto scan
SCANTECHNOLOGY	Contact Image Sensor (CIS)
SCAN RESOLUTION	Hardware & Optical: Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (mono, flatbed)
SCAN SPEED*	Normal, All: Up to 20 ipm (black), up to 14 ipm (color); Normal, Letter: Up to 21 ipm (black), up to 15 ipm (color)
SCANNER ADVANCED FEATURES	Scan-to-E-mail, Scan-to-network folder (stand alone solution), Scan to Cloud, Scan to USB
BITDEPTH/GRAYS SCALE LEVELS	24-bit/18-bit for color duplex jobs/256
SCANNLEFORMAT	PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF
SCAN INPUT MODES	From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software
SCANSIZE MAXIMUM	8.5 x 14 in (216 x 356 mm)
TWAIN VERSION	Version 1.9
COPY RESOLUTION	Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi
COPY SPEED*	Black (Letter): Up to 31 cpm; Color (Letter): Up to 31 cpm
MAX NUMBER OF COPIES	Up to 99 copies
COPIER SIZE AND ENLARGE	25 to 400%
COPIER SETTINGS	Number of copies, Reduce/Enlarge, Lighter/Darker, Optimize, paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults
FAX RESOLUTION	Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black and White (Fine): 203 x 156 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone); Black Photo Grayscale: 300 x 300 dpi
FAX SPEED*	33.6 kbps; Letter: 3 sec per page
FAX MEMORY	Up to 250 pages
FAX FEATURES	Auto Fax Reduction Supported: Yes; Auto-Retrieving: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Polling Supported: Yes (receive only); Fax Telephone Mode Supported: Yes; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: Yes; PC Fax send only; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No
FAX SMART SOFTWARE FEATURES	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detector, cover page inward, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, print fax log
STANDARD CONNECTIVITY	1 Hi-Speed USB 2.0, 1 Host USB, 1 Fast Ethernet
NETWORK CAPABILITIES	Wired-in 10/100/1000 Fast Ethernet
NETWORK READY	Standard (built-in Fast Ethernet)
PLUG AND PLAY TECHNOLOGIES	HP Smart Install
MODEM	33.6 kbps
WIRELESS CAPABILITY	No

FOR MORE INFORMATION VISIT OUR WEBSITE AT WWW.HP.COM

HP LaserJet Pro 500 color MFP M570dn Product Number: C2271A

ENERGY STAR® qualified models: see <http://www.hp.com/go/energystar>

*Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. *Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. *While scanning to file from ADF, default settings, save to PDF. Exact speed varies depending on the system configuration and document complexity. *First Copy Out and Copy Speed are measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. *Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will take longer and use more memory. *Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Values are subject to change. For current information see Product Support page at hp.com/support. Configuration tested for printing: simple, mono and simplex, color. Configuration tested for copying: duplex, color. *Reputable cartridges tested; yields ~ 6,000 color composite (CMY) and ~ 5,500 black pages. Replacement cartridge average composite (CMY) decrease yield ~ 6,000 and average black yield ~ 5,500 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see www.hp.com/go/available-supplies. *Ships with pre-installed standard toner cartridges (yield ~ 5,500 black, ~ 6,000 cyan, magenta, and yellow pages).

©2012 Hewlett-Packard Development Company, L.P. HP is a registered trademark of the Hewlett-Packard Company. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. All other trademarks are the property of their respective owners. Microsoft and Windows are registered trademarks of Microsoft Corporation. Adobe and Acrobat are trademarks of Adobe Systems Incorporated. This listing of non-HP products does not constitute an endorsement by Hewlett-Packard Company. The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. HP shall not be liable for technical or editorial errors or omissions contained herein. September 2012

CONTROL PANEL	3.5-in (8.89 cm) intuitive touch-sensitive control panel with color graphic display. Buttons (Home, Cancel, Help, Right/Left Arrows, Back), LED indicator lights (Ready, Error, Wireless)
DISPLAY	3.5-in (8.89 cm) touch-sensitive LCD (color graphics)
MEMORY	Maximum: 256 MB; Standard: 256 MB
PROCESSOR SPEED	800 MHz
MEDIA TYPE	Plain (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, business cards, labels, envelopes
MEDIA SIZES CUSTOM	Tray 1: 3 x 5 in to 8.5 x 14 in (76 x 127 to 216 x 356 mm); Tray 2: 5.8 x 8.3 in to 6.5 x 11.7 in (148 x 210 to 216 x 297 mm); Optional 500-Sheet Tray 3: 5.8 x 8.3 in to 8.5 x 14 in (148 x 210 to 216 x 356 mm); Automatic Two-Sided Printing Limit: 5.8 x 8.3 in to 8.5 x 14 in (148 x 210 to 216 x 356 mm)
MEDIA WEIGHT	Tray 1: 16 to 58 lb (plain paper); Tray 2: 16 to 43 lb (plain paper); Tray 3: 16 to 43 lb (plain paper); Tray 2: 16 to 58 lb (glossy paper); Optional Tray 3: 16 to 47 lb (plain paper); Tray 2: 16 to 58 lb (glossy paper)
ADF CAPACITY	Standard, 50 sheets
FORMATS AND TYPEFACES	44 scalable TrueType fonts
PAPER HANDLING	100-sheet multipurpose tray, 250-sheet output tray, 250-sheet automatic document feeder, 250-sheet face-down output bin Input Capacity: Up to 350 sheets. Up to 10 envelopes. Output Capacity: Up to 250 sheets. Up to 10 envelopes. Up to 100 sheets (transparencies)
POWER*	Power Supply Type: Internal (built-in) power supply Power Requirements: Input voltage 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 1ZA; Input voltage 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6A Power Consumption: 605 watts (Printing), 640 watts (Copying), 52 watts (Ready), 41 watts (Sleep), 0.3 watts (Off) Typical Electricity Consumption (TEC) Number: 3.259 kWh/week
SOFTWARE INCLUDED	Windows: HP Installer/Uninstaller, HPPCL6 printer driver, HP NAA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP, Readiris Software; Mac: HP Installer/Uninstaller, HP Post script driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Firmware updates, Readiris Software
MINIMUM SYSTEM REQUIREMENTS	PC: Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit), 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port, Windows® XP (32-bit) SP2; Pentium® 2.33 MHz processor, 512 MB RAM, 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port. Mac: Mac OS X Mountain Lion (v 10.8), OS X Lion (v 10.7), 10.6x; 1 GB hard disk, CD-ROM/DVD-ROM or Internet, USB
ACOUSTIC*	Acoustic Power Emissions: 6.6 dBA Acoustic Power Emissions (Active copy): 6.7 dBA Acoustic Power Emissions (Ready): 4.7 dBA Acoustic Pressure Emissions (Active, Printing): 52 dBA Acoustic Pressure Emissions (Active copy): 53 dBA Acoustic Pressure Emissions (Ready): 33 dBA
OPERATING ENVIRONMENT	Operating Temperature Range: 50 to 81°F (10 to 30°C) Recommended Operating Temperature: 59 to 80.6°F (15 to 27°C) Storage Temperature Range: 32 to 95°F (0 to 35°C) Non-Operating Humidity Range: 10 to 90% RH Operating Humidity Range: 10 to 30% RH Recommended Humidity Operating Range: 20 to 60% RH
PRODUCT DIMENSIONS (WxDxH)	20.3 x 19.7 x 21.2 in (515 x 500 x 538 mm) Maximum: 32.5 x 36 x 35.3 in (825 x 915 x 948 mm)
PRODUCT WEIGHT	90 lb (40.8 kg)
WHAT'S IN THE BOX*	HP LaserJet Pro 500 color MFP M570dn; HP Black LaserJet Toner Cartridge (~ 5,500 pages), Cyan, Magenta, and Yellow Toner Cartridges (~ 6,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card, Power cord
WARRANTY	One-year, on-site limited warranty
REPLACEMENT CARTRIDGES**	HP 507A Black LaserJet Toner Cartridge (Yield ~ 5,500 pages), CE400A HP 507X Black LaserJet Toner Cartridge (Yield ~ 11,000 pages), CE400X HP 507A Cyan LaserJet Toner Cartridge (Yield ~ 6,000 pages), CE401A HP 507A Yellow LaserJet Toner Cartridge (Yield ~ 6,000 pages), CE402A HP 507A Magenta LaserJet Toner Cartridge (Yield ~ 6,000 pages), CE403A
HP CARE PACKS	HP 3-year Next Business Day (NBD) HP Hardware Support, U6Y78E HP 3-year 4x9x5 (L) HP Hardware Support, U6Y82E HP 3-year 4x13x5 (L) HP Hardware Support, U6Y82E HP 2-year Next Business Day (NBD) HP Hardware Support, U6Y81E HP 1-year Next Business Day (NBD) HP Hardware Support, U6Y90PE HP Network Install/Uninstall/LaserJet SVC H3110E
ACCESSORIES	HP Color LaserJet 500-Sheet Paper and Heavy Media Tray, CF084A HP LaserJet Printer Cabinet, CF085A HP Color LaserJet CE254A Toner Collection Unit, CE254A

14