Order No.: 0021911255

Customer:

FYZIKÁLNÍ ÚSTAV AV ČR, v. v. i.
Na Slovance 1999/2
182 21 PRAHA 8
CZECH REPUBLIC

VAT No.: **CZ68378271**
ID No.: **68378271**

PID:
Contract:

Acc. No.:
Bank:

Supplier:
ID No.: VAT No.:

Thorlabs GMBH, Münchner Weg 1, 85232 Bergkirchen, Germany

Shipping address:

Fyzikální ústav AV ČR, v. v .i. - ELI Beamlines - sklad, Průmyslová 836, 25241 Dolní Břežany

020923 RP2 HHG
Ing. Urbanec Andrej
Tel.: , Fax:

Validity of order:	**31.12.2021**
Date of delivery:	**30.06.2021**
Method of payment:	**Wire Transfer**
Date of payment:	**NET 21**

Delivery transport : **shipping included**
Terms of delivery : **DAP Praha**

MN22141 - There must be the order number, project number LM2017094 and project name Velké infrastruktury pro výzkum, experimentální vývoj a inovace stated in your invoice, otherwise the invoice will be returned. We prefer the electronic invoicing to efaktury@fzu.cz.

Goods, marking:

See for detail on next page(s).

Estimated total price (incl. VAT): **4 396.69 EUR**

Date of issue: 09.06.2021

Issued:
Ing. Urbanec Andrej
E-mail: andrej.urbanec@eli-beams.eu

Ing. Andrej Urbanec
Digitálně podepsal Ing. Andrej Urbanec
Datum: 2021.06.09 15:41:01 +02'00'

Stamp, signature

Item	Quantity	Unit	Unit price	Amount
SM1A2 - Adapter with External SM1 Threads and Internal SM2 Threads	1.00	24.1	22.90	22.90 EUR
SM1V10 - ?1" Adjustable Lens Tube 0.81" Travel Range	1.00	31.37	29.80	29.80 EUR
TTL200-A - Tube Lens f = 200 mm ARC: 350 - 700 nm External SM2 Threads	1.00	451.5	428.93	428.93 EUR
CM1L10 - Extension Tube Internal SM1 Threading of 1" Depth External C-Mount Threading One Retaining Ring Included	1.00	18.91	17.96	17.96 EUR
SM1RC/M - Slip Ring for SM1 Lens Tubes and C-Mount Extension Tubes M4 Tap	1.00	22.82	21.68	21.68 EUR
SM1L30 - SM1 Lens Tube 3.00" Thread Depth One Retaining Ring Included	2.00	25.31	24.04	48.08 EUR
SM1L25 - SM1 Lens Tube 2.50" Thread Depth One Retaining Ring Included	2.00	19.76	18.77	37.54 EUR
SM1L20 - SM1 Lens Tube 2.00" Thread Depth One Retaining Ring Included	2.00	15.45	14.68	29.36 EUR
SM1L15 - SM1 Lens Tube 1.50" Thread Depth One Retaining Ring Included	2.00	14.7	13.97	27.94 EUR
SM1L10 - SM1 Lens Tube 1.00" Thread Depth One Retaining Ring Included	3.00	13.34	12.67	38.01 EUR
SM1A27 - Adapter with External SM1 Threads and Internal M26 x 0.706 Threads	1.00	19.37	18.40	18.40 EUR
MNWHL4 - 4900 K, 740 mW (Min) Mounted LED, 1225 mA	1.00	144.66	137.43	137.43 EUR
CON8ML-4 - 4-Pin Female Mating Connector for Mounted LEDs	1.00	32.25	28.74	28.74 EUR
SM1T2 - SM1 (1.035"-40) Coupler, External Threads, 0.5" Long, Two Locking Rings	2.00	19.58	18.60	37.20 EUR
ACL25416U-A - Aspheric Condenser Lens, ?1", f=16 mm, NA=0.79, ARC: 350-700 nm	1.00	26.56	25.23	25.23 EUR
DG10-600 - ?1" Unmounted N-BK7 Ground Glass Diffuser, 600 Grit	1.00	14.66	13.93	13.93 EUR
CP33/M - SM1-Threaded 30 mm Cage Plate, 0.35" Thick, 2 Retaining Rings, M4 Tap	1.00	15.35	14.59	14.59 EUR
CP33T/M - SM1-Threaded 30 mm Cage Plate, 0.50" Thick, 2 Retaining Rings, M4 Tap	1.00	21.15	20.09	20.09 EUR
PB4/M - Studded Pedestal Base Adapter, M6 x 1.0 Thread	5.00	ks	11.87	59.35 EUR
PF175B-P5 - Clamping Fork for ?1.5" Pedestal Post or Post Pedestal Base Adapter, Universal, 5 Pack	1.00	ks	69.08	69.08 EUR
BE1/M-P5 - ?31.8 mm Studded Pedestal Base Adapter, M6 Thread, 5 Pack	2.00	ks	43.42	86.84 EUR
CF125-P5 - Clamping Fork, 1.24" Counterbored Slot, Universal, 5 Pack	2.00	ks	37.75	75.50 EUR
LDS12B - ?12 VDC Regulated Linear Power Supply, 6 W, 100/120/230 VAC	2.00	ks	73.59	147.18 EUR
MA45-50/M - 45° Mounting Adapter, Compatible with KM100 and KM200, M4 and M6 Taps	4.00	ks	19.72	78.88 EUR
AM45C/M - 45° Angle Block, M4 Counterbore, M4 Post Mount	4.00	ks	17.83	71.32 EUR
LMR2V/M - Vacuum-Compatible Lens Mount with Retaining Ring for ?2" Optics, M4 Tap	2.00	ks	38.39	76.78 EUR
FOFM-CV - Light-Tight Cover for In-Line Fiber Optic Filter Mounts	1.00	ks	19.57	19.57 EUR
CFH2-F - Extra Filter Holder Insert for ?1" Optics for use with CFH2(/M)	1.00	ks	55.14	55.14 EUR
MPD249-F01 - ?2" 90° Off-Axis Parabolic Mirror, UV-Enhanced Aluminum, RFL = 4"	1.00	ks	228.94	228.94 EUR

Item	Quantity	Unit	Unit price	Amount
MPD249-P01 - ?2" 90° Off-Axis Parabolic Mirror, Prot. Silver, RFL = 4"	1.00	ks	324.26	324.26 EUR
MPD269-P01 - ?2" 90° Off-Axis Parabolic Mirror, Prot. Silver, RFL = 6"	1.00	ks	324.26	324.26 EUR
SM1MP - Externally SM1-Threaded Adapter for ?1" Off-Axis Parabolic Mirrors	1.00	ks	25.94	25.94 EUR
MP254P1 - 2" Outer Diameter Adapter for ?1" Off-Axis Parabolic Mirrors	1.00	ks	23.83	23.83 EUR
MP508P2/M - M4-Threaded Adapter for ?2" Off-Axis Parabolic Mirrors	2.00	ks	30.60	61.20 EUR
SM2MP - Externally SM2-Threaded Adapter for ?2" Off-Axis Parabolic Mirrors	2.00	ks	32.48	64.96 EUR
M92L01 - ?200 ?m, 0.22 NA, SMA-SMA Fiber Patch Cable, High OH, 1 Meter	2.00	ks	84.33	168.66 EUR
WG11010R-A - 25 mm x 36 mm N-BK7 Broadband Precision Window, AR Coated: 350 - 700 nm, t = 1 mm	1.00	ks	119.77	119.77 EUR
WG11010R - 25 mm x 36 mm N-BK7 Broadband Precision Window, Uncoated, t = 1 mm	1.00	ks	110.18	110.18 EUR
BSF20-A - ?2" UVFS Beam Sampler for Beam Pick-Off, ARC: 350-700 nm, 8 mm Thick	1.00	ks	90.89	90.89 EUR
CM1-DCH/M - 30 mm Cage Cube with Dichroic Filter Mount (Metric)	1.00	ks	151.39	151.39 EUR
TPSM2/M - Magnetic Laser Safety Screen, 300 mm x 75 mm, Metric Engraving	2.00	ks	34.58	69.16 EUR
TPS5 - 12" x 12" (305 mm x 305 mm) Straight Laser Safety Screen	2.00	ks	54.66	109.32 EUR
Shipping	1.00	ks	23.42	23.42 EUR
VAT	1.00	ks	763.06	763.06 EUR

Total price: **4 396.69 EUR**

End of supplement for order No.: 0021911255