



# Věžový jeřáb 110 EC-B 6

# LIEBHERR



| délka výložníku |                    |  | Vodorovný výložník 2-závěs |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|-----------------|--------------------|-----------------------------------------------------------------------------------|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| m               | r                  |                                                                                   | m/kg                       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| m               | r                  | m/kg                                                                              | 20,0                       | 22,5 | 25,0 | 27,5 | 30,0 | 32,5 | 35,0 | 37,5 | 40,0 | 42,5 | 45,0 | 47,5 | 50,0 | 52,5 | 55,0 |  |
| 55,0 (r = 56,5) | 2,5 - 31,1<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 2860 | 2620 | 2410 | 2240 | 2080 | 1940 | 1810 | 1700 | 1590 | 1500 |  |
| 52,5 (r = 54,0) | 2,5 - 32,8<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 2780 | 2560 | 2380 | 2210 | 2060 | 1930 | 1810 | 1700 |      |  |
| 50,0 (r = 51,5) | 2,5 - 34,1<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 2910 | 2690 | 2490 | 2320 | 2160 | 2020 | 1900 |      |      |  |
| 47,5 (r = 49,0) | 2,5 - 35,1<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2780 | 2580 | 2400 | 2240 | 2100 |      |      |      |  |
| 45,0 (r = 46,5) | 2,5 - 35,9<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2850 | 2650 | 2460 | 2300 |      |      |      |      |  |
| 42,5 (r = 44,0) | 2,5 - 37,0<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2950 | 2740 | 2560 |      |      |      |      |      |  |
| 40,0 (r = 41,5) | 2,5 - 37,7<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 2800 |      |      |      |      |      |      |  |
| 37,5 (r = 39,0) | 2,5 - 37,5<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |      |      |      |      |      |      |      |  |
| 35,0 (r = 36,5) | 2,5 - 35,0<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |      |      |      |      |      |      |      |      |  |
| 32,5 (r = 34,0) | 2,5 - 32,5<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 | 3000 |      |      |      |      |      |      |      |      |      |  |
| 30,0 (r = 31,5) | 2,5 - 30,0<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 | 3000 |      |      |      |      |      |      |      |      |      |      |  |
| 27,5 (r = 29,0) | 2,5 - 27,5<br>3000 |                                                                                   | 3000                       | 3000 | 3000 | 3000 |      |      |      |      |      |      |      |      |      |      |      |  |
| 25,0 (r = 26,5) | 2,5 - 25,0<br>3000 |                                                                                   | 3000                       | 3000 | 3000 |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 22,5 (r = 24,0) | 2,5 - 22,5<br>3000 |                                                                                   | 3000                       | 3000 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 20,0 (r = 21,5) | 2,5 - 20,0<br>3000 |                                                                                   | 3000                       |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

| délka výložníku |                    |  | Vodorovný výložník 2+4 závěs |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
|-----------------|--------------------|------------------------------------------------------------------------------------|------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| m               | r                  |                                                                                    | m/kg                         |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| m               | r                  | m/kg                                                                               | 20,0                         | 22,5 | 25,0 | 27,5 | 30,0 | 32,5 | 35,0 | 37,5 | 40,0 | 42,5 | 45,0 | 47,5 | 50,0 | 52,5 | 55,0 |  |
| 55,0 (r = 56,5) | 2,5 - 29,9<br>3000 | 2,5 - 17,0<br>6000                                                                 | 4980                         | 4340 | 3830 | 3410 | 3070 | 2770 | 2520 | 2310 | 2120 | 1950 | 1810 | 1670 | 1560 | 1450 | 1350 |  |
| 52,5 (r = 54,0) | 2,5 - 31,5<br>3000 | 2,5 - 17,8<br>6000                                                                 | 5250                         | 4580 | 4050 | 3610 | 3250 | 2940 | 2680 | 2450 | 2250 | 2080 | 1930 | 1790 | 1660 | 1550 |      |  |
| 50,0 (r = 51,5) | 2,5 - 32,7<br>3000 | 2,5 - 18,5<br>6000                                                                 | 5480                         | 4780 | 4220 | 3770 | 3390 | 3080 | 2800 | 2570 | 2360 | 2180 | 2020 | 1880 | 1750 |      |      |  |
| 47,5 (r = 49,0) | 2,5 - 33,7<br>3000 | 2,5 - 19,0<br>6000                                                                 | 5650                         | 4930 | 4360 | 3890 | 3510 | 3180 | 2900 | 2660 | 2450 | 2260 | 2100 | 1950 |      |      |      |  |
| 45,0 (r = 46,5) | 2,5 - 34,4<br>3000 | 2,5 - 19,3<br>6000                                                                 | 5770                         | 5040 | 4450 | 3980 | 3590 | 3250 | 2970 | 2720 | 2510 | 2320 | 2150 |      |      |      |      |  |
| 42,5 (r = 44,0) | 2,5 - 35,5<br>3000 | 2,5 - 19,8<br>6000                                                                 | 5940                         | 5190 | 4590 | 4110 | 3700 | 3360 | 3070 | 2820 | 2600 | 2400 |      |      |      |      |      |  |
| 40,0 (r = 41,5) | 2,5 - 36,1<br>3000 | 2,5 - 20,2<br>6000                                                                 | 6000                         | 5290 | 4680 | 4190 | 3780 | 3430 | 3130 | 2880 | 2650 |      |      |      |      |      |      |  |
| 37,5 (r = 39,0) | 2,5 - 37,0<br>3000 | 2,5 - 20,6<br>6000                                                                 | 6000                         | 5420 | 4800 | 4290 | 3870 | 3520 | 3210 | 2950 |      |      |      |      |      |      |      |  |
| 35,0 (r = 36,5) | 2,5 - 35,0<br>3000 | 2,5 - 21,0<br>6000                                                                 | 6000                         | 5560 | 4920 | 4400 | 3970 | 3610 | 3300 |      |      |      |      |      |      |      |      |  |
| 32,5 (r = 34,0) | 2,5 - 32,5<br>3000 | 2,5 - 21,2<br>6000                                                                 | 6000                         | 5610 | 4970 | 4450 | 4020 | 3650 |      |      |      |      |      |      |      |      |      |  |
| 30,0 (r = 31,5) | 2,5 - 30,0<br>3000 | 2,5 - 21,8<br>6000                                                                 | 6000                         | 5730 | 5070 | 4540 | 4100 |      |      |      |      |      |      |      |      |      |      |  |
| 27,5 (r = 29,0) | 2,5 - 27,5<br>3000 | 2,5 - 21,8<br>6000                                                                 | 6000                         | 5800 | 5140 | 4600 |      |      |      |      |      |      |      |      |      |      |      |  |
| 25,0 (r = 26,5) | 2,5 - 25,0<br>3000 | 2,5 - 22,1<br>6000                                                                 | 6000                         | 5870 | 5200 |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 22,5 (r = 24,0) | 2,5 - 22,5<br>3000 | 2,5 - 22,2<br>6000                                                                 | 6000                         | 5900 |      |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 20,0 (r = 21,5) | 2,5 - 20,0<br>3000 | 2,5 - 20,0<br>6000                                                                 | 6000                         |      |      |      |      |      |      |      |      |      |      |      |      |      |      |  |

