



A NEW LOOK FOR WORLD'S SMALLEST, MOST SCALABLE LAPTOPS²⁸

Our most scalable laptops are redesigned smaller and smarter than ever. The 13" is now offered in either laptop or 2-in-1. Up to 4K displays with available ComfortView Plus low blue light solution increase productivity. An FHD web cam option takes conferencing to the next level. Memory up to 64GB DDR4, storage up to 2TB, or up to 4TB on the 15" with dual storage options, and battery up to 63 Whr, offer flexibility for different business needs. Discrete graphics option on the 15" ensures reliable video conferencing and media consumption. We've streamlined without compromising the ports needed for business, moving to dual USB Type-C™ with Thunderbolt™ 4, and keeping HDMI and additional USB ports, plus RJ45 on 14" and 15".



INNOVATION & SUSTAINABILITY 1ST PCs WITH BIOPLASTICS FROM TREES¹⁷

Work confidently on our 400 nit screen with ComfortView Plus, an always-on built-in solution that reduces harmful blue light while delivering excellent color. Latitude 5000 Series laptops were the first PCs to use reclaimed carbon fiber in the design and are the first to use 21% bioplastics from trees in the lid.¹⁷ The manufacturing creates a lower carbon and water footprint, reducing CO2 emissions equal to 24.2 million miles driven, saving energy to power 5,564 homes for 1 yr, and conserving enough water to fill 226 Olympic-size pools.¹⁸ With our commitment to

CO2
Water
Energy




sustainability, we use low VOC waterborne paint on 100% of painted parts. The 5320, 5420, and 5520 are EPEAT Gold registered.¹⁹

STAY CONNECTED, STAY PRODUCTIVE ANYWHERE

Have a reliable, fast connection whether on Wi-Fi or LTE. Wi-Fi 6E will allow for 7 additional channels (in 6GHz band) for more bandwidth which provides faster, smoother Wi-Fi, especially in high-density areas. Dell's ExpressConnect prioritizes that bandwidth for things like conferencing. No Wi-Fi, no problem. Stay connected with 4G LTE mobile broadband options.²⁷ Up to the latest 11th Gen Intel® Core™ vPro® processors offer businesses the performance, manageability, built-in security features, and stability of the Intel® vPro Platform, the platform built for business.



WORLD'S MOST INTELLIGENT BUSINESS PCs WITH BUILT-IN AI²⁰

Our 5000 Series features Dell Optimizer, built-in AI that learns and responds to the way you work to improve application performance, battery life and audio settings in the background. Instantly start work with ExpressSign-in. New ExpressConnect provides seamless Wi-Fi by pushing bandwidth to conferencing applications and joining the best access points. All controlled through one module, at no additional cost, to reduce lag and help you run at peak performance.

featuring Dell Optimizer

Latitude devices feature Dell Optimizer a built-in artificial intelligence software that learns and adapts to your behavior to create a smarter, more personalized user experience. It automatically improves application performance, battery run time and more in the background, so you have fewer disruptions no matter where you're working.



Experience seamless Wi-Fi. New ExpressConnect²¹ automatically joins the strongest access point in the office and directs bandwidth to conferencing applications, wherever you work.

ExpressConnect



With Intel® Adaptix™ Technology, prioritize your most important apps, so they open faster and perform better.²²

ExpressResponse



ON-THE-GO



Get to work fast with our PC proximity sensor enabled by Intel® Context Sensing Technology that detects your presence to instantly wake and log you in via the IR camera and Windows Hello, all without lifting a finger. It locks when you walk away, so your work stays safer.²³

ExpressSign-in



Dell Optimizer extends runtime and improves battery performance by adapting to your patterns. ExpressCharge Boost delivers up to 35% charge in about 20 minutes, or up to 80% charge in an hour with ExpressCharge.²⁴

ExpressCharge

AT THE DESK



DELL THUNDERBOLT



DELL DOCKING STATION



DELL 27 USB-C



DELL MULTI-DEVICE WIRELESS

Collaborate like you're in the same room. Intelligent Audio enhances your audio quality and reduces background noises, so you can hear and be heard, creating a better conference experience for all.

Intelligent Audio

**DELL PRO HYBRID BRIEFCASE
BACKPACK 15 | PO1520HB**

Protect your laptop from impact with this earth friendly backpack that is lined with EVA foam cushioning. Easily convert from backpack to briefcase mode and travel with ease.

**DELL USB-C MOBILE
ADAPTER | DA310**

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.

**DELL NOTEBOOK POWER BANK
PLUS - USB C, 65 WH | PW7018LC**

With fast high-power delivery of up to 65Wh, this power bank can charge the widest range of USB-C laptops, and mobile devices.

Multipoint with integrated speakerphone offers an all-in-one connectivity and conferencing solution.

This space saving stand mounts up to two

27-inch monitors, providing the screen real

**DELL MOBILE PRO WIRELESS
MOUSE | MS5120W**

Connect your mouse conveniently via 2.4GHz wireless or Bluetooth and enhance your productivity with programmable shortcut buttons and 36 months²⁵ of battery life.

estate you need to be most productive.

Hear every word clearly on your next call with the

Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft

Skype for Business



**DELL PREMIUM ACTIVE PEN | PN579X
(compatible with 2-in-1)**

Easily take notes and stay organized whether in meetings or on the go.



DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to two 4K displays and connect to your peripherals via a single cable.

MOUNTING KIT | MK15

Easily attach your Dell Dock to the Dell Dock Mounting Kit and mount it behind a monitor, to a wall or under the desk for a clutter-free workspace.

MONITOR | P2720DC

Do more with a 27" QHD USB-C monitor that expands your workspace. Get a better view of all your important tasks while reducing cable clutter.

KEYBOARD AND MOUSE | KM7120W

Designed to work seamlessly across 3 devices, this compact keyboard mouse combo keeps your desk clutter-free and lets you stay productive with up to 36 months²⁶ of battery life.



**DELL MOBILE SPEAKERPHONE |
MH3021P**



**DELL DUAL MONITOR STAND |
MDS19**



**DELL PRO STEREO
HEADSET | UC350**

Experience a new way to work with Dell Technologies Unified Workspace.

Intelligence built-in. Modernization built-on.

We know that having the right device is just the start to a great workday. Employees need intelligent, intuitive and responsive experiences that allow them to work productively and without interruption. Dell Technologies Unified Workspace is transforming the employee experience and ensuring IT has proactive, predictive and automated solutions to deliver on the promise of a modern workday, while simplifying their ability to deploy, secure, manage and support their environment.



DEPLOY

ProDeploy in the Unified Workspace allows IT to move away from traditional, high-touch, manual deployment, and instead, ship devices preconfigured with company apps and settings from the Dell factory directly to their end users—having end users up and working on day one.



SECURE

Secure: Dell Trusted Devices are a secure foundation for the modern mobile workforce. Our comprehensive family of endpoint security solutions work together to secure the device both above and below the OS, giving IT confidence and enabling end users to remain productive.



MANAGE

With Dell's modern end-point management solutions, we can accelerate uninterrupted workflow with automation, integration and optimization from one trusted partner.



AI-driven predictive, proactive support keeps end-users working at full speed and IT admins looking ahead by virtually eliminating unplanned downtime.

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

PROSUPPORT CLIENT SUITE WITH SUPPORTASSIST

| Feature | Latitude 5320 | Latitude 5420 | Latitude 5520 |
|--|--|--|--|
| Model Number ¹ | 5320 | 5420 | 5520 |
| Processor ¹ | 11 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core | 11 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core | 11 th Generation Intel [®] Core [™] Processors up to i7 vPro 4-Core |
| Operating System ¹ | Microsoft [®] Windows 10 Pro 64 bit Microsoft [®] Windows 10 Home 64 bit Ubuntu 20.04 LTS (Laptop) | Microsoft [®] Windows 10 Pro 64 bit Microsoft [®] Windows 10 Home 64 bit Ubuntu 20.04 LTS | Microsoft [®] Windows 10 Pro 64 bit Microsoft [®] Windows 10 Home 64 bit Ubuntu 20.04 LTS |
| Memory Options ^{1,2,3} | Up to 32GB LPDDR4 SDRAM (on board) 3200MHz | Up to 64GB LPDDR4 SDRAM (socketed) 3200MHz | Up to 64GB LPDDR4 SDRAM (socketed) 3200MHz |
| Chipset ¹ | Integrated with the Processor | Integrated with the Processor | Integrated with the Processor |
| Intel Responsiveness Technologies ^{1,7} | Intel [®] Rapid Storage Technology | Intel [®] Rapid Storage Technology | Intel [®] Rapid Storage Technology |
| Graphics ^{1,3} | Intel [®] UHD Graphics (Core i3) Intel [®] Iris [®] Xe Graphics (Core i5/i7) | Intel [®] UHD Graphics (Core i3) Intel [®] Iris [®] Xe Graphics (Core i5/i7) | Intel [®] UHD Graphics (Core i3) Intel [®] Iris [®] Xe Graphics (Core i5/i7) NVIDIA [®] GeForce [®] MX450 (2 GB DDR5 dedicated) |
| Display ¹ | 2-in-1 13.3" FHD (1920 x 1080) Anti Glare, 16x9, 300 nits, Gorilla Glass 6 DXC, Active Pen Support, IPS, 72% NTSC Laptop 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Touch, WVA, 300 nits, 72% NTSC 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, 400 nits, IPS, Super Low Power, ComfortView Plus Low Blue Light, sRGB 100% 13.3" FHD (1920 x 1080) Anti Glare, 16x9, Touch, Digital Privacy SafeScreen, WVA, 300 nits, sRGB 100% | 14" HD (1366 x 768) Anti Glare, 16x9, Non-touch, TN, 220 nits, 45% NTSC 14" FHD (1920 x 1080) Anti Glare, 16x9, Non-touch, IPS, 250 nits, 45% NTSC 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, IPS, 300 nits, 100%, NTSC 14" FHD (1920 x 1080) Anti Reflective/Anti Smudge, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400 nits, sRGB 100% 14" FHD (1920 x 1080) Anti Glare, 16x9, Touch, Digital Privacy SafeScreen, IPS, 300 nits, sRGB 100% | Laptop 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, IPS, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Touch, IPS, 250nits, 45% NTSC 15.6" FHD (1920x1080) Anti-Glare, 16x9, Non-touch, WVA, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% 15.6" UHD (3840x2160) Anti-Glare, 16x9, Non-touch, IPS, Super Low Power, ComfortView Plus Low Blue Light, 400nits, sRGB 100% |
| Storage ^{1,3} | SSD M.2 2230 PCIe Gen 3 Class 35 3x2 up to 512GB SSD M.2 2230 PCIe Gen 3 NVMe 3x2 Class 35 256GB OPAL SED SSD M.2 2280 PCIe Gen 3 NVMe 3x4 Class 40 up to 1TB SSD M.2 2280 PCIe Gen 3 NVMe 4x4 Class 40 2TB SSD M.2 2280 PCIe Gen 4 NVMe 3x4 Class 40 up to 1TB OPAL SED | SSD M.2 2230 PCIe Gen 3 Class 35 3x2 up to 512GB SSD M.2 2230 PCIe Gen 3 NVMe 3x2 Class 35 256GB OPAL SED SSD M.2 2280 PCIe Gen 3 NVMe 3x4 Class 40 up to 1TB SSD M.2 2280 PCIe Gen 3 NVMe 4x4 Class 40 2TB SSD M.2 2280 PCIe Gen 4 NVMe 3x4 Class 40 up to 1TB OPAL SED | SSD M.2 2230 PCIe Gen 3 Class 35 3x2 up to 512GB SSD M.2 2230 PCIe Gen 3 NVMe 3x2 Class 35 256GB OPAL SED SSD M.2 2280 PCIe Gen 3 NVMe 3x4 Class 40 up to 1TB SSD M.2 2280 PCIe Gen 3 NVMe 4x4 Class 40 2TB SSD M.2 2280 PCIe Gen 4 NVMe 3x4 Class 40 up to 1TB OPAL SED |
| Security ¹ | TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional ExpressSign-in with Face IR camera (Windows Hello compliant) and Proximity Sensor Dell Client Command Suite Dell BIOS Verification Optional Dell Endpoint Security and Management Software VMware Carbon Black Endpoint Standard VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response Dell Encryption Enterprise Dell Encryption Personal Carbonite VMware Workspace ONE | TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional ExpressSign-in with Face IR camera (Windows Hello compliant) and Proximity Sensor Dell Client Command Suite Dell BIOS Verification Optional Dell Endpoint Security and Management Software VMware Carbon Black Endpoint Standard | TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Touch FIPS 201 Fingerprint Reader Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 4: Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 5: Touch Fingerprint Reader (in Power Button), Contacted Smart Card, Contactless Smart Card NFC and Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 6: FIPS Fingerprint Reader (on Palmrest) and Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification Optional ExpressSign-in with Face IR camera (Windows Hello compliant) and Proximity Sensor Dell Client Command Suite |

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Dell BIOS Verification
Optional Dell Endpoint Security and Management Software
VMware Carbon Black Endpoint Standard
VMware Carbon Black Endpoint Standard + Secureworks
Threat Detection and Response Dell Encryption Enterprise

Dell Encryption Personal
Carbonite
VMware Workspace ONE
Absolute® Endpoint Visibility and Control
Netskope

Dell Supply Chain Defense

Feature

Docking¹

Optical Drive Options

Multimedia¹

Battery Options¹⁻⁵

Power Options¹

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Dell Thunderbolt™ Dock- WD19TB
(optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

External Options Only

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional RGB HD, IR+HD, or FHD+IR+ExpressSign-in Camera
Dell Camera Privacy Shutter Optional
No Camera
Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable Battery
4 cell 63 WHr ExpressCharge™ Capable Battery
3 cell 42 WHr Long Life Battery
(includes 3yr limited hardware warranty)
4 cell 63 WHr Long Life Battery
(includes 3yr limited hardware warranty)

65W adapter, Type-C
90W adapter, Type-C
60W Small Form Factor, Type C

Microsoft Modern Standby Compliant Wireless LAN Options⁵:
Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0
Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1
Intel® Wi-Fi 6e AX210 2x2 6GHz Discrete (March 2021)
Optional no wireless card installed
Mobile Broadband Options^{8, 10}
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable)
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) Sprint, AT&T, Verizon, US only

2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort
2x USB 3.2 Gen 1 (1 with Power share)
1x HDMI 2.0
1x external uSIM card tray (optional) - eSim capable
1x uSD 4.0 Memory card reader
1x Contacted SmartCard Reader (optional)
1x Touch Fingerprint Reader in Power Button (optional)
Universal Audio Jack
Wedge-shaped Lock slot

Width: 12.04" / 305.70 mm
Depth: 8.17" / 207.50 mm
Height: 0.67" / 16.96 mm

Starting weight: 1.20 kg / 2.65 lbs Laptop,
1.32 kg / 2.9 lbs 2-in-1

(42 WHr battery, M.2 SSD, FHD LCD)

Regulatory Model Number: 5320 P138G 5320
2-in-1 P139G
Regulatory Type Number: 5320 P138G001
5320 2-in-1 P139G001

ENERGY STAR compliant configurations available

Dell Thunderbolt™ Dock- WD19TB
(optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

External Options Only

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional RGB HD, IR+HD, or FHD+IR+ExpressSign-in Camera
Dell Camera Privacy Shutter
Optional No Camera
Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable Battery
4 cell 63 WHr ExpressCharge™ Capable Battery
3 cell 42 WHr Long Life Battery
(includes 3yr limited hardware warranty)
4 cell 63 WHr Long Life Battery
(includes 3yr limited hardware warranty)

65W adapter, Type-C
90W adapter, Type-C
60W Small Form Factor, Type C

Microsoft Modern Standby Compliant Wireless LAN Options⁵:
Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0
Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1
Intel® Wi-Fi 6e AX210 2x2 6GHz Discrete (March 2021)
Optional no wireless card installed
Mobile Broadband Options^{8, 10}
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable)
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) Sprint, AT&T, Verizon, US only

2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort
2x USB 3.2 Gen 1 (1 with Power share)
1x HDMI 2.0
1x external uSIM card tray (optional) - eSim capable
1x uSD 4.0 Memory card reader
1x Contacted SmartCard Reader (optional)
1x Touch Fingerprint Reader in Power Button (optional)
Universal Audio Jack
Wedge-shaped Lock slot RJ45

Width: 12.65" / 321.35 mm
Depth: 8.35" / 212.00 mm Height:
0.76" / 19.30 mm

Starting weight: 1.40 kg / 3.09 lbs

(42 WHr battery, M.2 SSD, FHD LCD)

Regulatory Model Number: P137G
Regulatory
Type Number: P137G001 for Tiger Lake
P137G002 X for Comet Lake

Dell Thunderbolt™ Dock- WD19TB
(optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

External Options Only

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional RGB HD, IR+HD, or FHD+IR+ExpressSign-in Camera
Dell Camera Privacy Shutter Optional
No Camera
Skype For Business Certified

3 cell 42 WHr ExpressCharge™ Capable Battery
4 cell 63 WHr ExpressCharge™ Capable Battery
3 cell 42 WHr Long Life Battery (includes 3yr limited hardware warranty)
4 cell 63 WHr Long Life Battery (includes 3yr limited hardware warranty)

65W adapter, Type-C
90W adapter, Type-C
60W Small Form Factor, Type C

Microsoft Modern Standby Compliant Wireless LAN Options⁵:
Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0
Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1
Intel® Wi-Fi 6e AX210 2x2 6GHz Discrete (March 2021)
Optional no wireless card installed
Mobile Broadband Options^{8, 10}
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) (eSIM capable)
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) China, Turkey
Intel® XMM™ 7360 LTE Advanced Cat 9 WWAN (DW5820e) Sprint, AT&T, Verizon, US only

2x USB Type C Thunderbolt™ 4.0 with Power Delivery & DisplayPort
2x USB 3.2 Gen 1 (1 with Power share)
1x HDMI 2.0
1x external uSIM card tray (optional) - eSim capable
1x uSD 4.0 Memory card reader
1x Contacted SmartCard Reader (optional)
1x Touch Fingerprint Reader in Power Button (optional)
Universal Audio Jack
Wedge-shaped Lock slot RJ45

Width: 14.09" / 357.80 mm
Depth: 9.19" / 233.30 mm
Height: 0.78" / 19.87 mm

Starting weight: 1.59 kg / 3.50 lbs

(42 WHr battery, M.2 SSD, UHD LCD)

Regulatory Model Number: P104F
Regulatory Type Number: P104F001 for Tiger Lake
P104F002 for Comet Lake

ENERGY STAR compliant configurations available

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Connectivity options^{1,10}

EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
BFR/PVC free⁹
Trade Agreements Acts (TAA) configurations available

ENERGY STAR compliant configurations available
EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
BFR/PVC free⁹
Trade Agreements Acts (TAA) configurations available

EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net
BFR/PVC free⁹
Trade Agreements Acts (TAA) configurations available

Ports, Slots & Chassis³

Dimensions & Weight^{1,15}

Regulatory and
Environmental Compliance¹

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Latitude 5320

Latitude 5420

Latitude 5520

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

| Feature | Latitude 5320 | Latitude 5420 | Latitude 5520 |
|-----------------------------------|---|---|---|
| Input ¹ | Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad Dell Premium Active Pen PN579X (2-in-1 configs only, optional, sold seperately) | Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad | Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad |
| Systems Management ¹ | Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer | Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer | Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command, Factory Installed Dell Optimizer |
| Warranty and Service ¹ | Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ¹² | Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ¹² | Limited Hardware Warranty ⁴ , Standard 3 year Mail-in Service after Remote Diagnosis ¹¹ , optional 3, 4 and 5 year hardware warranty extensions, and 3-5 year Dell ProSupport contracts available ¹² |
| Peripheral Ecosystem ¹ | | | |

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

Wide range of accessories designed and tested for the Latitude 5320 enable productivity on the go or at the desk.

Wide range of accessories designed and tested for the Latitude 5420 enable productivity on the go or at the desk.

Wide range of accessories designed and tested for the Latitude 5520 enable productivity on the go or at the desk.

Features & technical specifications

LATITUDE 5320 | 5420 | 5520

LATITUDE 5320 | 5420 | 5520 There's nothing mainstream about it



- 1 Offering may vary by country and by configuration
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty 5 Battery support is dependent upon graphics support. Check technical guides for detailed support
- 6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements. 7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required 8 Wireless antenna available only at time of system purchase
- 9 Dell Latitude 5000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%). 10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.
- 11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit
- 13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.
- 15 Weights vary depending on configuration and manufacturing variability.
- 16 Nearly 3X Faster: 802.11ax 2x2 160 MHz enables 2402 Mbps maximum theoretical data rates, ~3X (2.8X) faster than standard 802.11ac 2x2 80 MHz (867 Mbps) as documented in IEEE 802.11 wireless standard specifications, and require the use of similarly configured 802.11ax wireless network routers. WPA3 Wi-Fi Security Features: The Wi-Fi Alliance industry consortium will certify Wi-Fi 6 products for compliance with the IEEE 802.11ax standard, and will require WPA3 security certification as a pre-requisite to ensure the latest in Wi-Fi security features. WPA3 Simplified Passwords: WPA3 uses Simultaneous Authentication of Equals (SAE) to replace the Pre-Shared Key (PSK) exchange protocol used by WPA2. SAE more securely handles initial key exchange and uses forward secrecy, which makes it more resistant to offline decryption attacks and provides stronger password-based authentication. WPA3 Enhanced Protection: Additional network protection comes from the equivalent of 192-bit cryptographic strength across an 802.11ax network and is superior to the 128-bit AES encryption utilized with WPA2. Claim D is based on industry standard WAP3 certification which parameters are broadly available <https://www.wi-fi.org/discover-wi-fi/security> 17 Based on Dell analysis, September 2020. 21% bioplastics in LCD coverlid.
- 18 Estimates based on data derived from Life Cycle Assessments conducted in accordance to ISO 14040:2006 and ISO 14044:2006. The system boundary of the LCA is Cradle-to-Gate, with the Gate of the analysis being the production of the mechanical part. Included in the analysis where the polymer production, injection molding process, paint manufacturing and painting process. Sept. 2020.
- 19 EPEAT Gold registered in the U.S. EPEAT registration varies by country and configuration. See www.epeat.net for registration status by country.
- 20 Based on Dell analysis, October 2020.
- 21 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.
- 22 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark running productivity applications, March 2020. Improvement will vary based on product configuration, use, application and other factors.
- 23 ExpressSign-in available on Latitude 9000, 7000 and 5000 series. See product details for availability.
- 24 ExpressCharge with Dell Optimizer (DO) requires 14 days to learn the user's behavior, then dynamically applies appropriate battery settings. DO Adaptive Battery setting must be enabled in the Power feature settings labeled "Adaptive Battery Performance". Improvement will vary based on product configuration, use, software, operating conditions, power

