

**Invoice address:**

USTAV FYZIKALNI CHEMIE  
J. HEYROVSKEHO AVCR, v.v.i.

DOLEJSKOVA 3  
CZ 182 23 PRAHA 8

**Delivery address:**

USTAV FYZIKALNI CHEMIE  
J. HEYROVSKEHO AVCR, v.v.i.  
NAKUPNI ODDELENI

DOLEJSKOVA 3  
CZ 182 23 PRAHA

**Order Acceptance** 9 21102158 - 2021-08-19

**Customer ID:** 102151  
**VAT-ID:** CZ61388955  
**Your Order:** 002210212  
**dated:**  
**Orderer:** [REDACTED]

<b>Our reference:</b>	[REDACTED]
<b>Direct dial:</b>	[REDACTED]
<b>E-Mail:</b>	[REDACTED]
<b>Representative:</b>	[REDACTED]

Item	Article	Quantity	Delivery date	Price in EUR
1.0	<b>PT G28 770</b> TPG 366, MaxiGauge Display and control unit for six gauges 100-240 V AC, 50/60 Hz - For operation of six gauges with analog output signal - Brilliant display - Simultaneous display of all six pressure readings - Simple to operate - Six freely configurable relay set points - Versatile connectivity - USB - RS-485 - Ethernet - Direct data storage on USB flash memory (data and settings) - Can be used as table top or as rack mount unit	1 ks	2021-11-26	
2.0	<b>P 4564 309 YU</b> Mains cable, 230V AC, (DE) 1 mm <sup>2</sup> , length: 2,5 m with Schuko-plug CEE (7) VII Euro style EN 60320/C13	1 ks	2021-11-26	
3.0	<b>CKF00036</b> KIT RVP 2021 SD EUR OME25S - Promotion Consisting of: - Pascal 2021 SD, 1-phase motor, 230 V, 50/60 Hz, 221SDMHM dual-stage, high-performance rotary vane pump with a pumping speed of 18 m <sup>3</sup> /h at 50 Hz / 22 m <sup>3</sup> /h at 60 Hz For standard applications with non-corrosive gases With 1-phase motor, IEC-C14-connector in terminal box	1 ks	2021-10-26	

**Order Acceptance**      921102158   -   19.08.2021

Item	Article	Quantity	Delivery date	Price in EUR
	Integrated gas ballast and anti-suck-back valve Low oil emission and oil back streaming For all low and medium vacuum applications Special feature: Universal Single-phase motor for worldwide application First filling of operating fluid included in delivery -Oil mist eliminator OME 25 S -Power cable Schuko			
4.0	<b>PK 195 881 -T</b> DUO 11, Rotary vane pump 115/230 V, 50/60 Hz with ONFR 16 S, lubrication P3 Sales Promotion DuoLine Consisting of: -Duo 11, 1-phase motor, 115/230 V (±10 %), 50/60 Hz Dual-stage, high-performance rotary vane pump with a pumping speed of 9 m³/h at 50 Hz / 10.5 m³/h at 60 Hz With single-phase motor, IEC-C14-connector in terminal box With bi-metal-switch for optimum motor protection Integrated gas ballast and safety valve Pump and motor certified according to UL and IEC 61010 For all low and medium vacuum applications First filling of operating fluid included in delivery -OME16 S oil mist eliminator -Clamping ring DN 10-16 ISO-KF -Seal DN 16 ISO-KF -Oil return unit from OME 16 S to Duo 11	2 ks	2021-11-26	
5.0	<b>PK 050 109</b> Mains cable for MVP 035-2 to MVP 100-3C and DUO 1.3 - 20 with Schuko-plug with right angle coupler plug	2 ks	2021-11-26	

**Fracht** **120,00**

Value of goods	6.016,08
Taxable amount	6.136,08
VAT 0,0%	0,00
<b>Total amount</b>	<b>6.136,08</b>

**Pfeiffer Vacuum Austria GmbH**



**Order Acceptance**      921102158   .   19.08.2021

<b>Item</b>	<b>Article</b>	<b>Quantity</b>	<b>Delivery date</b>	<b>Price in EUR</b>
-------------	----------------	-----------------	----------------------	---------------------

---

**Terms of delivery:**    FCA

**Delivery method:**    Kamion/Spedice

**Payment:**              30 dní po vystavení, netto

**Net weight in kg:**    67,172

– Anzeige / Advert –

**VACUUM SOLUTIONS FROM A SINGLE SOURCE**  
**[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)**