

Příloha č. 1
Technická specifikace předmětu Plnění

Samostatný soubor.

Part number	Popis	Qty
7Z71CTO1WW	Server A - 1U : ThinkSystem SR630 V2	1
BH9Q	ThinkSystem 1U 2.5" Chassis with 8 or 10 Bays	1
BFYE	Operating mode selection for: "Efficiency - Favoring Performance Mode"	1
BB2N	Intel Xeon Silver 4309Y 8C 105W 2.8GHz Processor	1
B964	ThinkSystem 32GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	1
5977	Select Storage devices - no configured RAID required	1
BJHK	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter	1
BCTC	ThinkSystem 2.5" Multi Vendor 240GB Entry SATA 6Gb Hot Swap SSD	3
B5XH	ThinkSystem M.2 SATA 2-Bay RAID Enablement Kit	1
B919	ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD	2
B8N0	ThinkSystem 1U 8x2.5" SAS/SATA Backplane	1
B8MW	ThinkSystem 1U PCIe Gen3 x16/x16 Riser 1	1
B8NC	ThinkSystem 1U LP+LP BF Riser Cage Riser 1	1
BHTT	ThinkSystem V2 500W (230V/115V) Platinum Hot-Swap Power Supply v2	2
B0N4	2.0m, 10A/100-250V, C13 to IEC 320-C14 Rack Power Cable	2
AUPW	ThinkSystem XClarity Controller Standard to Enterprise Upgrade	1
BH9N	ThinkSystem 1U Standard Fan Option Kit	6
B8LA	ThinkSystem Toolless Slide Rail Kit v2	1
B0MK	Enable TPM 2.0	1
B7XZ	Disable IPMI-over-LAN	1
B97M	ThinkSystem SR630 V2 MB	1
B0ML	Feature Enable TPM on MB	1
BHS7	UEFI Operating Modes Support	1
BK15	High voltage (200V+)	1
B8KV	ThinkSystem 1U 8x2.5" SAS/SATA HDD Type Label	1
B8KY	ThinkSystem WW Lenovo LPK	1
AWF9	ThinkSystem Response time Service Label LI	1
B97B	XCC Label	1
B97G	SR630 V2 Service Label for LI	1
B97K	ThinkSystem SR630 V2 Model Number Label	1
AUTQ	ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5"	1
B97J	ThinkSystem SR630 V2 Agency Label	1
B8JW	ThinkSystem 500W RDN PSU Caution Label	1
B8GY	M.2 Module Cable	1
BC4T	ThinkSystem 1U SFF Front 2.5" Backplane SAS/SATA Gen3 Cable	1
BA23	ThinkSystem SR630 V2 8x2.5" BP and 6+4 x2.5" BP Power Cable	1
BE0E	N+N Redundancy With Over-Subscription	1
BMAU	LP VENT W/STFNR 3LED	1
B8NJ	ThinkSystem 1U MS Fan Dummy	2
B5X6	ThinkSystem 1U 2x2.5" Fixed Filler	1
AUWG	Lenovo ThinkSystem 1U VGA Filler	1
B8NB	ThinkSystem 1U MS LP Riser Filler	1
BEYJ	ThinkSystem MS Height CPU Dummy	1

B8NM	ThinkSystem 1U MS Air Duct	1
B8NK	ThinkSystem 1U Super Cap Holder Dummy	1
AVEN	ThinkSystem 1x1 2.5" HDD Filler	5
B5WJ	ThinkSystem OCP3 Filler	1
B955	ThinkSystem 4R ICX CPU HS Clip	1
AVWK	ThinkSystem EIA Plate with Lenovo Logo	1
B173	Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory	1
B989	ThinkSystem V2 1U Package	1
BH9R	10x2.5" Media Bay w/ Cable	1
B978	ThinkSystem SR630/SR850/SR860 V2 Standard Heatsink	1
A2HP	Configuration ID 01	1
5374CM1	Configuration Instruction	1
BJHU	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter Placement	1
A2JX	Controller 01	1
A2HP	Configuration ID 01	1
5WS7A67602	Foundation Service - 5Yr NBD Resp SR630 V2	1
7Z73CTO1WW	Server B : ThinkSystem SR650 V2	1
BH8H	ThinkSystem 2U 2.5" Chassis with 8, 16 or 24 Bays	1
BFYE	Operating mode selection for: "Efficiency - Favoring Performance Mode"	1
BB35	Intel Xeon Gold 5318Y 24C 165W 2.1GHz Processor	2
B966	ThinkSystem 64GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	24
5977	Select Storage devices - no configured RAID required	1
B5XH	ThinkSystem M.2 SATA 2-Bay RAID Enablement Kit	1
B919	ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD	2
B5SV	ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port OCP Ethernet Adapter	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
BHS9	ThinkSystem 1100W (230V/115V) v2 Platinum Hot-Swap Power Supply	2
6400	2.8m, 13A/100-250V, C13 to C14 Jumper Cord	2
AUPW	ThinkSystem XClarity Controller Standard to Enterprise Upgrade	1
BH8F	ThinkSystem 2U Standard Fan	6
B8LA	ThinkSystem Toolless Slide Rail Kit v2	1
B8L7	ThinkSystem 2U EIA Latch Standard (Left)	1
B0MK	Enable TPM 2.0	1
B7XZ	Disable IPMI-over-LAN	1
B97L	ThinkSystem SR650 V2 MB	1
B0ML	Feature Enable TPM on MB	1
BHS7	UEFI Operating Modes Support	1
B97B	XCC Label	1
B7KM	ThinkSystem OCP NIC Label 1-4	1
B97A	ThinkSystem SR650 V2 Service Label for LI	1
AWF9	ThinkSystem Response time Service Label LI	1
B97E	ThinkSystem SR650 V2 Model Number Label	1
B97C	ThinkSystem SR650 V2 Agency Label	1

AUTQ	ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5"	1
B8JY	ThinkSystem 1100W RDN PSU Caution Label	1
BCH1	ERP LOT9 Solution Country	1
BAJ7	ThinkSystem 2U M.2 Cable	1
BE0E	N+N Redundancy With Over-Subscription	1
B173	Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory	1
B955	ThinkSystem 4R ICX CPU HS Clip	2
AVWK	ThinkSystem EIA Plate with Lenovo Logo	1
B986	ThinkSystem V2 2U Package	1
BHJN	2U MB PSU Airduct	1
BC4X	MS 2FH Riser Filler	1
AVEQ	ThinkSystem 8x1 2.5" HDD Filler	3
B8M9	ThinkSystem 2U EIA Latch with FIO (right)	1
BHT2	2U 165W Heatsink	2
BHWJ	ThinkSystem 2U MS 3FH Riser1 Cage v2	1
BHWL	ThinkSystem 2U MS 3FH Riser2 new Cage	1
BK15	High voltage (200V+)	1
B8KY	Thinksystem WW Lenovo LPK	1
BBAM	G3 x16/x8/x8 PCIe Riser B8LL for Riser 1 Placement	1
BBAS	G3 x16/x8/x8 PCIe Riser B8LL for Riser 2 Placement	1
5WS7A67976	Foundation Service - 5Yr NBD Resp SR650 V2	1
7Z73CTO1WW	Server C : ThinkSystem SR650 V2	1
BH8H	ThinkSystem 2U 2.5" Chassis with 8, 16 or 24 Bays	1
BFYE	Operating mode selection for: "Efficiency - Favoring Performance Mode"	1
BB3D	Intel Xeon Gold 6334 8C 165W 3.6GHz Processor	2
B964	ThinkSystem 32GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	16
5977	Select Storage devices - no configured RAID required	1
B5XH	ThinkSystem M.2 SATA 2-Bay RAID Enablement Kit	1
B919	ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD	2
B5SV	ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port OCP Ethernet Adapter	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
BHS9	ThinkSystem 1100W (230V/115V) v2 Platinum Hot-Swap Power Supply	2
6400	2.8m, 13A/100-250V, C13 to C14 Jumper Cord	2
AUPW	ThinkSystem XClarity Controller Standard to Enterprise Upgrade	1
BH8F	ThinkSystem 2U Standard Fan	6
B8LA	ThinkSystem Toolless Slide Rail Kit v2	1
B8L7	ThinkSystem 2U EIA Latch Standard (Left)	1
B0MK	Enable TPM 2.0	1
B7XZ	Disable IPMI-over-LAN	1
B97L	ThinkSystem SR650 V2 MB	1
B0ML	Feature Enable TPM on MB	1
BHS7	UEFI Operating Modes Support	1
B97B	XCC Label	1
B7KM	ThinkSystem OCP NIC Label 1-4	1

B97A	ThinkSystem SR650 V2 Service Label for LI	1
AWF9	ThinkSystem Response time Service Label LI	1
B97E	ThinkSystem SR650 V2 Model Number Label	1
B97C	ThinkSystem SR650 V2 Agency Label	1
AUTQ	ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5"	1
B8JY	ThinkSystem 1100W RDN PSU Caution Label	1
BCH1	ERP LOT9 Solution Country	1
BAJ7	ThinkSystem 2U M.2 Cable	1
BE0E	N+N Redundancy With Over-Subscription	1
B173	Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory	1
B955	ThinkSystem 4R ICX CPU HS Clip	2
AVWK	ThinkSystem EIA Plate with Lenovo Logo	1
B986	ThinkSystem V2 2U Package	1
BHJN	2U MB PSU Airduct	1
AURS	Lenovo ThinkSystem Memory Dummy	16
BC4X	MS 2FH Riser Filler	1
AVEQ	ThinkSystem 8x1 2.5" HDD Filler	3
B8M9	ThinkSystem 2U EIA Latch with FIO (right)	1
B976	ThinkSystem SR650 V2 Standard Heatsink	2
BHWJ	ThinkSystem 2U MS 3FH Riser1 Cage v2	1
BHWL	ThinkSystem 2U MS 3FH Riser2 new Cage	1
BK15	High voltage (200V+)	1
B8KY	Thinksystem WW Lenovo LPK	1
BBAM	G3 x16/x8/x8 PCIe Riser B8LL for Riser 1 Placement	1
BBAS	G3 x16/x8/x8 PCIe Riser B8LL for Riser 2 Placement	1
5WS7A67976	Foundation Service - 5Yr NBD Resp SR650 V2	1
7Z73CTO1WW	Server D : ThinkSystem SR650 V2	1
BH8H	ThinkSystem 2U 2.5" Chassis with 8, 16 or 24 Bays	1
BFYE	Operating mode selection for: "Efficiency - Favoring Performance Mode"	1
BB3M	Intel Xeon Gold 5315Y 8C 140W 3.2GHz Processor	2
B964	ThinkSystem 32GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	8
5977	Select Storage devices - no configured RAID required	1
BJHK	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter	1
BCTC	ThinkSystem 2.5" Multi Vendor 240GB Entry SATA 6Gb Hot Swap SSD	3
B5XH	ThinkSystem M.2 SATA 2-Bay RAID Enablement Kit	1
B919	ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD	2
B8LU	ThinkSystem 2U 8x2.5" SAS/SATA Backplane	1
B5SV	ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port OCP Ethernet Adapter	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
B8LL	ThinkSystem 2U PCIe Gen3 x16/x8/x8 Riser 1 or 2	1
BHTU	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2	2
B0N4	2.0m, 10A/100-250V, C13 to IEC 320-C14 Rack Power Cable	2
AUPW	ThinkSystem XClarity Controller Standard to Enterprise Upgrade	1
BH8F	ThinkSystem 2U Standard Fan	6
B8LA	ThinkSystem Toolless Slide Rail Kit v2	1

B8L7	ThinkSystem 2U EIA Latch Standard (Left)	1
B0MK	Enable TPM 2.0	1
B7XZ	Disable IPMI-over-LAN	1
B97L	ThinkSystem SR650 V2 MB	1
B0ML	Feature Enable TPM on MB	1
BHS7	UEFI Operating Modes Support	1
B97B	XCC Label	1
B7KM	ThinkSystem OCP NIC Label 1-4	1
B97A	ThinkSystem SR650 V2 Service Label for LI	1
AWF9	ThinkSystem Response time Service Label LI	1
B97E	ThinkSystem SR650 V2 Model Number Label	1
B97C	ThinkSystem SR650 V2 Agency Label	1
B8K0	ThinkSystem 2U MS 24x2.5" SATA/SAS HDD Type Label1	1
AUTQ	ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5"	1
B8JV	ThinkSystem 750W Platinum RDN PSU Caution Label	1
BCH1	ERP LOT9 Solution Country	1
BACP	ThinkSystem SR665/SR650 V2 Power Cable from MB to Front 2.5" BP	1
BAJ7	ThinkSystem 2U M.2 Cable	1
BC70	ThinkSystem SR650 V2 SAS/SATA Cable from SFF (Gen3) to Front 8x2.5" BP1	1
BE0E	N+N Redundancy With Over-Subscription	1
B173	Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory	1
B955	ThinkSystem 4R ICX CPU HS Clip	2
AVWK	ThinkSystem EIA Plate with Lenovo Logo	1
B986	ThinkSystem V2 2U Package	1
BHJN	2U MB PSU Airduct	1
BC4X	MS 2FH Riser Filler	1
AVEN	ThinkSystem 1x1 2.5" HDD Filler	5
AVEQ	ThinkSystem 8x1 2.5" HDD Filler	2
B8M9	ThinkSystem 2U EIA Latch with FIO (right)	1
BHT2	2U 165W Heatsink	2
BHWJ	ThinkSystem 2U MS 3FH Riser1 Cage v2	1
BHWL	ThinkSystem 2U MS 3FH Riser2 new Cage	1
BK15	High voltage (200V+)	1
B8KY	Thinksytem WW Lenovo LPK	1
BBAM	G3 x16/x8/x8 PCIe Riser B8LL for Riser 1 Placement	1
BBAS	G3 x16/x8/x8 PCIe Riser B8LL for Riser 2 Placement	1
A2HP	Configuration ID 01	1
5374CM1	Configuration Instruction	1
BJHU	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter Placement	1
A2JX	Controller 01	1
A2HP	Configuration ID 01	1
5WS7A67976	Foundation Service - 5Yr NBD Resp SR650 V2	1
7D32CTO1WW	Server E : ThinkSystem SR850 V2	1
BNAQ	Enable selection of latest options and features where available. Previous versions are disabled. To be able to select the previous versions, select None.	1

BN19	ThinkSystem SR850 V2 Chassis v2	1
BB9G	ThinkSystem SR850/SR860 V2 Gold 6330H 24C 150W 2.0GHz Processor	4
BAVY	ThinkSystem SR850/SR860 V2 Processor and Memory Expansion Tray	1
B964	ThinkSystem 32GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	24
5977	Select Storage devices - no configured RAID required	1
B8P3	ThinkSystem 2U 7mm Drive Kit w/ NVMe RAID	1
BB63	ThinkSystem 7mm PM983 960GB Entry NVMe PCIe 3.0 x4 Hot Swap SSD	2
B5SV	ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port OCP Ethernet Adapter	1
BAW6	ThinkSystem SR850/SR860 V2 x8/x8 PCIe FH Riser 1	1
BMUF	ThinkSystem V2 1800W (230V) Platinum Hot-Swap Power Supply v2	2
BCPE	ThinkSystem SR850 V2 Rail Kit	1
B0MK	Enable TPM 2.0	1
B7XZ	Disable IPMI-over-LAN	1
BCQ9	System Board SR850 V2	1
B0ML	Feature Enable TPM on MB	1
BK15	High voltage (200V+)	1
AUTJ	ThinkSystem common Intel Label	1
BAWF	CPU/DIMM Baffle	1
BAXE	PPB Signal Cable,170mm	1
BCPS	Fan Assembly	6
BCQ8	ThinkSystem Power Paddle SR850 V2	1
B8KY	Thinksystem WW Lenovo LPK	1
BCPV	7mm Signal Cable, 350mm	1
BCPW	7mm Power Cable, 300mm	1
BE0E	N+N Redundancy With Over-Subscription	1
BCPR	Baffle for 4P	1
BAVX	CPU CPX-6 HS Clip	4
BAW5	OCP Baffle	1
B978	ThinkSystem SR630/SR850/SR860 V2 Standard Heatsink	4
B7KM	ThinkSystem OCP NIC Label 1-4	1
BDZZ	2U Rear 7mm NVMe Kit Label	1
BCPY	SR850 V2 WW Packaging	1
BCPZ	SSL SR850 V2 LI	1
BCPJ	PCI Riser Bracket 7mm	1
BCPU	Riser Filler	1
BCPT	ThinkSystem EIA Nameplate SR850 V2	1
BCQ2	SR850 V2 Agency label w/o CCC and w/ES	1
AVEQ	ThinkSystem 8x1 2.5" HDD Filler	3
B8JZ	ThinkSystem 24x2.5" Front HDD Sequence 16-23	1
B8KG	ThinkSystem 1800W RDN PSU Caution Label	1
5WS7A82094	Foundation Service - 5Yr NBD Resp SR850 V2	1
Standalone Items		
4XG7A63398	ThinkSystem SR630 V2 Intel Xeon Silver 4309Y 8C 105W 2.8GHz Processor Option Kit w/o Fan	1
4F17A14488	ThinkSystem SR630 V2/SR645 Standard Fan Option Kit	2

4XC7A08238	ThinkSystem Broadcom 57414 10/25GbE SFP28 2-port PCIe Ethernet Adapter	1
4XC7A08242	ThinkSystem Broadcom 57454 10/25GbE SFP28 4-port OCP Ethernet Adapter	1
01CV830	Emulex 16Gb Gen6 FC Single-port HBA	1
4XC7A76498	ThinkSystem Emulex LPe35000 32Gb 1-port PCIe Fibre Channel Adapter V2	1
4XC7A08250	ThinkSystem Emulex LPe35000 32Gb 1-port PCIe Fibre Channel Adapter	1
4ZC7A08709	ThinkSystem 32GB TruDDR4 2933MHz (2Rx4 1.2V) RDIMM	1
4X77A08633	ThinkSystem 32GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	1
4X77A08635	ThinkSystem 64GB TruDDR4 3200 MHz (2Rx4 1.2V) RDIMM	1
4ZC7A08710	ThinkSystem 64GB TruDDR4 2933MHz (2Rx4 1.2V) RDIMM	1
4Y37A09739	ThinkSystem M.2 SATA 2-Bay RAID Enablement Kit	1
4X97A59826	ThinkSystem SR630 V2 M.2 Cable Kit	1
4XB7A17073	ThinkSystem M.2 5300 480GB SATA 6Gbps Non-Hot Swap SSD	1
4XB7A17088	ThinkSystem 2.5" 5300 480GB Mainstream SATA 6Gb Hot Swap SSD	1
7XB7A00069	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD	1
90Y9427	1m Passive DAC SFP+ Cable	1
00AY765	2m Passive DAC SFP+ Cable	1
90Y9430	3m Passive DAC SFP+ Cable	1
90Y9433	5m Passive DAC SFP+ Cable	1
00MN502	Lenovo 1m LC-LC OM3 MMF Cable	1
00MN505	Lenovo 3m LC-LC OM3 MMF Cable	1
00MN508	Lenovo 5m LC-LC OM3 MMF Cable	1
00MN511	Lenovo 10m LC-LC OM3 MMF Cable	1