

Dodavatel:




Easy Flow s.r.o.
Popkova 999/8
664 34 Kuřim

IČ: 11941278
 DIČ: CZ11941278
 Telefon: 725818424
 E-mail: info@easy-flow.cz
 www.easy-flow.cz

Odběratel: IČ: 61388955
 DIČ: CZ61388955

Ústav fyzikální chemie J. Heyrovského AV ČR
Dolejškova 2155/3
182 00 Praha



Nabídka č.: 22NA00145
 Datum zápisu: 24.08.2022
 Platno do: 01.10.2022

Označení dodávky	Množství	J.cena	Sleva	Cena bez DPH	%DPH	DPH	Kč Celkem
------------------	----------	--------	-------	--------------	------	-----	-----------

1.0 GSC-G3RWJY95 Vögtlin Red-y Smart, regulátor hmotnostního průtoku plynu	1 ks	38 500,00	7,00%	35 805,00	21%	7 519,05	43 324,05
---	------	-----------	-------	-----------	-----	----------	-----------





GSC-A9KA-BB21
 Gas: Air
 Flow range: 1 - 100 sccm
 Dynamics: 1:100
 Accuracy: ±1% full scale
 Gas temperature: 20 °C
 Pressure inlet (P1): 2 bar g
 Pressure outlet (P2): 0 bar g
 Reference conditions: 1013.25 mbar a, 0 °C
 Calibration certificate: Factory calibration 5 points
 Body material: Anodized aluminium
 Body elastomers: FKM
 Process connection (body): G1/4" female thread (BSPP)
 Valve (utilization): 0.1 (48%)
 Valve variant: Stainless steel 1.4305 / AISI 303
 Valve elastomers: FKM
 Power supply: 24VDC (18-30VDC)
 Current consumption: 250 mA
 Digital communication: Modbus RTU RS-485
 Modbus address: 247
 Analog setpoint signal: 4-20 mA
 Analog output signal: 4-20 mA
 Protection class: IP50
 Options
 Process connections mounted: 1/4" compression fittings (with 1 filter) 1.4404




2.0 GSC-Y5G9V7A3 Vögtlin Red-y Smart, regulátor hmotnostního průtoku plynu	1 ks	38 500,00	7,00%	35 805,00	21%	7 519,05	43 324,05
---	------	-----------	-------	-----------	-----	----------	-----------

GSC-B9KA-BB22
 Gas: Air
 Flow range: 7 - 700 sccm
 Dynamics: 1:100
 Accuracy: ±1% full scale
 Gas temperature: 20 °C
 Pressure inlet (P1): 2 bar g
 Pressure outlet (P2): 0 bar g
 Reference conditions: 1013.25 mbar a, 0 °C
 Calibration certificate: Factory calibration 5 points
 Body material: Anodized aluminium
 Body elastomers: FKM
 Process connection (body): G1/4" female thread (BSPP)
 Valve (utilization): 0.2 (75%)
 Valve variant: Stainless steel 1.4305 / AISI 303
 Valve elastomers: FKM
 Power supply: 24VDC (18-30VDC)
 Current consumption: 250 mA
 Digital communication: Modbus RTU RS-485
 Modbus address: 247
 Analog setpoint signal: 4-20 mA



Označení dodávky	Množství	J.cena	Sleva	Cena bez DPH	%DPH	DPH	Kč Celkem
Analog output signal: 4-20 mA Protection class: IP50 Options Process connections mounted: 1/4" compression fittings (with 1 filter) 1.4404							
3.0 LMC Module Licence na rozšíření softwaru get red-y Vögtlin	1 ks	7 500,00	00,00%	0,00	21%	0,00	0,00
							
4.0 328-2180 PDM-U kabel pro propojení s PC a připojení napájení Včetně převodníku RS485/USB	2 ks	3 150,00	7,00%	5 859,00	21%	1 230,39	7 089,39
							
5.0 328-2311 Napájecí adaptér PSD 100-240 Vac, 24 Vdc, 0.5A, 12W	2 ks	1 475,00	7,00%	2 743,50	21%	576,14	3 319,64
							
6.0 328-2211 Náhradní baterie pro Vögtlin red-y compact 1 series	1 ks	1 550,00	7,00%	1 441,50	21%	302,72	1 744,22
7.0 GCM-R3KXVGD4 Vögtlin red-y compact, hmotnostní průtokoměr GCM-B4EA-BN00 Gas: Air Flow range: 0.04 - 2 l/min Dynamics: 1:50 Accuracy: ±2% full scale Gas temperature: 20 °C Pressure inlet (P1): 0 bar g Reference conditions: 1013.25 mbar a, 0 °C Calibration certificate: Factory calibration 5 points Body material: Anodized aluminium Body elastomers: FKM Process connection (body): G1/4" female thread (BSPP) Flow divider: Type B Electrical connection: AA battery ** Power supply: 1.5V **Life time AA Battery: approx. 6 months (in non-continuous operation and dependent on power safe mode settings). Power supply alternative: USB micro-B cable.	1 ks	23 000,00	7,00%	21 390,00	21%	4 491,90	25 881,90
							

Označení dodávky	Množství	J.cena	Sleva	Cena bez DPH	%DPH	DPH	Kč Celkem
Protection class: IP 50 Process connections mounted: 1/4" compression fittings (with 1 filter) 1.4404							
8.0 Dopravné	1 ks	1 525,00		1 525,00	21%	320,25	1 845,25
Součet položek CELKEM K ÚHRADĚ				104 569,00		21 959,50	126 528,50 126 528,50
DAP Praha Platební podmínky: platba fakturou se splatností 14 dní od dodání zboží Dodací termín: 10...16 týdnů od objednání Záruka: 3 roky							
Vystavil: 							
Platí všeobecné obchodní podmínky Easy Flow s.r.o., dostupné na adrese https://easy-flow.cz/wp-content/uploads/2022/01/VOP-Easy-Flow-sro.pdf							