

Name und Adresse der Firma (Hersteller) / Name and address of the firm (Manufacturer):

**pro med instruments GmbH**  
**Bötzing Strasse 86**  
**DE 79111 Freiburg / Germany**  
**SRN-No: DE-MF-000005752**

Wir erklären in alleiniger Verantwortung, dass die nachfolgend gelisteten Medizinprodukte /  
We declare under our sole responsibility that the medical devices listed below:

der **Klasse I** nach Regel 1 der Verordnung (EU) 2017/745, Anhang II & III /  
of **class I** according to rule 1 of Regulation (EU) 2017/745, annex II & III

allen Anforderungen der Verordnung (EU) 2017/745 entsprechen, die anwendbar sind /  
meet all the provisions of the Regulation (EU) 2017/745 which apply to it

Wir erklären in Zusammenarbeit mit der /  
We declare in co-operation with

**Benannten Stelle / Notified Body:**  
**DQS Medizinprodukte GmbH**  
**August-Schanz-Strasse 21,60433 Frankfurt / Main / Germany**  
**Registration Number: 0297 | EC-Certificate ID: 170771942,**

dass die nachfolgend gelisteten Medizinprodukte / that the medical devices listed below

der **Klasse IIa** nach Regel 7 Richtlinie 93/42/EWG Anhang II ohne Abschnitt 4 /  
of **class IIa** according to rule 7 of directive 93/42/EEC, annex II excluding Section 4

der **Klasse IIb** nach Regel 9 Richtlinie 93/42/EWG Anhang II ohne Abschnitt 4 /  
of **class IIb** according to rule 9 of directive 93/42/EEC, annex II excluding Section 4

der **Klasse III** nach Regel 7 Richtlinie 93/42/EWG Anhang II /  
of **class III** according to rule 7 of directive 93/42/EEC, annex II

allen Anforderungen der Richtlinie 93/42/EWG entsprechen, die anwendbar sind /  
meet all the provisions of the directive 93/42/EEC which apply to it.

Diese Konformitätserklärung ist gültig bis **27.01.2024** oder bis zur Ausstellung einer revidierten  
Konformitätserklärung. / This declaration of conformity is valid until **January 27, 2024** or until the  
issue of a revised declaration of conformity.

Freiburg, September 21,2021

**Place | Date**



**Matthias Schüle**  
**Person Responsible for Regulatory Compliance**



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1001.001	DORO® QR3 Skull Clamp	11-958	I	42504355PA0400YE	35446	1001.001.001
1001.010	DORO® QR3 Skull Clamp w/ 2 Quick-Clamps consisting of: 1001.001 DORO® QR3 Skull Clamp 1202.014 DORO® Quick-Clamp			42504355SET000A5		
1001.023	DORO® Adjustable Base Unit Mizuho, Short	11-958	I	42504355PA0200Y4	35446	1001.023.001
1001.100	DORO® QR3 Headrest System consisting of: 3001-00 DORO® Adjustable Base Unit 3002-00 DORO® Swivel Adaptor 1001.001 DORO® QR3 Skull Clamp			42504355SET000A5		
1001.998	DORO® Lubricant HP500, Six-pack		I	42504355PA1400YM	15772	1001.999.002
1001.999	DORO® Lubricant HP500		I	42504355PA1400YM	15772	1001.999.002
1002.067	DORO® PMT® Halo System Holder	11-958	I	42504355PA0400YE	35446	1002.067.001
1101.006	DORO LUCENT® Horseshoe Headrest ENT, w/o Gel Pads	11-958	I	42504355PA0500YK	32577	1101.006.001
1101.007	DORO LUCENT® Horseshoe Headrest ENT, Adult consisting of: 1101.006 DORO LUCENT® Horseshoe Headrest ENT, 3009-10 DORO® Horseshoe Pad, Adult, right 3009-11 DORO® Horseshoe Pad, Adult, left			42504355SET000A5		
1101.008	DORO LUCENT® Horseshoe Headrest ENT, Pediatric consisting of: 1101.006 DORO LUCENT® Horseshoe Headrest ENT, 3008-10 DORO® Horseshoe Pad, Pediatric, right 3008-11 DORO® Horseshoe Pad, Pediatric, left			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1101.020	<b>DORO LUCENT® Headrest System</b> consisting of: 3033-00 DORO® Swivel Adaptor Radiolucent 3034-00 DORO® Skull Clamp Radiolucent 1106.003 DORO LUCENT® Sterile Disposable 1101.030 DORO LUCENT® Storage Case Headrest 1101.021 DORO LUCENT® Base Unit 1101.031 DORO LUCENT® Locking Transitional Member 1101.026 DORO LUCENT® Transitional Member			42504355SET000A5		
1101.020JP	<b>DORO LUCENT® Headrest System JP</b> consisting of: 3034-00 DORO® Skull Clamp Radiolucent 1106.003 DORO LUCENT® Sterile Disposable 1101.030 DORO LUCENT® Storage Case Headrest 1101.031 DORO LUCENT® Locking Transitional Member 1101.026 DORO LUCENT® Transitional Member 1101.022 DORO LUCENT® Base Unit, compact 3033-10 DORO® Swivel Adaptor Radiolucent short			42504355SET000A5		
1101.021	DORO LUCENT® Base Unit	11-958	I	42504355PA0200Y4	35446	1101.021.001
1101.022	DORO LUCENT® Base Unit, compact	11-958	I	42504355PA0200Y4	35446	1101.022.001
1101.026	DORO LUCENT® Transitional Member	11-958	I	42504355PA0200Y4	35446	1101.026.001
1101.031	DORO LUCENT® Locking Transitional Member	11-958	I	42504355PA0200Y4	35446	1101.031.001
1106.003	DORO LUCENT® Sterile Disposable Skull Pins, Adult (3 pcs)	12-429	Ila	42504355PA0600YQ	35446	1106.003.001
1106.103	DORO LUCENT® Sterile Disposable Skull Pins, Adult (9 pcs)	12-429	Ila	42504355PA0600YQ	35446	1106.003.001
1201.005	DORO COBRA® Flexible Rotary Arm 200 mm	11-958	I	42504355PA0700YV	45181	1201.005.001



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1201.006	DORO COBRA® Flexible Rotary Arm 280 mm	11-958	I	42504355PA0700YV	45181	1201.006.001
1201.007	DORO COBRA® Flexible Rotary Arm 350 mm	11-958	I	42504355PA0700YV	45181	1201.007.001
1201.008	DORO COBRA® Flexible Rotary Arm 420 mm	11-958	I	42504355PA0700YV	45181	1201.008.001
1201.020	DORO COBRA® Retractor System consisting of: 1201.021 DORO COBRA® Quick-Clamp for 1201.007 DORO COBRA® Flexible Rotary Arm 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated, 1201.091 DORO® Retractor Sterilization Tray			42504355SET000A5		
1201.021	DORO COBRA® Quick-Clamp for Aluminum Quick-Rail®	11-958	I	42504355PA0700YV	45181	1201.021.001
1201.022	DORO COBRA® Quick-Clamp for Radiolucent Quick-Rail®	11-958	I	42504355PA0700YV	45181	1201.022.001
1201.045	DORO® Quick-Clamp w/ Interface Mizuho-Type Retractors	11-958	I	42504355PA0700YV	35446	1201.045.001
1201.046	DORO® Adaptor for Flat Brain Spatula	11-958	I	42504355PA0700YV	45181	1201.046.001
1201.091	DORO® Retractor Sterilization Tray	13-730	I	42504355PA0700YV	45181	1201.091.001
1201.100	DORO COBRA® Retractor System for Aluminum Quick-Rail® consisting of: 1201.021 DORO COBRA® Quick-Clamp for 1201.008 DORO COBRA® Flexible Rotary Arm 3116-111 DORO® Blade, Black Coated,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1201.109	3116-121 DORO® Blade, Black Coated, 1201.091 DORO® Retractor Sterilization Tray DORO COBRA® Retractor System for Radiolucent Quick-Rail® consisting of: 1201.008 DORO COBRA® Flexible Rotary Arm			42504355SET000A5		
1202.010	3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 1201.091 DORO® Retractor Sterilization Tray 1201.022 DORO COBRA® Quick-Clamp for DORO® Quick-Clamp Halo Coupling Set consisting of: 1202.014 DORO® Quick-Clamp 1202.015 DORO® Quick-Clamp Coupling Universal 1202.016 DORO® Halo Support Rod Holder			42504355SET000A5		
1202.014	DORO® Quick-Clamp	11-958	I	42504355PA0700YV	45181	1202.014.008
1202.015	DORO® Quick-Clamp Coupling Universal	11-958	I	42504355PA0700YV	45181	1202.015.001
1202.016	DORO® Halo Support Rod Holder	11-958	I	42504355PA0700YV	45181	1202.016.001
1202.100T	DORO® Quick-Clamp Halo Retractor System consisting of: 3110-01 DORO® Halo Ring 3110-08 DORO® Halo Support Rod 8mm 3110-80 DORO® Halo Universal Key 3110-85 DORO® Pattie Tray 3114-37 DORO® Flexible Rotary Arm 280 mm 1202.014 DORO® Quick-Clamp 1202.015 DORO® Quick-Clamp Coupling Universal 1202.016 DORO® Halo Support Rod Holder 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated, 3116-21 DORO® Micro Blade, 124 x 2 mm 3116-22 DORO® Micro Blade, 124 x 4 mm 3116-23 DORO® Micro Blade, 150 x 2 mm 3116-24 DORO® Micro Blade, 150 x 4 mm 3116-25 DORO® Micro Blade 165 x 2 mm 3116-26 DORO® Micro Blade, 165 x 4 mm 3117-00 DORO® Halo Sterilization Tray					
1203.001	DORO LUNA® Quick-Clamp for Quick-Rail®	11-958	I	42504355PA0700YV	45181	1203.001.001
1203.002	DORO LUNA® Coupling	11-958	I	42504355PA0700YV	45181	1203.002.003
1203.003	DORO LUNA® Rod	11-958	I	42504355PA0700YV	45181	1203.003.002
1203.004	DORO LUNA® Curve	11-958	I	42504355PA0700YV	45181	1203.004.002
1203.009	DORO LUNA® Quick-Clamp for Radiolucent Quick-Rail®	11-958	I	42504355PA0700YV	45181	1203.009.001
1203.091	DORO LUNA® Sterilization Tray	13-730	I	42504355PA0700YV	45181	1203.091.001
1203.100	DORO LUNA® Retractor System - Standard System consisting of: 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail® 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1203.100JP	<b>DORO LUNA® Retractor System - Standard System JP</b> consisting of: 1201.007 DORO COBRA® Flexible Rotary Arm 1201.091 DORO® Retractor Sterilization Tray 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail® 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1203.091 DORO LUNA® Sterilization Tray 1201.046 DORO® Adaptor for Flat Brain Spatula			42504355SET000A5		
1203.109	<b>DORO LUNA® Retractor System - Standard System for Radiolucent Quick-Rail®</b> consisting of: 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated, 1203.009 DORO LUNA® Quick-Clamp for			42504355SET000A5		
1203.110	<b>DORO LUNA® Standard Retractor System &amp; DORO® QR3 Skull Clamp</b> consisting of: 1001.001 DORO® QR3 Skull Clamp 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail®			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	1203.002 DORO LUNA® Coupling					
	1203.003 DORO LUNA® Rod					
	1203.004 DORO LUNA® Curve					
	1201.006 DORO COBRA® Flexible Rotary Arm					
	1203.091 DORO LUNA® Sterilization Tray					
	1201.091 DORO® Retractor Sterilization Tray					
	3116-111 DORO® Blade, Black Coated,					
	3116-121 DORO® Blade, Black Coated,					
	3116-131 DORO® Blade, Black Coated,					
	3116-141 DORO® Blade, Black Coated,					
	3116-151 DORO® Blade, Black Coated,					
1203.110JP	DORO LUNA® Standard Retractor System JP & DORO® QR3 Skull Clamp consisting of:			42504355SET000A5		
	1201.007 DORO COBRA® Flexible Rotary Arm					
	1201.091 DORO® Retractor Sterilization Tray					
	1203.001 DORO LUNA® Quick-Clamp for Quick-Rail®					
	1203.002 DORO LUNA® Coupling					
	1203.003 DORO LUNA® Rod					
	1203.004 DORO LUNA® Curve					
	1203.091 DORO LUNA® Sterilization Tray					
	1001.001 DORO® QR3 Skull Clamp					
	1201.046 DORO® Adaptor for Flat Brain Spatula					
1203.120	DORO LUNA® Standard Retractor System & DORO® QR3 Headrest System consisting of:			42504355SET000A5		
	1001.001 DORO® QR3 Skull Clamp					
	3002-00 DORO® Swivel Adaptor					
	1203.001 DORO LUNA® Quick-Clamp for Quick-Rail®					
	1203.002 DORO LUNA® Coupling					
	1203.003 DORO LUNA® Rod					
	1203.004 DORO LUNA® Curve					
	1201.006 DORO COBRA® Flexible Rotary Arm					



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1203.120JP	<b>1203.091 DORO LUNA® Sterilization Tray</b> <b>1201.091 DORO® Retractor Sterilization Tray</b> <b>3116-111 DORO® Blade, Black Coated,</b> <b>3116-121 DORO® Blade, Black Coated,</b> <b>3116-131 DORO® Blade, Black Coated,</b> <b>3116-141 DORO® Blade, Black Coated,</b> <b>3116-151 DORO® Blade, Black Coated,</b> <b>3001-00 DORO® Adjustable Base Unit</b> <b>DORO LUNA® Standard Retractor System</b> <b>JP &amp; DORO® QR3 Headrest System,</b> consisting of: <b>1201.007 DORO COBRA® Flexible Rotary Arm</b> <b>1201.091 DORO® Retractor Sterilization Tray</b> <b>1203.001 DORO LUNA® Quick-Clamp for Quick-Rail®</b> <b>1203.002 DORO LUNA® Coupling</b> <b>1203.003 DORO LUNA® Rod</b> <b>1203.004 DORO LUNA® Curve</b> <b>1203.091 DORO LUNA® Sterilization Tray</b> <b>3002-00 DORO® Swivel Adaptor</b> <b>1001.001 DORO® QR3 Skull Clamp</b> <b>3001-002 DORO® Adjustable Base Unit Mizuho</b> <b>1201.046 DORO® Adaptor for Flat Brain Spatula</b>			<b>42504355SET000A5</b>		
1203.130JP	<b>DORO LUNA® Retractor System - Standard</b> <b>System w/ RDL Connection JP</b> consisting of: <b>1201.007 DORO COBRA® Flexible Rotary Arm</b> <b>1201.091 DORO® Retractor Sterilization Tray</b> <b>1203.009 DORO LUNA® Quick-Clamp for</b> <b>1203.002 DORO LUNA® Coupling</b> <b>1203.003 DORO LUNA® Rod</b> <b>1203.004 DORO LUNA® Curve</b> <b>1203.091 DORO LUNA® Sterilization Tray</b> <b>1201.046 DORO® Adaptor for Flat Brain Spatula</b>			<b>42504355SET000A5</b>		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1203.200	<b>DORO LUNA® Retractor System - Compact System</b> consisting of: 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail® 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated,			42504355SET000A5		
1203.209	<b>DORO LUNA® Retractor System - Compact System for Radiolucent Quick-Rail®</b> consisting of: 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated, 1203.009 DORO LUNA® Quick-Clamp for			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1203.210	<b>DORO LUNA® Compact Retractor System &amp; DORO® QR3 Skull Clamp</b> consisting of: 1001.001 DORO® QR3 Skull Clamp 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail® 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-121 DORO® Blade, Black Coated, 3116-111 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated,			42504355SET000A5		
1203.220	<b>DORO LUNA® Compact Retractor System &amp; DORO® QR3 Headrest System</b> consisting of: 3001-00 DORO® Adjustable Base Unit 3002-00 DORO® Swivel Adaptor 1001.001 DORO® QR3 Skull Clamp 1203.001 DORO LUNA® Quick-Clamp for Quick-Rail® 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1201.006 DORO COBRA® Flexible Rotary Arm 1203.091 DORO LUNA® Sterilization Tray 1201.091 DORO® Retractor Sterilization Tray 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
1203.800	3116-151 DORO® Blade, Black Coated, DORO® Sales Kit #1 QR3 consisting of: 1001.030 spare part: DORO® Storage Case Headrest 3006-00 DORO® Sterile Disposable Skull Pins 1204.002 DORO® Easy-Connect Navigation Adaptor, 1001.100 DORO® QR3 Headrest System			42504355SET000A5		
1203.810	DORO® Sales Kit #2 QR3/DORO.LUNA/DORO.COBRA consisting of: 1203.900 Sales Presentation Case 9002.003 Display Table Adaptor 1001.001 DORO® QR3 Skull Clamp 1204.002 DORO® Easy-Connect Navigation Adaptor, 1201.021 DORO COBRA® Quick-Clamp for 1203.100 DORO LUNA® Retractor System -			42504355SET000A5		
1203.810JP	DORO® Sales Kit #2 QR3/DORO.LUNA/DORO.COBRA consisting of: 1203.900 Sales Presentation Case 9002.003 Display Table Adaptor 1001.001 DORO® QR3 Skull Clamp 1204.002 DORO® Easy-Connect Navigation Adaptor, 1201.007 DORO COBRA® Flexible Rotary Arm 1201.091 DORO® Retractor Sterilization Tray 1203.002 DORO LUNA® Coupling 1203.003 DORO LUNA® Rod 1203.004 DORO LUNA® Curve 1203.091 DORO LUNA® Sterilization Tray 1201.046 DORO® Adaptor for Flat Brain Spatula 1201.021 DORO COBRA® Quick-Clamp for			42504355SET000A5		

Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	<b>1203.001 DORO LUNA® Quick-Clamp for Quick-Rail®</b>					
1203.820	<b>DORO® Sales Kit #3</b> <b>QR3/DORO.LUNA/DORO.COBRA</b> consisting of: 1203.900 Sales Presentation Case 9002.003 Display Table Adaptor 1001.001 DORO® QR3 Skull Clamp 1204.002 DORO® Easy-Connect Navigation Adaptor, 1201.021 DORO COBRA® Quick-Clamp for 1203.100 DORO LUNA® Retractor System -			<b>42504355SET000A5</b>		
1204.001	<b>DORO® Easy-Connect Navigation Adaptor,</b> <b>STRYKER</b>	11-958	I	42504355PA0900Z7	35446	1204.001.001
1204.002	<b>DORO® Easy-Connect Navigation Adaptor,</b> <b>BRAINLAB</b>	11-958	I	42504355PA0900Z7	35446	1204.002.001
1204.003	<b>DORO® Easy-Connect Navigation Adaptor,</b> <b>MEDTRONIC</b>	11-958	I	42504355PA0900Z7	35446	1204.003.001
3001-00	<b>DORO® Adjustable Base Unit</b>	11-958	I	42504355PA0200Y4		3001-00-001
3001-001	<b>DORO® Adjustable Base Unit</b> Takara Belmont	11-958	I	42504355PA0200Y4	35446	3001-001-001
3001-002	<b>DORO® Adjustable Base Unit Mizuho</b>	11-958	I	42504355PA0200Y4	35446	3001-002-001
3001-003	<b>DORO® Base Unit Eschmann</b>	11-958	I	42504355PA0200Y4	35446	3001-003-001
3001-006	<b>DORO® Base Unit Parkbench</b>	11-958	I	42504355PA0200Y4	35446	3001-006-001
3001-008	<b>DORO® Base Unit Australia</b>	11-958	I	42504355PA0200Y4	35446	3001-008-001
3001-010	<b>DORO® Base Unit Eschmann T-Series</b>	11-958	I	42504355PA0200Y4	35446	3001-010-001
3002-00	<b>DORO® Swivel Adaptor</b>	11-958	I	42504355PA0300Y9	35446	3002-00-001
3002-009	<b>DORO® Swivel Adaptor Teflon</b>	11-958	I	42504355PA0300Y9	35446	3002-009-001
3002-50	<b>DORO® Ball Pivot Adaptor</b>	11-958	I	42504355PA0300Y9	35446	3002-50-001



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3002-60	DORO® Swivel Adaptor Navigation	11-958	I	42504355PA0300Y9	35446	3002-60-001
3003-009	DORO® QR3 Skull Clamp Teflon	11-958	I	42504355PA0400YE	35446	3003-009-010
3003-100	DORO® QR3 Headrest System Teflon consisting of: 3001-009 DORO® Adjustable Base Unit Teflon 3002-009 DORO® Swivel Adaptor Teflon 3003-009 DORO® QR3 Skull Clamp Teflon			42504355SET000A5		
3004-00	DORO® Reusable Skull Pins Stainless Steel, Pediatric (3 pcs)	12-429	Ila	42504355PA0600YQ	35446	3004-00-001
3004-50	DORO® Reusable Skull Pin Titanium, Pediatric (3 pcs)	12-429	Ila	42504355PA0600YQ	35446	3004-50-001
3005-00	DORO® Reusable Skull Pins Stainless Steel, Adult (3 pcs)	12-429	Ila	42504355PA0600YQ	35446	3005-00-001
3005-50	DORO® Reusable Skull Pins Titanium, Adult (3 pcs)	12-429	Ila	42504355PA0600YQ	35446	3005-50-001
3006-00	DORO® Sterile Disposable Skull Pins Stainless Steel, Adult (36 pcs)	12-429	Ila	42504355PA0600YQ	35446	5.010_03
3006-10	DORO® Sterile Disposable Skull Pins Stainless Steel, Pediatric (36 pcs)	12-429	Ila	42504355PA0600YQ	35446	5.010_07
3006-20	DORO® Sterile Disposable Skull Pin Titanium, Adult (36 pcs)	12-429	Ila	42504355PA0600YQ	35446	5.010_05
3006-30	DORO® Sterile Disposable Skull Pin Titanium, Pediatric (36 pcs)	12-429	Ila	42504355PA0600YQ	35446	5.010_09
3006-50	DORO® Sterile Disposable Skull Pin Stainless Steel, Adult (36 pcs)	12-429	Ila	42504355PA0600YQ	35446	3006-50-001
3007-00	DORO® Crossbar Adaptor	11-958	I	42504355PA0100XX	35446	3007-00-001
3008-00	DORO® Swivel Horeseshoe Headrest with Extension Bar, Pediatric			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	consisting of:					
	3008-10 DORO® Horseshoe Pad, Pediatric, right					
	3008-11 DORO® Horseshoe Pad, Pediatric, left					
	3009-01 DORO® Horseshoe Base					
	3009-25 spare part: DORO® Extensionbar Horseshoe					
3008-02	DORO® Swivel Horseshoe Headrest Pediatric, w/o Extension Bar			42504355SET000A5		
	consisting of:					
	3008-10 DORO® Horseshoe Pad, Pediatric, right					
	3008-11 DORO® Horseshoe Pad, Pediatric, left					
	3009-01 DORO® Horseshoe Base					
3008-10	DORO® Horseshoe Pad, Pediatric, right	11-958	I	42504355PA1100Y6	32577	3008-10-001
3008-11	DORO® Horseshoe Pad, Pediatric, left	11-958	I	42504355PA1100Y6	32577	3008-11-001
3009-00	DORO® Swivel Horeseshoe Headrest with Extension Bar, Adult			42504355SET000A5		
	consisting of:					
	3009-10 DORO® Horseshoe Pad, Adult, right					
	3009-11 DORO® Horseshoe Pad, Adult, left					
	3009-01 DORO® Horseshoe Base					
	3009-25 spare part: DORO® Extensionbar Horseshoe					
3009-001	DORO® Horseshoe Headrest Adult w.Ext.Bar	11-958	I			
3009-01	DORO® Horseshoe Base without extension arm	11-958	I	42504355PA0500YK	32577	3009-01-005
3009-02	DORO® Swivel Horseshoe Headrest Adult, w/o Extension Bar			42504355SET000A5		
	consisting of:					
	3009-10 DORO® Horseshoe Pad, Adult, right					
	3009-11 DORO® Horseshoe Pad, Adult, left					
	3009-01 DORO® Horseshoe Base					



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3009-10	DORO® Horseshoe Pad, Adult, right	11-958	I	42504355PA1100Y6	32577	3009-10-001
3009-11	DORO® Horseshoe Pad, Adult, left	11-958	I	42504355PA1100Y6	32577	3009-11-001
3010-00	DORO® Table Adapter	11-958	I	42504355PA0100XX	35446	3010-00-001
3011-00	DORO® Side Rail Adaptor	11-958	I	42504355PA0100XX	35446	3011-00-001
3011-10	DORO® Side Rail Adaptor Amsco	11-958	I	42504355PA0100XX	35446	3011-10-001
3012-00	DORO® Cervical Spine Support	11-958	I	42504355PA0200Y4	32577	3012-00-001
3020-00	DORO® Multi-Purpose Skull Clamp (Set) consisting of: 3020-03 DORO® Head Support 3020-01 DORO® Pin Holder Pediatric 3020-62 DORO® Pin Holder adjustable, Pediatric 3006-10 DORO® Sterile Disposable Skull Pins 3020-55 DORO® Single Pin Holder 3020-68 DORO® Gel Ear Ring with Base 90 mm 3020-61 DORO® Gel Head Ring with Base 90 mm 3020-63 DORO® Gel Head Ring with Base 140 mm 3020-65 DORO® Adjustment Key 3020-001 DORO® Storage case for MPSC Set 3020-71 DORO® Trio Gel Pad -adjustable 3020-50 DORO® QR3 Multi Purpose Skull Clamp			42504355SET000A5		
3020-01	DORO® Pin Holder Pediatric	11-958	I	42504355PA0400YE	35446	3020-01-001
3020-02	DORO® Gel Pad	11-958	I	42504355PA1100Y6	32577	3020-02-001
3020-03	DORO® Head Support	11-958	I	42504355PA0400YE	32577	3020-03-001
3020-50	DORO® QR3 Multi Purpose Skull Clamp	11-958	I	42504355PA0400YE	35446	3020-50-010
3020-52	DORO® QR3 Extension Bar, 90 Newton / 20 Pound	11-958	I	42504355PA0400YE	35446	3020-52-001
3020-55	DORO® Single Pin Holder	11-958	I	42504355PA0400YE	35446	3020-55-001
3020-56	DORO® Pin Holder Adult	11-958	I	42504355PA0400YE	35446	3020-56-001



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3020-61	DORO® Gel Head Ring with Base 90 mm	11-958	I	42504355PA1100Y6	32577	3020-61-001
3020-62	DORO® Pin Holder adjustable, Pediatric	11-958	I	42504355PA0400YE	35446	3020-62-001
3020-63	DORO® Gel Head Ring with Base 140 mm	11-958	I	42504355PA1100Y6	32577	3020-63-001
3020-68	DORO® Gel Ear Ring with Base 90 mm	11-958	I	42504355PA1100Y6	32577	3020-68-001
3020-70	DORO® Gel Ear Ring with Base 140 mm	11-958	I	42504355PA1100Y6	32577	3020-70-001
3020-71	DORO® Trio Gel Pad -adjustable	11-958	I	42504355PA1100Y6	32577	3020-71-010
3021-00	DORO® Abbott Multi-Purpose Skull Clamp System, Pediatric consisting of: 3020-03 DORO® Head Support 3020-01 DORO® Pin Holder Pediatric 3020-62 DORO® Pin Holder adjustable, Pediatric 3020-55 DORO® Single Pin Holder 3006-10 DORO® Sterile Disposable Skull Pins 3020-71 DORO® Trio Gel Pad -adjustable 3020-68 DORO® Gel Ear Ring with Base 90 mm 3020-61 DORO® Gel Head Ring with Base 90 mm 3020-63 DORO® Gel Head Ring with Base 140 mm 3020-65 DORO® Adjustment Key 3020-001 DORO® Storage case for MPSC Set 3020-50 DORO® QR3 Multi Purpose Skull Clamp 3020-52 DORO® QR3 Extension Bar,			42504355SET000A5		
3022-00	DORO® Universal Multi Purpose Skull Clamp System consisting of: 3020-03 DORO® Head Support 3020-01 DORO® Pin Holder Pediatric 3020-62 DORO® Pin Holder adjustable, Pediatric 3020-55 DORO® Single Pin Holder 3020-56 DORO® Pin Holder Adult 3020-71 DORO® Trio Gel Pad -adjustable			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	3020-02 DORO® Gel Pad					
	3020-68 DORO® Gel Ear Ring with Base 90 mm					
	3020-61 DORO® Gel Head Ring with Base 90 mm					
	3020-63 DORO® Gel Head Ring with Base 140 mm					
	3006-10 DORO® Sterile Disposable Skull Pins					
	3006-00 DORO® Sterile Disposable Skull Pins					
	3020-65 DORO® Adjustment Key					
	3020-001 DORO® Storage case for MPSC Set					
	3020-50 DORO® QR3 Multi Purpose Skull Clamp					
	3020-52 DORO® QR3 Extension Bar,					
3031-50	DORO® Table Adaptor MAQUET, Radiolucent	11-958	I	42504355PA0100XX	35446	3031-50-001
3032-00	DORO® Transitional Member RDL (to ALU Base Unit)	11-958	I	42504355PA0300Y9	35446	3032-00-001
3032-10	DORO® Transitional Member Radiol., long	11-958	I	42504355PA0200Y4	35446	3032-10-001
3032-20	DORO® Transitional Member Radiol., short	11-958	I	42504355PA0200Y4	35446	3032-20-001
3033-00	DORO® Swivel Adaptor Radiolucent	11-958	I	42504355PA0300Y9	35446	3033-00-001
3033-10	DORO® Swivel Adaptor Radiolucent short	11-958	I	42504355PA0300Y9	35446	3033-10-001
3033-50	DORO® Interface Skull Clamp Radiolucent (to ALU Swivel Adaptor)	11-958	I	42504355PA0300Y9	35446	3033-50-001
3033-51	DORO® Interface Skull Clamp Aluminum (to RDL Swivel Adaptor)	11-958	I	42504355PA0300Y9	35446	3033-51-001
3033-64	DORO LUCENT® Navigation Adaptor, Stryker (1 pcs)	11-958	I	42504355PA0900Z7	35446	3033-64-010
3033-65	DORO LUCENT® Navigation Adaptor, Medtronic (1 pcs)	11-958	I	42504355PA0900Z7	35446	3033-65-001
3033-66	DORO LUCENT® Navigation Adaptor, Brainlab (1 pcs)	11-958	I	42504355PA0900Z7	35446	3033-66-010
3033-68	DORO® Torx Screwdriver T45, nonmagnetic (1 pcs)	11-958	I	42504355PA0900Z7	35446	3033-68-001



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3033-69	DORO® Quick-Clamp w/ Starburst for Radiolucent Quick-Rail®	11-958	I	42504355PA0700YV	35446	3033-69-001
3034-00	DORO® Skull Clamp Radiolucent	11-958	I	42504355PA0400YE	35446	3034-00-001
3034-12	Torque Screw Driver	11-958	I	42504355PA0400YE	35446	659910 250
3035-00	DORO® Swivel Horseshoe Headrest Radiolucent, Pediatric consisting of: 3008-10 DORO® Horseshoe Pad, Pediatric, right 3008-11 DORO® Horseshoe Pad, Pediatric, left 3036-50 DORO® Horseshoe Headrest, Adult, radio-			42504355SET000A5		
3035-70	DORO® Horseshoe RS Headrest RDL Pediatric, w/ Extension Bar consisting of: 3036-71 DORO® Horseshoe RS Headrest RDL Adult, 3008-10 DORO® Horseshoe Pad, Pediatric, right 3008-11 DORO® Horseshoe Pad, Pediatric, left			42504355SET000A5		
3036-00	DORO® Swivel Horseshoe Headrest Radiolucent, Adult consisting of: 3009-10 DORO® Horseshoe Pad, Adult, right 3009-11 DORO® Horseshoe Pad, Adult, left 3036-50 DORO® Horseshoe Headrest, Adult, radio-			42504355SET000A5		
3036-50	DORO® Horseshoe Headrest, Adult, radio-lucent with Extension Bar	11-958	I	42504355PA0500YK	32577	3036-50-001
3036-70	DORO® Horseshoe RS Headrest RDL Adult, w/ Extension Bar consisting of: 3009-10 DORO® Horseshoe Pad, Adult, right 3009-11 DORO® Horseshoe Pad, Adult, left 3036-71 DORO® Horseshoe RS Headrest RDL Adult,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3036-71	DORO® Horseshoe RS Headrest RDL Adult, w/ Extension Bar	11-958	I	42504355PA0500YK	32577	3036-71-001
3038-30	DORO® Universal DRF Adaptor Radiolucent with key	11-958	I	42504355PA0300Y9	35446	3038-30-001
3100-00	DORO® Halo Retractor System w/ C-Clamp consisting of: 3110-01 DORO® Halo Ring 3110-08 DORO® Halo Support Rod 8mm 3110-51 DORO® Halo Support Bracket w/ Adaptor 3110-80 DORO® Halo Universal Key 3110-85 DORO® Pattie Tray 3114-34 DORO® Flexible Arm 230 mm 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated, 3116-21 DORO® Micro Blade, 124 x 2 mm 3116-22 DORO® Micro Blade, 124 x 4 mm 3116-23 DORO® Micro Blade, 150 x 2 mm 3116-24 DORO® Micro Blade, 150 x 4 mm 3116-25 DORO® Micro Blade 165 x 2 mm 3116-26 DORO® Micro Blade, 165 x 4 mm 3117-00 DORO® Halo Sterilization Tray			42504355SET000A5		
3102.1503	DORO® Horseshoe Pad Maquet Adult, right	11-958	I	42504355PA1100Y6	32577	3102.1503.001
3102.1513	DORO® Horseshoe Pad Maquet Adult, left	11-958	I	42504355PA1100Y6	32577	3102.1513.001
3110-01	DORO® Halo Ring	11-958	I	42504355PA0700YV	45181	3110-01-001
3110-08	DORO® Halo Support Rod 8mm	11-958	I	42504355PA0700YV	45181	3110-08-001



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3110-51	DORO® Halo Support Bracket w/ Adaptor	11-958	I	42504355PA0700YV	45181	3110-51-001
3110-85	DORO® Pattie Tray	11-958	I	42504355PA0700YV	45181	3110-85-001
3114-34	DORO® Flexible Arm 230 mm	11-958	I	42504355PA0700YV	45181	3114-34-001
3114-35	DORO® Flexible Arm 300 mm	11-958	I	42504355PA0700YV	45181	3114-35-001
3114-36	DORO® Flexible Rotary Arm 200 mm	11-958	I	42504355PA0700YV	45181	3114-36-001
3114-37	DORO® Flexible Rotary Arm 280 mm	11-958	I	42504355PA0700YV	45181	3114-37-001
3114-38	DORO® Flexible Rotary Arm 350 mm	11-958	I	42504355PA0700YV	45181	3114-38-001
3114-39	DORO® Flexible Rotary Arm for Radiolucent Quick-Rail® 280 mm	11-958	I	42504355PA0700YV	45181	3114-39-001
3114-49	DORO® Flexible Rotary Arm for Radiolucent Quick-Rail® 420 mm	11-958	I	42504355PA0700YV	45181	3114-49-001
3114-53	DORO® Clamp Body for Skin Hooks	11-958	I	42504355PA0700YV	45181	3114-53-001
3114-54	DORO® Mini Vice	11-958	I	42504355PA0700YV	45181	3114-54-001
3116-10	DORO® Blade Set 152 mm, Black Coated, 5 pcs consisting of: 3116-11 DORO® Blade, Black Coated, 3116-12 DORO® Blade, Black Coated, 3116-13 DORO® Blade, Black Coated, 3116-14 DORO® Blade, Black Coated, 3116-15 DORO® Blade, Black Coated,			42504355SET000A5		
3116-101	DORO® Blade Set 102 mm, Black Coated, 5 pcs consisting of: 3116-111 DORO® Blade, Black Coated, 3116-121 DORO® Blade, Black Coated, 3116-131 DORO® Blade, Black Coated, 3116-141 DORO® Blade, Black Coated, 3116-151 DORO® Blade, Black Coated,			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3116-11	DORO® Blade, Black Coated, 152 x 7 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-111	DORO® Blade, Black Coated, 102 x 7 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-12	DORO® Blade, Black Coated, 152 x 10 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-121	DORO® Blade, Black Coated, 102 x 10 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-13	DORO® Blade, Black Coated, 152 x 16 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-131	DORO® Blade, Black Coated, 102 x 16 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-14	DORO® Blade, Black Coated, 152 x 20 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-141	DORO® Blade, Black Coated, 102 x 20 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-15	DORO® Blade, Black Coated, 152 x 26 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-151	DORO® Blade, Black Coated, 102 x 26 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-16	DORO® Blade, Black Coated, 152 x 13 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-161	DORO® Blade, Black Coated, 102 x 13 mm	13-646	III	42504355PA0800Z2	46774	061-037
3116-20	DORO® Micro Blade Set, 6 pcs consisting of: 3116-21 DORO® Micro Blade, 124 x 2 mm 3116-22 DORO® Micro Blade, 124 x 4 mm			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	3116-23 DORO® Micro Blade, 150 x 2 mm					
	3116-24 DORO® Micro Blade, 150 x 4 mm					
	3116-25 DORO® Micro Blade 165 x 2 mm					
	3116-26 DORO® Micro Blade, 165 x 4 mm					
3116-21	DORO® Micro Blade, 124 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-22	DORO® Micro Blade, 124 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-23	DORO® Micro Blade, 150 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-24	DORO® Micro Blade, 150 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-25	DORO® Micro Blade 165 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-26	DORO® Micro Blade, 165 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-005
3116-30	DORO® Micro Blade Set, Serrated, 6 pcs consisting of:			42504355SET000A5		
	3116-31 DORO® Micro Blade, Serrated, 124 x 2 mm					
	3116-32 DORO® Micro Blade, Serrated, 124 x 4 mm					
	3116-33 DORO® Micro Blade, Serrated, 150 x 2 mm					
	3116-34 DORO® Micro Blade, Serrated, 150 x 4 mm					
	3116-35 DORO® Micro Blade, Serrated, 164 x 2 mm					
	3116-36 DORO® Micro Blade, Serrated, 164 x 4 mm					
3116-31	DORO® Micro Blade, Serrated, 124 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-32	DORO® Micro Blade, Serrated, 124 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-33	DORO® Micro Blade, Serrated, 150 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-34	DORO® Micro Blade, Serrated, 150 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-35	DORO® Micro Blade, Serrated, 164 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-36	DORO® Micro Blade, Serrated, 164 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-40	DORO® Micro Blade Set, Hooked, 6 pcs consisting of:			42504355SET000A5		
	3116-41 DORO® Micro Blade, Hooked, 124 x 2 mm					
	3116-42 DORO® Micro Blade, Hooked, 124 x 4 mm					
	3116-43 DORO® Micro Blade, Hooked, 150 x 2 mm					



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	3116-44 DORO® Micro Blade, Hooked, 150 x 4 mm					
	3116-45 DORO® Micro Blade, Hooked, 164 x 2 mm					
	3116-46 DORO® Micro Blade, Hooked, 164 x 4 mm					
3116-41	DORO® Micro Blade, Hooked, 124 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-42	DORO® Micro Blade, Hooked, 124 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-43	DORO® Micro Blade, Hooked, 150 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-44	DORO® Micro Blade, Hooked, 150 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-45	DORO® Micro Blade, Hooked, 164 x 2 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-46	DORO® Micro Blade, Hooked, 164 x 4 mm	13-646	III	42504355PA0800Z2	46774	049-006
3116-60	DORO® Blade Set 152 mm, Conical, Black Coated, 5 pcs consisting of:			42504355SET000A5		
	3116-61 DORO® Blade, Conical, Black Coated,					
	3116-62 DORO® Blade, Conical, Black Coated,					
	3116-63 DORO® Blade, Conical, Black Coated,					
	3116-64 DORO® Blade, Conical, Black Coated,					
	3116-65 DORO® Blade, Conical, Black Coated,					
3116-601	DORO® Blade Set 102 mm, Conical, Black Coated, 5 pcs consisting of:			42504355SET000A5		
	3116-611 DORO® Blade, Conical, Black Coated,					
	3116-621 DORO® Blade, Conical, Black Coated,					
	3116-631 DORO® Blade, Conical, Black Coated,					
	3116-641 DORO® Blade, Conical, Black Coated,					
	3116-651 DORO® Blade, Conical, Black Coated,					
3116-61	DORO® Blade, Conical, Black Coated, 152 x 2 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-611	DORO® Blade, Conical, Black Coated, 102 x 2 mm	13-646	III	42504355PA0800Z2	46774	061-049



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3116-62	DORO® Blade, Conical, Black Coated, 152 x 3 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-621	DORO® Blade, Conical, Black Coated, 102 x 3 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-63	DORO® Blade, Conical, Black Coated, 152 x 4 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-631	DORO® Blade, Conical, Black Coated, 102 x 4 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-64	DORO® Blade, Conical, Black Coated, 152 x 5 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-641	DORO® Blade, Conical, Black Coated, 102 x 5 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-65	DORO® Blade, Conical, Black Coated, 152 x 6 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-651	DORO® Blade, Conical, Black Coated, 102 x 6 mm	13-646	III	42504355PA0800Z2	46774	061-049
3116-70	DORO® Blade Set 102 mm, Rounded Tip, Black Coated, 5 pcs consisting of:			42504355SET000A5		
	3116-71 DORO® Blade, Rounded Tip, Black Coated, 3116-72 DORO® Blade, Rounded Tip, Black Coated, 3116-73 DORO® Blade, Rounded Tip, Black Coated 3116-74 DORO® Blade, Rounded Tip, Black Coated, 3116-75 DORO® Blade, Rounded Tip, Black Coated,					
3116-71	DORO® Blade, Rounded Tip, Black Coated, 102 x 7 mm	13-646	III	42504355PA0800Z2	46774	061-048
3116-72	DORO® Blade, Rounded Tip, Black Coated, 102 x 10 mm	13-646	III	42504355PA0800Z2	46774	061-048



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
3116-73	DORO® Blade, Rounded Tip, Black Coated 102 x 16 mm	13-646	III	42504355PA0800Z2	46774	061-048
3116-74	DORO® Blade, Rounded Tip, Black Coated, 102 x 20 mm	13-646	III	42504355PA0800Z2	46774	061-048
3116-75	DORO® Blade, Rounded Tip, Black Coated, 102 x 26 mm	13-646	III	42504355PA0800Z2	46774	061-048
3117-00	DORO® Halo Sterilization Tray	13-730	I	42504355PA0700YV	45181	3117-00-001
4001-01	DORO® IMRIS Table Adaptor	11-958	I	42504355PA0200Y4	35446	4001-01-001
4001-16	DORO® Swivel Adaptor Radiolucent short	11-958	I	42504355PA0200Y4	35446	4001-16-001
4001-17	DORO® Transitional Member Radiol. short	11-958	I	42504355PA0200Y4	35446	4001-17-001
4001-18	DORO® Transitional Member Radiol. long	11-958	I	42504355PA0200Y4	35446	4001-18-001
4002-04	DORO® Radiolucent Extension Bars 120 mm, Set with Single Pin and Double Pin Arm consisting of: 4002-04-011 DORO® Radiolucent Extension Bar 4002-04-012 DORO® Radiolucent Extension Bar 120 mm			42504355SET000A5		
4002-08	DORO® Radiolucent Extension Bars 185 mm, Set with Single Pin and Double Pin Arm consisting of: 4002-08-011 DORO® Radiolucent Extension Bar 4002-08-012 DORO® Radiolucent Extension Bar 185 mm			42504355SET000A5		
4002-10	DORO® XTom Base Unit Parkbench (1 pcs)	11-958	I	42504355PA0200Y4	35446	4002-10-001
4002-15	DORO® Radiolucent Extension Bars 150 mm Set with Single Pin and Double Pin Arm 1x 4002-20-103 Arm 01 consisting of: 4002-20-012 DORO® Radiolucent Extension Bar			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	<b>4002-20-013 DORO® Radiolucent Extension Bar</b>					
4002-21	DORO® pin holder pediatric assembly	11-958	I	42504355PA0400YE	35446	4002-21-001
4002-30	DORO® CereTom IntraOp Horseshoe Comfort Headrest, Adult	11-958	I	42504355PA0500YK	32577	4002-30-011
4002-31	DORO® CereTom IntraOp Horseshoe Comfort Headrest, Pediatric consisting of: 3008-10 DORO® Horseshoe Pad, Pediatric, right 3008-11 DORO® Horseshoe Pad, Pediatric, left			42504355SET000A5		
4002.011	DORO® XTom U-Belt (1 pcs)	11-958	I	42504355PA0400YE	35446	4002.011.001
4002.111	DORO® XTom U-Belt, 3 pcs	11-958	I	42504355PA0400YE	35446	4002.011.001
4003-00	DORO® Table Adaptor SIEMENS, Radiolucent	11-958	I	42504355PA0100XX	35446	4003.000.001
4003.001	DORO® Skull Clamp Radiolucent for DORO LUCENT® Parallelogram Adaptor (1 pcs)	11-958	I	42504355PA0400YE		4003.001.001
4003.003	DORO® Safety Guide, RDL	11-958	I	42504355PA0100XX	35446	4003.003.101
4003.005	DORO LUCENT® Headplate (1 pcs)	11-958	I	42504355PA0500YK		4003.005.001
4003.011	DORO® Adjusting wrench for Parallelogram Adapter (1 pcs)	11-958	I	42504355PA0100XX	35446	4003.011.001
4003.100	DORO LUCENT® Headrest System MAQUET for SIEMENS Aera/Skyra MRI Systems consisting of: 4003.111 DORO LUCENT® Parallelogram Adaptor 4003.001 DORO® Skull Clamp Radiolucent 4003.011 DORO® Adjusting wrench for 1106.003 DORO LUCENT® Sterile Disposable 4003.030 DORO LUCENT® Storage Case for			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
4003.113	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, EU to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.113.001
4003.114	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, EU to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.114.001
4003.115	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, US to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.115.001
4003.116	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, US to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.116.001
4003.123	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, EU to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.123.001
4003.124	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, EU to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.124.001
4003.125	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, US to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.125.001
4003.126	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, US to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.126.001
4003.200	DORO LUCENT® Headrest System TRUMPF for SIEMENS Aera/Skyra MRI Systems consisting of: 4003.211 DORO LUCENT® Parallelogram Adaptor 4003.001 DORO® Skull Clamp Radiolucent 4003.011 DORO® Adjusting wrench for 1106.003 DORO LUCENT® Sterile Disposable 4003.212 DORO LUCENT® iMRI Pad Trumpf 3033-68 DORO® Torx Screwdriver T45, 4003.2XX			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
4003.213	4003.030 DORO LUCENT® Storage Case for 4003.005.020 DORO LUCENT® Headplate Base 4003.005.104 DORO LUCENT® Headplate Pad DORO LUCENT® iMRI Transfer Collision Indicator TRUMPF, EU to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.213.001
4003.215	DORO LUCENT® iMRI Transfer Collision Indicator TRUMPF, US to SIEMENS	11-958	I	42504355PA1200YB	35446	4003.215.001
4003.300	DORO LUCENT® iMRI Headrest System MAQUET for SIEMENS/PHILIPS/GE consisting of: 4003.311 DORO LUCENT® iMRI Parallelogram 4003.001 DORO® Skull Clamp Radiolucent 4003.011 DORO® Adjusting wrench for 1106.003 DORO LUCENT® Sterile Disposable 4003.030 DORO LUCENT® Storage Case for 4003.XXX 4003.005.020 DORO LUCENT® Headplate Base 4003.005.104 DORO LUCENT® Headplate Pad			42504355SET000A5		
4003.312	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, EU to PHILIPS	11-958	I	42504355PA1200YB	35446	4003.312.001
4003.313	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, EU to PHILIPS	11-958	I	42504355PA1200YB	35446	4003.313.001
4003.314	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Alphamaquet, US to PHILIPS	11-958	I	42504355PA1200YB	35446	4003.314.001
4003.315	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, US to PHILIPS	11-958	I	42504355PA1200YB	35446	4003.315.001
4003.350	DORO LUCENT® iMRI Headrest System MIZUHO			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	consisting of: 4003.001 DORO® Skull Clamp Radiolucent 4003.311 DORO LUCENT® iMRI Parallelogram 1106.003 DORO LUCENT® Sterile Disposable 4003.011 DORO® Adjusting wrench for 4003.030 DORO LUCENT® Storage Case for 4003.005.020 DORO LUCENT® Headplate Base 4003.005.104 DORO LUCENT® Headplate Pad					
4003.413	DORO LUCENT® iMRI Transfer Collision Indicator MAQUET Magnus, EU to GE	11-958	I	42504355PA1200YB	35446	4003.413.001
4003.416	DORO LUCENT® iMRI Transfer Collision Indicator 700 MAQUET Alphamaquet, EU to GE	11-958	I	42504355PA1200YB	35446	4003.416.001
4003.417	DORO LUCENT® iMRI Transfer Collision Indicator 700 MAQUET Magnus, EU to GE	11-958	I	42504355PA1200YB	35446	4003.417.001
4003.418	DORO LUCENT® iMRI Transfer Collision Indicator 700 MAQUET Alphamaquet, US to GE	11-958	I	42504355PA1200YB	35446	4003.418.001
4003.419	DORO LUCENT® iMRI Transfer Collision Indicator 700 MAQUET Magnus, US to GE	11-958	I	42504355PA1200YB	35446	4003.419.001
4003.500	DORO LUCENT® iXI Headrest System consisting of: 4003.001 DORO® Skull Clamp Radiolucent 4003.011 DORO® Adjusting wrench for 1106.003 DORO LUCENT® Sterile Disposable 4003.511 DORO LUCENT® iXI Parallelogram Adaptor 4003.030 DORO LUCENT® Storage Case for 4003.XXX 4003.005.020 DORO LUCENT® Headplate Base 4003.005.104 DORO LUCENT® Headplate Pad			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
4003.513	DORO LUCENT® iXI Transfer-Collision Indicator	11-958	I	42504355PA1200YB	35446	4003.513.001
4004.001	DORO® Table Adapter medifa®, Radiolucent	11-958	I	42504355PA0100XX	35446	4004.001.001
4004.002	DORO® Table Adapter STERIS, radiolucent	11-958	I	42504355PA0100XX	35446	4004.002.001
4004.003	DORO® Headrest Plate Radiolucent	11-958	I	42504355PA0500YK	32577	4004.003.001
4004.101	DORO® Skull Clamp Radiolucent for Spinal Frames (MRI, CT, X-Ray and Fluoroscopy)	11-958	I	42504355PA0400YE	35446	4004.101.001
5009-02TL8	DORO® NON-STICK Bipolar Forceps, 25 cm (9.8") Keyhole Bayonet, 1.5 mm tip Tip lenght: 8.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5011.102	DORO® Sterilization Tray for 6 forceps	13-730	I	42504355PA1000XZ	47848	3653-100-001
5011.221	DORO® Reusable Bipolar Cable, 3.6 m 2-Pin Plug (Erbe Plug)	11-493	I	42504355PA1300YG	47487	
5011.222	DORO® Reusable Bipolar Cable, 4.6 m 2-Pin Plug (Erbe Plug)	11-493	I	42504355PA1300YG	47487	
5011.231	DORO® Reusable Bipolar Cable, 3.6m 2-Pin Plug (for Martin, Berchtold, Aesculap, GK 60)	11-493	I	42504355PA1300YG	47487	
5011.232	DORO® Reusable Bipolar Cable, 4.6m 2-Pin Plug (for Martin, Berchtold, Aesculap, GK 60)	11-493	I	42504355PA1300YG	47487	
5011.810	Top Selling Forceps, featuring Straight, Bayonet,Irrigation,ADF and Keyhole line line consisting of:			42504355SET000A5		



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	5011.102 DORO® Sterilization Tray					
	5062.012 DORO® NON-STICK Bipolar Forceps,					
	5022.013 DORO® NON-STICK Bipolar Forceps,					
	5024.014 DORO® NON-STICK Bipolar Forceps,					
	5025.012 DORO® NON-STICK Bipolar Forceps,					
	5045.013 DORO® ADF NON-STICK Bipolar Forceps,					
	5036.015 DORO® NON-STICK Bipolar Forceps,					
5015-05	DORO® Reusable Bipolar Cable, 3 m 2-Pin Plug (Erbe Plug)	11-493	I	42504355PA1300YG	47487	001-046
5015-06	DORO® Reusable Bipolar Cable, 5 m 2-Pin Plug (Erbe Plug)	11-493	I	42504355PA1300YG	47487	001-046
5015-07	DORO® Reusable Bipolar Cable, 3 m 2-Pin Plug (for Martin, Berchtold, Aesculap, GK 60)	11-493	I	42504355PA1300YG	47487	001-047
5015-08	DORO® Reusable Bipolar Cable, 5m 2-Pin Plug (for Martin, Berchtold, Aesculap, GK 60)	11-493	I	42504355PA1300YG	47487	001-047
5015-09	DORO® Reusable Bipolar Cable, 3m 2-Pin Plug (for Valleylab, Lamidey, EMC)	11-493	I	42504355PA1300YG	47487	001-049
5015-10	DORO® Reusable Bipolar Cable, 3m 2-Pin Plug, angled (for Valleylab, Lamidey, EMC)	11-493	I	42504355PA1300YG	47487	001-060
5015-11	DORO® Reusable Bipolar Cable, 5 m 2-Pin Plug (for Valleylab, Lamidey, EMC)	11-493	I	42504355PA1300YG	47487	001-049
5015-12	DORO® Reusable Bipolar Cable, 5m 2-Pin Plug, angled (for Valleylab, Lamidey, EMC)	11-493	I	42504355PA1300YG	47487	001-060



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5021.012	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.013	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.013TL3	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 0.7 mm, TL 3.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.014	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.015	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.016	DORO® NON-STICK Bipolar Forceps, Bayonet 15.5 cm (6.1"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.017	DORO® Non-Stick Bipolar Forceps, 15.5cm (6.1") Bayonet Guide-Stop, 2 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-039
5021.023	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 15.5 cm (6.1"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5022.012	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.012TL9	DORO® NON-STICK Bipolar Forceps, 17 cm (6.7") Bayonet, 0.4 mm tip Tip length: 9.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.013	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.013TL9	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.7 mm tip length 9mm	16-206	IIB	42504355PA1000XZ	47848	061-039



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5022.014	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.015	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.016	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.017	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 2.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.019TL3	DORO® NON-STICK Bipolar Forceps, 17 cm (6.7") Bayonett, tip 0.3 mm, tip length: 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5022.019TL3B	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.3 mm tip length 3mm, bent	16-206	IIB	42504355PA1000XZ	47848	061-062
5022.022	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 17 cm (6.7"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5022.023	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 17 cm (6.7"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5022.024	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 17 cm (6.7"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5022.054	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 1.0 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.059TL3B	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.3 mm Tip length 3mm, 45° upwards	16-206	IIB	42504355PA1000XZ	47848	061-062



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5022.063	DORO® NON-STICK Bipolar Forceps, Bayonet 17.0 cm (6.7"), tip 0.7 mm, 45° angled down	16-206	IIB	42504355PA1000XZ	47848	061-039
5022.099TL3	DORO® NON-STICK Bipolar Forceps, 17 cm (6.7") Bayonett Irrigation, tip 0.3 mm, tip length: 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5023.012	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.012TL9	DORO® NON-STICK Bipolar Forceps, 19 cm (7.5") Bayonet, 0.4 mm tip Tip length: 9.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.013	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.013TL9	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 0.7 mm tip length 9mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.014	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.015	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.016	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.017	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 2.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.017TL4	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 2.0 mm, tip length 4mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.019TL3	DORO® NON-STICK Bipolar Forceps, 19 cm (7.5") Bayonett, tip 0.3 mm,	16-206	IIB	42504355PA1000XZ	47848	061-062



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
	tip lenght: 3 mm					
5023.022	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-040
5023.022TL4	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 0.4 mm, 4mm tip lenght	16-206	IIB	42504355PA1000XZ	47848	061-040
5023.023	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-040
5023.024	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-040
5023.026	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-040
5023.029TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 0.3 mm	16-206	IIB	42504355PA1000XZ	47848	061-046
5023.055	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 1.2 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.065	DORO® NON-STICK Bipolar Forceps, Bayonet 19.0 cm (7.5"), tip 1.2 mm, 45° angled down	16-206	IIB	42504355PA1000XZ	47848	061-039
5023.099TL3	DORO® NON-STICK Bipolar Forceps, 19 cm (7.5") Bayonett Irrigation, tip 0.3 mm, tip lenght: 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-046



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5023.136TL4	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 19 cm (7.5"), tip 1.5mm, tip length 4mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-040
5024.012	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.013	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.013TL7	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.7 mm tip length: 7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.013TL9	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.7 mm tip length 9mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.014	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.014B	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 1.0 mm, Bent	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.015	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.016	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.017TL9	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 2.0 mm tip length 9.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.022	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 20 cm (7.9"), tip 0,4mm	16-206	IIB	42504355PA1000XZ	47848	061-040



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5024.023	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 20 cm (7.9"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-040
5024.053	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.7 mm upwards 45°	16-206	IIB	42504355PA1000XZ	47848	061-062
5024.054	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 1.0 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5024.063	DORO® NON-STICK Bipolar Forceps, Bayonet 20.0 cm (7.9"), tip 0.7 mm downwards 45°	16-206	IIB	42504355PA1000XZ	47848	061-062
5025.012	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.013	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.014	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.015	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.016	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.017	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.019TL3B	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 0.3 mm Tip length 3mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5025.022	DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5025.023	tip 0.4 mm DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040
5025.024	tip 0.7 mm DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040
5025.024TL8B	tip 1.0 mm DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040
5025.025	tip 1.0 mm, tip lenght 8mm, Bent DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040
5025.026	tip 1.2 mm DORO® NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"),	16-206	IIB	42504355PA1000XZ	47848	061-040
5025.052	tip 1.5 mm DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 0.4 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5025.055TL9	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 1.2 mm tine angulation 45° up, TL 9 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5025.093TL7	DORO® NON-STICK Bipolar Forceps, Bayonet 22.0 cm (8.7"), tip 0.7 mm, 30° angled up, 7 mm tip lenght	16-206	IIB	42504355PA1000XZ	47848	061-039
5026.054	DORO® NON-STICK Bipolar Forceps, Bayonet 23.0 cm (9.1"), tip 1.0 mm 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5026.093	DORO® NON-STICK Bipolar Forceps, Bayonet 23.0 cm (9.1"), tip 0.7 mm, 30° angled up	16-206	IIB	42504355PA1000XZ	47848	
5027.012	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5027.013	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5027.014	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5027.015	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5027.016	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5027.017	DORO® NON-STICK Bipolar Forceps, Bayonet 24.0 cm (9.5"), tip 2.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5032.012	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5032.012TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm tip lenght 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5032.013	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5032.014	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 1,0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5032.016	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5032.052TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5032.056	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 1.5 mm Tip angulation 45° upwards	16-206	IIB	42504355PA1000XZ	47848	601-062
5032.062TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5032.092TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5032.102TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 17 cm (6.7"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.012	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.013	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0,7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5034.015	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5034.016	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5034.019	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.052TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.053	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0,7 mm Tip angulation 45° upwards	16-206	IIB	42504355PA1000XZ	47848	061-062



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5034.062TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.092TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5034.102TL3	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 20 cm (7.9"), tip 0.4 mm Tip length 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5036.012	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.013	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.014	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.015	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.016	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.017	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.019	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0,3 mm	16-206	IIB	42504355PA1000XZ	47848	061-062
5036.032	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.4 mm angled 15° up	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.033	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.7 mm , 15° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5036.039	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.3 mm , 15° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.053	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 0.7 mm , 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.055	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 1.2 mm , 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5036.056	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 23 cm (9.1"), tip 1.5 mm , 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.012	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.013	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.014	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.015	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.016	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.017	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 2.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.032	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.4 mm 15° angled up	16-206	IIB	42504355PA1000XZ	47848	061-039
5038.053	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-039



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5038.054	, 45° angled up DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5039.012	, 45° angled up DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5039.015	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5039.016	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5039.017	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 2.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-039
5039.055	DORO® NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 1.2 mm 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-062
5043.012	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 19 cm (7.5"), 0.4 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5043.013	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 19 cm (7.5"), 0.7 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5043.014	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 19 cm (7.5"), 1.0 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5043.015	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 19 cm (7.5"), 1.2 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5043.016	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 19 cm (7.5"), 1.5 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5043.022	DORO® ADF NON-STICK Bipolar Forceps (7.5"), Bayonet Guide-Stop w/ Irrigation , tip 0,4 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5043.024	DORO® ADF NON-STICK Bipolar Forceps (7.5"), Bayonet Guide-Stop w/ Irrigation , tip 1 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5044.022	DORO® ADF NON-STICK Bipolar Forceps, (7.9") Bayonet Guide-Stop w/ Irrigation, tip 0,4 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5044.024	DORO® ADF NON-STICK Bipolar Forceps, (7.9") Bayonet Guide-Stop w/ Irrigation, tip 1 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5045.013	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 22 cm (8.7"), 0.7 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5045.015	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 22 cm (8.7"), 1.2 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5045.016	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 22 cm (8.7"), 1.5 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5045.017	DORO® ADF NON-STICK Bipolar Forceps, Bayonet 22 cm (8.7"), 2.0 mm tip	16-206	IIB	42504355PA1000XZ	47848	061-041
5045.022	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5045.023	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5045.024	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-042



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5045.025	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Irrigation 22 cm (8.7"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-042
5058.012	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5058.013	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5058.015	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5058.016	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 25 cm (9.8"), tip 1.5 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5059.012	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5059.013	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5059.014	DORO® ADF NON-STICK Bipolar Forceps, Bayonet Keyhole 28 cm (11.0"), tip 1,0 mm	16-206	IIB	42504355PA1000XZ	47848	061-041
5061.012	DORO® NON-STICK Bipolar Forceps, Straight 10 cm (3.9"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5061.013	DORO® NON-STICK Bipolar Forceps, Straight 10 cm (3.9"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5061.015	DORO® NON-STICK Bipolar Forceps, Straight 10 cm (3.9"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5061.052	DORO® NON-STICK Bipolar Forceps, Straight 10 cm (3.9"), tip 0.4 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-043



Art-No.	Description	UMDNS-Code	class	Basic UDI	GMDN-No	specification
5061.053	DORO® NON-STICK Bipolar Forceps, Straight 10 cm (3.9"), tip 0.7 mm, 45° angled up	16-206	IIB	42504355PA1000XZ	47848	061-043
5062.012	DORO® NON-STICK Bipolar Forceps, Straight 12,5 cm (4.9"), tip 0.4 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5062.013	DORO® NON-STICK Bipolar Forceps, Straight 12,5 cm (4.9"), tip 0.7 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5062.014	DORO® NON-STICK Bipolar Forceps, Straight 12,5 cm (4.9"), tip 1.0 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5062.015	DORO® NON-STICK Bipolar Forceps, Straight 12,5 cm (4.9"), tip 1.2 mm	16-206	IIB	42504355PA1000XZ	47848	061-043
5062.019TL3	DORO® NON-STICK Bipolar Forceps, 12,5 cm (4.9") Straight, tip 0.3 mm, tip lenght: 3 mm	16-206	IIB	42504355PA1000XZ	47848	061-063



BLACK  
FOREST  
MEDICAL  
GROUP

Version/ Version	Änderung /Change
V55	Eliminated: 3037-00 DORO® Halo Retractor System Radiolucent Eliminated: 3037-01 DORO® Halo Ring Radiolucent New: 4002.011 DORO® X-Tom Belt (1pcs)

pro med instruments GmbH  
part of Black Forest Medical Group  
Bötzingen Straße 86  
79111 Freiburg im Breisgau, Germany  
Telefon: +49 761 384 222 10  
Fax: +49 761 384 222 80  
Email: [info@blackforestmedical.com](mailto:info@blackforestmedical.com)

Volksbank Freiburg eG  
IBAN: DE20 6809 0000 0051 7702 18  
SWIFT-BIC: GENO DE 61 FR1

Commerzbank Freiburg  
IBAN: DE44 6808 0030 0402 0182 00  
SWIFT-BIC: DRES DE FF 680

HypoVereinsbank Freiburg  
IBAN: DE48 6802 0186 0321 3114 58  
SWIFT-BIC: HYVE DE MM 357

Geschäftsführer  
Matthias E. Schüle  
Roman Maier

Registergericht Freiburg  
HRB 48 79

Ust. Nr. / VAT Reg. No.  
DE 811 778 789

[www.blackforestmedical.com](http://www.blackforestmedical.com)