

## PHP Version 5.4.45-0+deb7u8



System	Linux web01.conin.cz 3.2.0-4-amd64 #1 SMP Debian 3.2.88-1 x86_64
Build Date	Mar 27 2017 22:44:24
Server API	FCGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/fpm
Loaded Configuration File	/etc/php5/fpm/php.ini
Scan this dir for additional .ini files	/etc/php5/fpm/conf.d
Additional .ini files parsed	/etc/php5/fpm/conf.d/10-pdo.ini, /etc/php5/fpm/conf.d/20-curl.ini, /etc/php5/fpm/conf.d/20-gd.ini, /etc/php5/fpm/conf.d/20-imap.ini, /etc/php5/fpm/conf.d/20-intl.ini, /etc/php5/fpm/conf.d/20-klap.ini, /etc/php5/fpm/conf.d/20-mcrypt.ini, /etc/php5/fpm/conf.d/20-mysql.ini, /etc/php5/fpm/conf.d/20-mysqli.ini, /etc/php5/fpm/conf.d/20-pdo_mysql.ini, /etc/php5/fpm/conf.d/20-pdo_sqlite.ini, /etc/php5/fpm/conf.d/20-pspell.ini, /etc/php5/fpm/conf.d/20-recode.ini, /etc/php5/fpm/conf.d/20-snmp.ini, /etc/php5/fpm/conf.d/20-sqlite3.ini, /etc/php5/fpm/conf.d/20-tidy.ini, /etc/php5/fpm/conf.d/20-xcache.ini, /etc/php5/fpm/conf.d/20-xsl.ini, /etc/php5/fpm/conf.d/imagick.ini, /etc/php5/fpm/conf.d/ming.ini, /etc/php5/fpm/conf.d/ps.ini
PHP API	20100412
PHP Extension	20100526
Zend Extension	220100526
Zend Extension Build	API220100526,NTS
PHP Extension Build	API20100526,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, tls
Registered Stream Filters	zlib.*, bz2p2.*, convert.iconv.*; string.tolower, string.toupper, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdcrypt.*

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.4.0, Copyright (c) 1998-2014 Zend Technologies  
 with XCache v2.0.0, Copyright (c) 2005-2012, by mOo



## PHP Credits

### Configuration

#### bcmath

BCMath support	enabled
Directive	Local Value
bcmath.scale	0
Master Value	0

#### bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://

<b>Stream Filter support</b>	bzlp2.decompress, bzlp2.compress
<b>BZip2 Version</b>	1.0.6, 6-Sept-2010

## calendar

<b>Calendar support</b>	<input checked="" type="checkbox"/> enabled
-------------------------	---

## cgi-fcgi

php-fpm		active
Directive	Local Value	Master Value
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.error_header	no value	no value
fastcgi.logging	1	1
fpm.config	no value	no value

Core

**PHP Version:** 5.4.45-0+deb7u8

max_file_uploads	20
max_input_nesting_level	64
max_input_time	-1
max_input_vars	1000
memory_limit	2G
open_basedir	/var/www/clients/client3/web10/web:/var/www/clients/client3/web10/private:/var/www/clients/client3/web10/tmp:/var/www/connect.ceria.cz/web:/srv/www/connect.ceria.cz/web/tmp
output_buffering	4096
output_handler	no value
post_max_size	4G
precision	14
realpath_cache_size	16K
realpath_cache_ttl	120
register_argc_argv	Off
report_memleaks	On
report_zend_debug	On
request_order	GP
sendmail_from	no value
sendmail_path	/usr/sbin/sendmail -t -f webmaster@connect.ceria.cz
serialize_precision	17
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	no value
upload_max_filesize	2G
upload_tmp_dir	/var/www/clients/client3/web10/tmp
user_dir	no value
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
zend.detect_unicode	On
zend.enable_gc	On
zend.multibyte	Off
zend.script_encoding	no value

### ctype

ctype functions	enabled
ctype	enabled

### curl

CURL support	enabled
CURL Information	7.49.1
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
Sspi	No
Krb4	No
Jlibz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/1.0.11
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.2

### date

date	enabled
date	disabled

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	36.2333	36.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	no value	no value

## dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 flatfile qdbm

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

## dom

DOM/XML	enabled
DOM/XML API Version	20031128
libxml Version	2.8.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 05041c5f0094cb46d96516bd024d593b90cc3819 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
version	1.0.5

## filter

Input Validation and Filtering	enabled
Revision	\$Id: ad78b4a085153b8c7f4d6db5dc89df40e989c343 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

## ftp

FTP support	disabled
-------------	----------

## gd

GD Support	enabled
GD Version	2.0.36
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.9
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

### gettext

gettext Support	enabled
-----------------	---------

### hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool liger128,3 liger160,3 liger192,3 liger128,4 liger160,4 liger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

### iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.13

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

### imagine

Imagick module	enabled
Imagick module version	3.1.0RC1
Imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.7.7-10 2017-05-26 Q16 http://www.ImageMagick.org
ImageMagick copyright	Copyright (C) 1999-2012 ImageMagick Studio LLC
ImageMagick release date	2017-05-26
ImageMagick number of supported formats:	213
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVS, B, BGR, BGRA, BIE, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DJVU, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FT8, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, J2K, JBG, JBIG, JNG, JP2, JPC, JPEG, JPG, JPX, K, K26, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORE, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICN, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL, GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTRML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UVVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCBCIA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

### imap

IMAP c-Client Version	2007f
SSL Support	enabled
Kerberos Support	enabled

### intl

Internationalization support		enabled
version	1.1.0	
ICU version	4.8.1.1	
ICU Data version	4.8.1	
Directive	Local Value	Master Value
intl.default_locale	no value	no value
intl.error_level	0	0

### json

json support	enabled
json version	1.2.1

### ldap

LDAP Support	enabled	
RCS Version	\$Id: 2dabc34c4033e8dc9d7fa05f18544cd14121c4e \$	
Total Links	0/unlimited	
API Version	3001	
Vendor Name	OpenLDAP	
Vendor Version	20431	
SASL Support	Enabled	
Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

### libxml

libXML support	active
libXML Compiled Version	2.8.0
libXML Loaded Version	20800
libXML streams	enabled

### mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (Japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/* application/xhtml\+xml)	^(text/* application/xhtml\+xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

### mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.6.8

Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb hcbs ncfb ncfs stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	no value	no value
mcrypt.modes_dir	no value	no value

### memcache

memcache support	enabled
Version	3.0.6
Revision	\$Revision: 310129 \$

Directive	Local Value	Master Value
memcache.allow_failover	1	1
memcache.chunk_size	32768	32768
memcache.compress_threshold	20000	20000
memcache.default_port	11211	11211
memcache.hash_function	crc32	crc32
memcache.hash_strategy	consistent	consistent
memcache.lock_timeout	15	15
memcache,max_failover_attempts	20	20
memcache.protocol	ascii	ascii
memcache.redundancy	1	1
memcache.session_redundancy	2	2

### memcached

memcached support	enabled
Version	2.0.1
libmemcached version	1.0.8
Session support	yes
Igbinary support	no
Json support	no

Directive	Local Value	Master Value
memcached.compression_factor	1.3	1.3
memcached.compression_threshold	2000	2000
memcached.compression_type	fastlz	fastlz
memcached.serializer	php	php
memcached.sess_binary	0	0
memcached.sess_lock_wait	150000	150000
memcached.sess_locking	1	1
memcached.sess_prefix	memc.sess.key.	memc.sess.key.

### mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

### ming

Ming SWF output library	enabled
Version	0.4.4

### mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API Version	5.5.55
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/x86_64-linux-gnu -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60

mysql.default_host	no value	no value
mysql.default_password	no value	no value
mysql.default_port	no value	no value
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

### mysqli

Mysqli Support	enabled
Client API library version	5.6.65
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.6.54
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	no value	no value
mysql.default_port	3306	3306
mysql.default_pw	no value	no value
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off

### openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1f 3 May 2016
OpenSSL Header Version	OpenSSL 1.0.1f 3 May 2016

### pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled	
PCRE Library Version	8.30 2012-02-01	
Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

### PDO

PDO support	enabled
PDO drivers	mysql, sqlite

### pdo\_mysql

PDO Driver for MySQL	enabled	
Client API version	5.6.65	
Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

### pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.13

### Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ba734628967f9671b26202408d13914/a63d8396 \$
Phar-based phar archives	enabled

Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bz2p compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerner.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

## posix

Revision	\$Id: 1dfa9997ed76804e83c81e0ce862f3707617b6ed \$
----------	---

## ps

PS Support	enabled
PSlib Version	0.4.5
Extension Version	1.3.7
Revision	\$Revision: 297236 \$
GD Support	enabled

## pspell

PSpell Support	enabled
----------------	---------

## recode

Recode Support	enabled
Revision	\$Id: 3ff0a77f38d14822c458730319d132d602a061 \$

## Reflection

Reflection	enabled
Version	\$Id: f367cd34e3f392af4a6d441a6641de87c2e50c4 \$

## session

Session Support	enabled
Registered save handlers	files user memcache memcached
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	/var/www/clients/client3/web19/tmp	/var/www/clients/client3/web19/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1

<code>session.upload_progress.name</code>	<code>PHP_SESSION_UPLOAD_PROGRESS</code>	<code>PHP_SESSION_UPLOAD_PROGRESS</code>
<code>session.upload_progress.prefix</code>	<code>upload_progress_</code>	<code>upload_progress_</code>
<code>session.use_cookies</code>	On	On
<code>session.use_only_cookies</code>	On	On
<code>session.use_trans_sid</code>	0	0

### shmop

<code>shmop support</code>	enabled
----------------------------	---------

### SimpleXML

<code>Simplexml support</code>	enabled
<code>Revision</code>	\$Id: 16070fc92add6f89cebb2d52ad3f02794fb33ce39 \$
<code>Schema support</code>	enabled

### snmp

<code>NET-SNMP Support</code>	enabled
<code>NET-SNMP Version</code>	5.4.3
<code>PHP SNMP Version</code>	0.1

### soap

<code>Soap Client</code>	enabled	
<code>Soap Server</code>	enabled	
Directive	Local Value	Master Value
<code>soap.wsdl_cache</code>	1	1
<code>soap.wsdl_cache_dir</code>	/tmp	/tmp
<code>soap.wsdl_cache_enabled</code>	1	1
<code>soap.wsdl_cache_limit</code>	5	5
<code>soap.wsdl_cache_ttl</code>	86400	86400

### sockets

<code>Sockets Support</code>	enabled
------------------------------	---------

### SPL

<code>SPL support</code>	enabled
<code>Interfaces</code>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<code>Classes</code>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipletIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

### sqlite3

<code>SQLite3 support</code>	enabled
<code>SQLite3 module version</code>	0.7
<code>SQLite Library</code>	3.7.13

Directive	Local Value	Master Value
<code>sqlite3.extension_dir</code>	no value	no value

### standard

<code>Dynamic Library Support</code>	enabled
<code>Path to sendmail</code>	/usr/sbin/sendmail -t -f webmaster@connect.cenia.cz

Directive	Local Value	Master Value
<code>assert.active</code>	1	1
<code>assert.bail</code>	0	0
<code>assert.callback</code>	no value	no value
<code>assert.quiet_eval</code>	0	0

assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,a[re]=href,frame=src,input=src,form=fakeentry	a=href,a[re]=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

## sysvmsg

sysvmsg support	enabled
Revision	\$Id: adff1d2d6be849c46ad3c3ee6f1cbab1448d6e5 \$

## tidy

Tidy support	enabled
libTidy Release	25 March 2009
Extension Version	2.0 (\$Id: 14aff36094bdd63f1d0adne006215e50553294ea \$)

Directive	Local Value	Master Value
tidy.clean_output	no value	no value
tidy.default_config	no value	no value

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

## XCache

XCache Support	enabled
Version	2.0.0
Modules Built	cacher optimizer coverager assembler encoder decoder
Readonly Protection	N/A
Cache Init Time	2017-06-12 12:15:20
Cache Instance Id	3189
Opcode Cache	enabled, 16,777,216 bytes, 1 split(s), with 8192 slots each
Variable Cache	disabled
Shared Memory Schemes	mmap
Coverage Auto Dumper	disabled

Directive	Local Value	Master Value
xcache.admin.enable_auth	On	On
xcache.cacher	On	On
xcache.coredump_directory	no value	no value
xcache.count	1	1
xcache.coveragedump_directory	no value	no value
xcache.coverager	Off	Off
xcache.experimental	Off	Off
xcache.gc_interval	0	0
xcache.mmap_path	/dev/zero	/dev/zero
xcache.optimizer	Off	Off
xcache.readonly_protection	no value	no value
xcache.shm_scheme	mmap	mmap
xcache.size	16M	16M
xcache.slots	8K	8K
xcache.stat	On	On
xcache.tst	no value	no value
xcache.ttl	0	0
xcache.var_count	1	1
xcache.var_gc_interval	300	300
xcache.var_maxttl	0	0
xcache.var_size	0M	0M
xcache.var_slots	8K	8K
xcache.var_ttl	0	0

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.8.0

### xmlreader

XMLReader	disabled
-----------	----------

### xmlrpc

core library version	xmlrpc-epl v. 0.81
php extension version	0.51
author	Dan Libby
homepage	<a href="http://xmlrpc-epl.sourceforge.net">http://xmlrpc-epl.sourceforge.net</a>
open sourced by	Epinions.com

### xmlwriter

XMLWriter	enabled
-----------	---------

### xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.8.0
EXSLT	enabled
libexslt Version	1.1.26

### zip

Zip	enabled
Extension Version	\$Id: 6c872ebfb022206b0cc2a183e7a388c7b6ad0686 \$
Zip version	1.11.0
Lzzip version	0.10.1

### zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

## Additional Modules

Module Name
sysvsem
sysvshm

## Environment

Variable	Value
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
TEMP	/var/www/clients/client3/web19/tmp
TMPDIR	/var/www/clients/client3/web19/tmp
TMP	/var/www/clients/client3/web19/tmp
HOSTNAME	no value
USER	web19
HOME	/var/www/clients/client3/web19

## PHP Variables

Variable	Value
COOKIE["ocg4w74oy1v2"]	eu6uoifpops31pmkt7suodljg2

\$_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
\$_SERVER["TEMP"]	/var/www/clients/client3/web19/tmp
\$_SERVER["TMPDIR"]	/var/www/clients/client3/web19/tmp
\$_SERVER["TMP"]	/var/www/clients/client3/web19/tmp
\$_SERVER["HOSTNAME"]	no value
\$_SERVER["USER"]	web19
\$_SERVER["HOME"]	/var/www/clients/client3/web19
\$_SERVER["FCGI_ROLE"]	RESPONDER
\$_SERVER["REDIRECT_HTTP_AUTHORIZATION"]	no value
\$_SERVER["REDIRECT_HtaccessWorking"]	true
\$_SERVER["REDIRECT_HANDLER"]	php5-fcgi
\$_SERVER["REDIRECT_STATUS"]	200
\$_SERVER["HTTP_HOST"]	connect.cenia.cz
\$_SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
\$_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.135 Safari/537.36
\$_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
\$_SERVER["HTTP_DNT"]	1
\$_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, br
\$_SERVER["HTTP_ACCEPT_LANGUAGE"]	cs-CZ,cs;q=0.8
\$_SERVER["HTTP_COOKIE"]	ccg4w74oy1v2-eu0udflpop/s31pmkl7suadljg2
\$_SERVER["HTTP_X_FORWARDED_FOR"]	10.1.51.1
\$_SERVER["HTTP_X_FORWARDED_HOST"]	connect.cenia.cz
\$_SERVER["HTTP_X_FORWARDED_SERVER"]	connect.cenia.cz
\$_SERVER["HTTP_CONNECTION"]	Keep-Alive
\$_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.22 (Debian) Server at connect.cenia.cz Port 80</address>
\$_SERVER["SERVER_SOFTWARE"]	Apache/2.2.22 (Debian)
\$_SERVER["SERVER_NAME"]	connect.cenia.cz
\$_SERVER["SERVER_ADDR"]	10.1.50.178
\$_SERVER["SERVER_PORT"]	80
\$_SERVER["REMOTE_ADDR"]	10.1.50.37
\$_SERVER["DOCUMENT_ROOT"]	/var/www/clients/client3/web19/web
\$_SERVER["SERVER_ADMIN"]	webmaster@connect.cenia.cz
\$_SERVER["SCRIPT_FILENAME"]	/var/www/clients/client3/web19/web/php.php
\$_SERVER["REMOTE_PORT"]	45034
\$_SERVER["REDIRECT_URL"]	/php.php
\$_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
\$_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
\$_SERVER["REQUEST_METHOD"]	GET
\$_SERVER["QUERY_STRING"]	no value
\$_SERVER["REQUEST_URI"]	/php.php
\$_SERVER["SCRIPT_NAME"]	/php.php
\$_SERVER["ORIG_SCRIPT_FILENAME"]	/var/www/clients/client3/web19/cgi-bin/php5-fcgi-10.1.50.178-80-connect.cenia.cz
\$_SERVER["ORIG_PATH_INFO"]	/php.php
\$_SERVER["ORIG_PATH_TRANSLATED"]	/var/www/clients/client3/web19/web/php.php
\$_SERVER["ORIG_SCRIPT_NAME"]	/php5-fcgi
\$_SERVER["PHP_SELF"]	/php.php
\$_SERVER["REQUEST_TIME_FLOAT"]	1504785790.488
\$_SERVER["REQUEST_TIME"]	1504785790

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).

## bcmath

BCMath support		enabled
Directive	Local Value	Master Value
bcmath.scale	0	0

## bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2_decompress, bzip2_compress
BZip2 Version	1.0.6, 6-Sept-2010

## calendar

**Calendar support**  **enabled**

## cgi-fcgi

Directive	Local Value	Master Value
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.error_header	no value	no value
fastcgi.logging	1	1
fpm.config	no value	no value

Core

PHP Version 5.4.45-0+deb7u8

max_input_vars	1000
memory_limit	2G
open_basedir	/var/www/clients/client3/web19/web/var/www/clients/client3/web19/private:/var/www/clients/client3/web19/tmp:/var/www/connect.ceria.cz/web7/try/www/connect.co
output_buffering	4096
output_handler	no value
post_max_size	4G
precision	14
realpath_cache_size	16K
realpath_cache_III	120
register_argc_argv	Off
report_memleaks	On
report_zend_debug	On
request_order	GP
sendmail_from	no value
sendmail_path	/usr/sbin/sendmail -t -f webmaster@connect.ceria.cz
serialize_precision	17
short_open_tag	On
SMTP	localhost
smtp_port	25
sqlsafe_mode	Off
track_errors	Off
unserialize_callback_func	no value
upload_max_filesize	2G
upload_tmp_dir	/var/www/clients/client3/web19/tmp
user_dir	no value
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
zend.detect_unicode	On
zend.enable_gc	On
zend.multibyte	Off
zend.script_encoding	no value

### ctype

ctype functions	enabled
-----------------	---------

### curl

cURL support	enabled
cURL Information	7.49.1
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/1.0.1t
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.2

### date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal

Default timezone		Europe/Berlin
Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.683333	90.683333
date.sunset_zenith	90.683333	90.683333
date.timezone	no value	no value

## dba

DBA support	enabled	
Supported handlers	cdb cdb_make db4 infile flatfile qdbm	
Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.8.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schematron Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 05041c5f0094cb46d9b516bd624d893b90cc389 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
version	1.0.5

## filter

Input Validation and Filtering	enabled	
Revision	\$Id: ad78b4a085163b8c7f4d6db5dc59df40a069c343 \$	
Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

## ftp

FTP support	enabled
-------------	---------

## gd

GD Support	enabled
GD Version	2.0.36
FreeType Support	enabled