

FreeType Linkage	with freetype
FreeType Version	2.4.9
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled

Directive	Local Value	Master Value
gd/jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.13

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagine

Imagine module	enabled
Imagine module version	3.1.0RC1
Imagine classes	Imagine, ImagineDraw, ImaginePixel, ImaginePixelIterator
ImageMagick version	ImageMagick 6.7.7-10 2017-05-26 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2012 ImageMagick Studio LLC
ImageMagick release date	2017-05-26
ImageMagick number of supported formats:	213
ImageMagick supported formats	SFR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BIE, BMP, BMP2, BMP3, BRF, C, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DJVU, DNG, DOT, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, J2K, JBG, JBIG, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MPR, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGB4, RLA, RLE, SCR, SCT, SFW, SGI, SHTRML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBR, UIL, UYYY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagine.locale_fix	0	0
imagine.progress_monitor	0	0

imap

IMAP c-Client Version	2007f
SSL Support	enabled
Kerberos Support	enabled

intl

Internationalization support		enabled
version		1.1.0
ICU version		4.8.1.1
ICU Data version		4.8.1

Directive	Local Value	Master Value
intl.default_locale	no value	no value
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: 2dabc34c4033eedc9d7fa05f16544cdb14121c4e \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20431
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.8.0
libXML Loaded Version	20800
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP Input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (Japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml\+xml)	^(text application/xhtml\+xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.6.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 (katzura) rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported	cbc cfb ctr ecb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	no value	no value
mcrypt.modes_dir	no value	no value

memcache

memcache support	enabled
Version	3.0.6
Revision	\$Revision: 310129 \$

Directive	Local Value	Master Value
memcache.allow_fallover	1	1
memcache.chunk_size	32768	32768
memcache.compress_threshold	20000	20000
memcache.default_port	11211	11211
memcache.hash_function	crc32	crc32
memcache.hash_strategy	consistent	consistent
memcache.lock_timeout	15	15
memcache.max_failover_attempts	20	20
memcache.protocol	ascii	ascii
memcache.redundancy	1	1
memcache.session_redundancy	2	2

memcached

memcached support	enabled
Version	2.0.1
libmemcached version	1.0.8
Session support	yes
Igbinary support	no
Json support	no

Directive	Local Value	Master Value
memcached.compression_factor	1.3	1.3
memcached.compression_threshold	2000	2000
memcached.compression_type	fastlz	fastlz
memcached.serializer	php	php
memcached.sess_binary	0	0
memcached.sess_lock_wait	150000	150000
memcached.sess_locking	1	1
memcached.sess_prefix	memc.sess.key.	memc.sess.key.

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

ming

Ming SWF output library	enabled
Version	0.4.4

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.55
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/x86_64-linux-gnu -lmysqlclient_r

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.connect_timeout	60	60
mysqli.default_host	no value	no value
mysqli.default_password	no value	no value
mysqli.default_port	no value	no value

mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.5.55
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.54
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	no value	no value
mysqli.default_port	3306	3306
mysqli.default_pw	no value	no value
mysqli.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysqli.default_user	no value	no value
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1l 3 May 2016
OpenSSL Header Version	OpenSSL 1.0.1l 3 May 2016

pcre

PCRE (Perl Compatible Regular Expressions) Support	
Directive	Local Value
PCRE.backtrack_limit	1000000
PCRE.recursion_limit	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	
Directive	Local Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.13

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ba734629367f9671b26202408d13914fa83d8396 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled

bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Klantze.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 1dfa9997ad76804e53c91a0ce862f3707617b6ed \$
----------	---

ps

PS Support	enabled
PSlib Version	0.4.5
Extension Version	1.3.7
Revision	\$Revision: 297236 \$
GD Support	enabled

pspell

Pspell Support	enabled
----------------	---------

recode

Recode Support	enabled
Revision	\$Id: 3ff0a7f738d14822c458730319d132d602a061 \$

Reflection

Reflection	enabled
Version	\$Id: f6367cdb4e3f382af4a8d441a6641de87c2e50c4 \$

session

Session Support	enabled
Registered save handlers	files user memcache memcached
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	/var/www/clients/client3/web19/tmp	/var/www/clients/client3/web19/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On

<code>from</code>	<code>no value</code>	<code>no value</code>
<code>url_rewriter.tags</code>	<code>a:href,area=html,frame>src,input=src,form=fakeentry</code>	<code>a:href,area=html,frame>src,input=src,form=fakeentry</code>
<code>user_agent</code>	<code>no value</code>	<code>no value</code>

sysvmsg

<code>sysvmsg support</code>	<code>enabled</code>
<code>Revision</code>	<code>\$Id: adff1d2d6be849c46ced3c3ee6f1cbebcd1448d6a5 \$</code>

tidy

<code>Tidy support</code>		
<code>Directive</code>	<code>Local Value</code>	<code>Master Value</code>
<code>tidy.clean_output</code>	<code>no value</code>	<code>no value</code>
<code>tidy.default_config</code>	<code>no value</code>	<code>no value</code>

tokenizer

<code>Tokenizer Support</code>	<code>enabled</code>
--------------------------------	----------------------

wddx

<code>WDDX Support</code>	<code>enabled</code>
<code>WDDX Session Serializer</code>	<code>enabled</code>

XCache

<code>XCache Support</code>		
<code>Directive</code>	<code>Local Value</code>	<code>Master Value</code>
<code>xcache.admin.enable_auth</code>	<code>On</code>	<code>On</code>
<code>xcache.cache_dir</code>	<code>On</code>	<code>On</code>
<code>xcache.coredump_directory</code>	<code>no value</code>	<code>no value</code>
<code>xcache.count</code>	<code>1</code>	<code>1</code>
<code>xcache.coveragedump_directory</code>	<code>no value</code>	<code>no value</code>
<code>xcache.coverager</code>	<code>Off</code>	<code>Off</code>
<code>xcache.experimental</code>	<code>Off</code>	<code>Off</code>
<code>xcache.gc_interval</code>	<code>0</code>	<code>0</code>
<code>xcache.mmap_path</code>	<code>/dev/zero</code>	<code>/dev/zero</code>
<code>xcache.optimizer</code>	<code>Off</code>	<code>Off</code>
<code>xcache.readonly_protocol</code>	<code>no value</code>	<code>no value</code>
<code>xcache.shm_scheme</code>	<code>mmap</code>	<code>mmap</code>
<code>xcache.size</code>	<code>16M</code>	<code>16M</code>
<code>xcache.slots</code>	<code>8K</code>	<code>8K</code>
<code>xcache.stat</code>	<code>On</code>	<code>On</code>
<code>xcache.test</code>	<code>no value</code>	<code>no value</code>
<code>xcache.ttl</code>	<code>0</code>	<code>0</code>
<code>xcache.var_count</code>	<code>1</code>	<code>1</code>
<code>xcache.var_gc_interval</code>	<code>300</code>	<code>300</code>
<code>xcache.var_maxttl</code>	<code>0</code>	<code>0</code>
<code>xcache.var_size</code>	<code>0M</code>	<code>0M</code>
<code>xcache.var_slots</code>	<code>8K</code>	<code>8K</code>
<code>xcache.var_ttl</code>	<code>0</code>	<code>0</code>

xml

<code>XML Support</code>	<code>active</code>
<code>XML Namespace Support</code>	<code>active</code>
<code>libxml2 Version</code>	<code>2.8.0</code>

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epl v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epl.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.8.0
EXSLT	enabled
libexslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id: 6c672ebfb022206b0cc2a183c7a388c7b6ad8685 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.7

Directive	Local Value	Master Value
<code>zlib.output_compression</code>	Off	Off
<code>zlib.output_compression_level</code>	-1	-1
<code>zlib.output_handler</code>	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

PHP Version 7.1.0



System	Linux web01.canlia.cz 3.2.0-4-amd64 #1 SMP Debian 3.2.88-1 x86_64
Build Date	Dec 13 2016 10:02:47
Configure Command	'./configure' '--prefix=/opt/php-7.1' '--with-pdo-pgsql' '--with-zlib-dir' '--with-freetype-dir' '--enable-mbstring' '--with-libxml-dir=/usr' '--enable-soap' '--enable-calendar' '--with-curl' '--with-mcrypt' '--with-gd' '--with-pgsql' '--disable-rpath' '--enable-inline-optimization' '--with-bz2' '--with-zlib' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-pcre' '--enable-pcre-regex' '--with-pdo-mysql' '--with-mysqli' '--with-mysql-sock=/var/run/mysqld/mysqld.sock' '--with-jpeg-dir=/usr' '--with-png-dir=/usr' '--enable-gd-native-ttf' '--with-openssl' '--with-fpm-user=www-data' '--with-fpm-group=www-data' '--with-libdir=/lib/x86_64-linux-gnu' '--enable-ftp' '--with-imap' '--with-imap-ssl' '--with-kerberos' '--with-gettext' '--with-xmlrpc' '--with-xsl' '--enable-opcache' '--enable-fpm'
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/opt/php-7.1/lib
Loaded Configuration File	/opt/php-7.1/lib/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20160303
PHP Extension	20160303
Zend Extension	320160303
Zend Extension Build	API320160303,NTS
PHP Extension Build	API20160303,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, date, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, lls, llsv1.0, llsv1.1, llsv1.2
Registered Stream Filters	zlib.*, bzip2*, convert.iconv.*; mcrypt.*; mdecrypt.*; string.rot13; string.toupper; string.tolower; string.strip_tags; convert.*; consumed; dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v3.1.0-dev, Copyright (c) 1998-2016 Zend Technologies
 with Zend OPcache v7.1.0, Copyright (c) 1999-2016, by Zend Technologies

zend engine

Configuration

bcmath

BCMath support	enabled
Directive	Local Value
bcmath.scale	0
	Master Value
	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

cgi-fcgi

php-fpm	active
---------	--------

	Directive	Local Value	Master Value
cgi.discard_path	0	0	0
cgi.fix_pathinfo	1	1	1
cgi.force_redirect	1	1	1
cgi.nph	0	0	0
cgi.redirect_status_onv	no value	no value	no value
sqlite316_headers	0	0	0
fastcgi_error_header	no value	no value	no value
fastcgi.logging	1	1	1
fpm.config	no value	no value	no value

Core

PHP Version	Directive	Local Value	Master Value
7.1.0			
	allow_url_fopen	On	On
	allow_url_include	Off	Off
	&	&	&
	arg_separator_input	&	&
	arg_separator_output	&	&
	auto_append_file	no value	no value
	auto_globals_jit	On	On
	auto_prepend_file	no value	no value
	browscap	no value	no value
	default_charset	UTF-8	UTF-8
	default_mimetype	text/html	text/html
	disable_classes	no value	no value
	disable_functions	no value	no value
	display_errors	Off	Off
	display_startup_errors	Off	Off
	doc_root	no value	no value
	doctype	no value	no value
	doctype_root	no value	no value
	enable_dl	Off	Off
	enable_post_data_reading	On	On
	error_append_string	no value	no value
	error_log	no value	no value
	error-prepend_string	no value	no value
	error_reporting	22527	22527
	expose_php	On	On
	extension_dir	/opt/php-7.1/lib/php/extensions/no-debug-non-zts-20160303	/opt/php-7.1/lib/php/extensions/no-debug-non-zts-
	file_uploads	On	On
	hard_timeout	2	2
	highlight.comment	#0000B0	#0000B0
	highlight.default	#000000	#000000
	highlight.html	#007700	#007700
	highlight.keyword	#D0D0D0	#D0D0D0
	highlight.string	On	On
	html_errors	Off	Off
	ignore_repeated_errors	Off	Off
	ignore_repeated_source	Off	Off
	ignore_user_abort	Off	Off
	implicit_flush	Off	Off
	include_path	:/opt/php-7.1/lib/php	:/opt/php-7.1/lib/php
	input_encoding	no value	no value
	log_errors	On	On
	log_errors_max_len	1024	1024
	mail.add_x_header	On	On
	mail.force_extra_parameters	no value	no value

mail.log	no value	no value
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	512M	128M
open_basedir	/var/www/clients/client6/web40/web:/var/www/clients/client6/web40/web/updater:/tmp:/data:/var/www/clients/client6/web40/private:/var/www/clients/client6/web40/tmp:/var/www/ncloud.cenia.cz/web:/var/www/ncloud.cenia.cz/web:/usr/share/php5:/usr/share/php:/tmp:/usr/share/php/myadmin:/etc/phpmyadmin/var/lib/phpmyadmin:/dev/urandom	/var/www/clients/client6/web40/web:/var/www/clients/client6/web40/web/updater:/tmp:/data:/var/www/clients/client6/web40/private:/var/www/clients/client6/web40/tmp:/var/www/ncloud.cenia.cz/web:/var/www/ncloud.cenia.cz/web:/usr/share/php5:/usr/share/php:/tmp:/usr/share/php/myadmin:/etc/phpmyadmin/var/lib/phpmyadmin:/dev/urandom
output_buffering	0	4096
output_encoding	no value	no value
output_handler	no value	no value
post_max_size	511M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -f webmaster@ncloud.cenia.cz	/usr/sbin/sendmail -t -f webmaster@ncloud.cenia.cz
serialize_precision	-1	-1
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
sys_temp_dir	no value	no value
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	511M	2M
upload_tmp_dir	/var/www/clients/client6/web40/tmp	/var/www/clients/client6/web40/tmp
user_dir	no value	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.assertions	-1	-1
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	no value	no value
zend.signal_check	Off	Off

ctype

ctype functions	enabled

curl

cURL support	enabled
cURL Information	7.49.1
Age	3
Features	
AsynchDNS	No
CharConv	No
Debug	No

GSS-Negotiate	No
IDN	Yes
IPv6	Yes
Krb4	No
Largofile	Yes
libz	Yes
NTLM	Yes
NTLMWB	Yes
SPNEGO	No
SSL	Yes
SSPI	No
TLS-SRP	Yes
HTTP2	No
GSSAPI	No
KERBEROS5	No
UNIX_SOCKETS	Yes
PSL	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/1.0.11
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	2016.10
Timezone Database	Internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	no value	no value

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.8.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 8bdc0c8f27c2e9dd1f7551ff9fe3ab57a06a4b1 \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value

fileinfo

fileinfo support	enabled
version	1.0.5
libimage	522

filter

Input Validation and Filtering	enabled
Revision	\$Id: 9cc4bdc40f4013d538d685f9f2be2e9698c649cc \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
FTPS support	enabled

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.9
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	8
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	1	1

gettext

gettext Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

MHASH support	Enabled
MHASH API Version	Emulated Support

iconv

iconv support	enabled
iconv Implementation	glibc
iconv Library version	2.13

Directive	Local Value	Master Value
iconv.input_encoding	no value	no value
iconv.internal_encoding	no value	no value

<code>iconv.output_encoding</code>	<i>no value</i>	<i>no value</i>
------------------------------------	-----------------	-----------------

imap

<code>IMAP c-Client Version</code>	2007f
<code>SSL Support</code>	enabled
<code>Kerberos Support</code>	enabled

json

<code>json support</code>	enabled
<code>json version</code>	1.5.0

libxml

<code>libXML support</code>	active
<code>libXML Compiled Version</code>	2.8.0
<code>libXML Loaded Version</code>	20800
<code>libXML streams</code>	enabled

mbstring

<code>Multibyte Support</code>	enabled
<code>Multibyte string engine</code>	libmbfl
<code>HTTP input encoding translation</code>	disabled
<code>libmbfl version</code>	1.3.2
<code>oniguruma version</code>	5.9.6

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

<code>Multibyte (Japanese) regex support</code>	enabled
<code>Multibyte regex (oniguruma) backtrack check</code>	On
<code>Multibyte regex (oniguruma) version</code>	5.9.6

Directive	Local Value	Master Value
<code>mbstring.detect_order</code>	<i>no value</i>	<i>no value</i>
<code>mbstring.encoding_translation</code>	Off	Off
<code>mbstring.func_overload</code>	0	0
<code>mbstring.http_input</code>	<i>no value</i>	<i>no value</i>
<code>mbstring.http_output</code>	<i>no value</i>	<i>no value</i>
<code>mbstring.http_output_conv_mimetypes</code>	<code>^(text/* application/xhtml+xml)</code>	<code>^(text/* application/xhtml+xml)</code>
<code>mbstring.internal_encoding</code>	<i>no value</i>	<i>no value</i>
<code>mbstring.language</code>	neutral	neutral
<code>mbstring.strict_detection</code>	Off	Off
<code>mbstring.substitute_character</code>	<i>no value</i>	<i>no value</i>

mcrypt

<code>mcrypt support</code>	enabled
<code>mcrypt_filter support</code>	enabled
<code>Version</code>	2.5.8
<code>Api No</code>	20021217
<code>Supported ciphers</code>	casl-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 (tripledes)
<code>Supported modes</code>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
<code>mcrypt.algorithms_dir</code>	<i>no value</i>	<i>no value</i>
<code>mcrypt.modes_dir</code>	<i>no value</i>	<i>no value</i>

mysql

<code>Mysql Support</code>	enabled
<code>Client API library version</code>	<code>mysqlnd 5.0.12-dev - 20150407 - \$Id: d8daadaf41e3cd81d7e6ae96c6091fd15b2c9382 \$</code>

Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	no value	no value
mysql.default_port	3306	3306
mysql.default_pw	no value	no value
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off
mysql.rollback_on_cached_plink	Off	Off

mysqld

mysqld	enabled
Version	mysqld 5.0.12-dev - 20150407 - \$Id: d8daadaef41e3cd81d7c6ae96c6091fd15b2c9382 \$
Compression	supported
core SSL	supported
extended SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqld,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha2_56_password
API Extensions	pdo_mysql,mysql

mysqld statistics	
bytes_sent	5166
bytes_received	33815
packets_sent	82
packets_received	683
protocol_overhead_in	2732
protocol_overhead_out	328
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	207
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	515
bytes_received_prepare_response_packet	10771
bytes_received_change_user_packet	22011
packets_sent_command	39
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	23
packets_received_rset_field_meta	0
packets_received_rset_row	37
packets_received_prepare_response	160
packets_received_change_user	459
result_set_queries	23
non_result_set_queries	14
no_index_used	10
bad_index_used	0
slow_queries	0

buffered_sets	23
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	436
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	436
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	436
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	6
rows_affected_ps	0
rows_skipped_normal	436
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	2
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	18446744073709551614
active_persistent_connections	0
explicit_close	2
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	23
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_eresalloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_estrndup_count	0
mem_strdup_count	0
mem_strdup_count	0
mem_edupl_count	0