

GL CATALOG

2018



Joint Active Systems, Inc. / Telephone: 217-342-3412 / internationalsales@jointactivesystems.com

www.jointactivesystems.com

UPPER EXTREMITY DEVICES

GL Finger Device

Each complete JAS GL Finger Device requires: 1 – Frame, 1 – Hand Cuff

Description	Product Code	Finger Circumference (D) in. (cm)
Small GL Finger Frame	GL50S-000-00	up to 1 1/4 (3.2)
Medium GL Finger Frame	GL50M-000-00	1 1/4 to 2 1/4 (3.2 to 5.7)
Large GL Finger Frame	GL50N-000-00	2 1/4 (5.7) and up



GL Finger Hand Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Hand Cuff Size	Product Code		Width of Hand (H) in. (cm)
	Left	Right	
Small	GL500-000-SL1	GL500-000-SR1	up to 3 (7.6)
Medium	GL500-000-ML1	GL500-000-MR1	3 – 3 1/2 (7.6 – 8.9)
Large	GL500-000-LL1	GL500-000-LR1	3 1/2 - 4 (8.9 – 10.2)
XLarge	GL500-000-XLL1	GL500-000-XLR1	4 (10.2) and up

GL Finger Kit

Each JAS GL Finger Kit order includes: 2 – Large Finger Device Frames, 2 Medium Finger Device Frames, 2 – Small Finger Device Frames, 8 – Left Hand Cuffs (2 – Small, 2 – Medium, 2 – Large, 2 – XLarge), 8 – Right Hand Cuffs (2 – Small, 2 – Medium, 2 – Large, 2 – XLarge), and miscellaneous mounting hardware in a plastic tray.



Description	Product Code
GL Finger Kit	GL50T-000-00

Replacement Components:

Finger Device Frames

Description	Product Code	Finger Circumference (D) in. (cm)
Small GL Finger Frame	GL50S-000-00	up to 1 1/4 (3.2)
Medium GL Finger Frame	GL50M-000-00	1 1/4 to 2 1/4 (3.2 to 5.7)
Large GL Finger Frame	GL50N-000-00	2 1/4 (5.7) and up

GL Finger Hand Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Hand Cuff Size	Product Code		Width of Hand (H) in. (cm)
	Left	Right	
Small	GL500-000-SL1	GL500-000-SR1	up to 3 (7.6)
Medium	GL500-000-ML1	GL500-000-MR1	3 – 3 1/2 (7.6 – 8.9)
Large	GL500-000-LL1	GL500-000-LR1	3 1/2 - 4 (8.9 – 10.2)
XLarge	GL500-000-XLL1	GL500-000-XLR1	4 (10.2) and up

UPPER EXTREMITY DEVICES

GL Wrist Device

Each complete JAS GL Wrist Device requires: 1 – Frame, 1 – Forearm Cuff

Description	Product Code	
	Left	Right
GL Wrist Frame	GL400-000-L1	GL400-000-R1



GL Wrist Forearm Cuffs¹ (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Forearm Cuff Size	Product Code		Forearm Circumference (B) in. (cm)	Forearm Length (F) in. (cm)
	Left	Right		
Small, Short	GL740-SXN-FL	GL740-SXN-FR	7 - 8 1/4 (17.8 – 21.0)	7 - 9 (17.8 – 22.9)
Medium, Short	GL740-SN6-FL	GL740-SN6-FR	8 1/4 - 10 1/8 (21.0 - 25.7)	
Large, Short	GL740-SW6-FL	GL740-SW6-FR	10 1/8 – 12 1/4 (25.7 – 31.1)	
Xlarge, Short	GL740-SXW-FL	GL740-SXW-FR	12 1/4 - 14 1/8 (31.1 – 35.9)	
2Xlarge, Short	GL740-SXXW-FL	GL740-SXXW-FR	14 1/8 (35.9) and up	
Small, Long	GL740-MXN-FL	GL740-MXN-FR	7 - 8 1/4 (17.8 – 21.0)	9 (22.9) and up
Medium, Long	GL740-MN6-FL	GL740-MN6-FR	8 1/4 - 10 1/8 (21.0 - 25.7)	
Large, Long	GL740-MW6-FL	GL740-MW6-FR	10 1/8 – 12 1/4 (25.7 – 31.1)	
Xlarge, Long	GL740-MXW-FL	GL740-MXW-FR	12 1/4 - 14 1/8 (31.1 – 35.9)	
2Xlarge, Long	GL740-MXXW-FL	GL740-MXXW-FR	14 1/8 (35.9) and up	

1.) Includes: Hand Pad, Hand Strap

UPPER EXTREMITY DEVICES

GL Pronation/Supination Device

Each complete JAS GL Pro/Sup Device requires: 1 – Frame, 1 – Bicep Cuff, 1 – Hand Cuff



Product Code			
Description	Left	Right	Device Size
GL Pro/Sup Frame, Short	GL060-00M-L1	GL060-00M-R1	Forearm Length (G) is less than 10" (25.4 cm) and greater than or equal to 6" (15.2 cm).
GL Pro/Sup Frame, Long	GL060-00L-L1	GL060-00L-R1	Forearm Length (G) is less than or equal to 14" (35.6 cm) and greater than or equal to 10" (25.4 cm).

Pro/Sup Cuffs:

GL Pro/Sup Bicep Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Bicep Cuff Size	Product Code		Bicep Circumference (A) in. (cm)	Bicep Length (E) in. (cm)
	Left	Right		
XSmall	GL706-XSE-BL	GL706-XSE-BR	7 1/4 - 8 3/4 (18.4 – 22.2)	6 7/8 - 7 7/8 (17.5 – 20.0)
Small	GL706-S0E-BL	GL706-S0E-BR	8 3/4 – 10 (22.2 – 25.4)	
Medium	GL706-M0E-BL	GL706-M0E-BR	10 – 11 1/4 (25.4 – 28.6)	
Large	GL706-L0E-BL	GL706-L0E-BR	11 1/4 - 12 1/4 (28.6 – 31.1)	
XLarge	GL706-XLE-BL	GL706-XLE-BR	12 1/4 - 13 3/8 (31.1 - 34.0)	
2XLarge	GL706-XXLE-BL	GL706-XXLE-BR	13 3/8 - 15 1/2 (34.0 – 39.4)	

GL Pro/Sup Hand Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Hand Cuff Size	Product Code		Wrist Circumference (C) in. (cm)
	Left	Right	
1, Short	GL706-1PH-L1	GL706-1PH-R1	5 - 5 3/4 (12.7 - 14.6)
5, Short	GL706-5PH-L1	GL706-5PH-R1	5 3/4 - 7 (14.6 - 17.8)
8, Short	GL706-8PH-L1	GL706-8PH-R1	7 - 7 1/2 (17.8 - 19.1)
10, Short	GL706-10PH-L1	GL706-10PH-R1	7 1/2 - 8 1/4 (19.1 - 21.0)

GL Pro/Sup Extended Hand Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Hand Cuff Size	Product Code		Wrist Circumference (C) in. (cm)
	Left	Right	
1, Long	GL706-1PH-LE	GL706-1PH-RE	5 - 5 3/4 (12.7 - 14.6)
5, Long	GL706-5PH-LE	GL706-5PH-RE	5 3/4 - 7 (14.6 - 17.8)
8, Long	GL706-8PH-LE	GL706-8PH-RE	7 - 7 1/2 (17.8 - 19.1)
10, Long	GL706-10PH-LE	GL706-10PH-RE	7 1/2 - 8 1/4 (19.1 - 21.0)



UPPER EXTREMITY DEVICES

GL Elbow Device

Each complete JAS GL Elbow Device requires: 1 – Frame, 1 – Bicep Cuff, 1 – Forearm Cuff

Description	Product Code	
	Left	Right
GL Elbow Frame	GL100-000-L1	GL100-000-R1



GL Elbow Cuffs:

GL Elbow Bicep Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Bicep Cuff Size	Product Code		Bicep Circumference (A) in. (cm)	Bicep Length (E) in. (cm)
	Left	Right		
XSmall	GL710-XSE-BL	GL710-XSE-BR	7 1/4 - 8 3/4 (18.4 – 22.2)	7 1/2 - 8 1/2 (19.0 – 21.6)
Small	GL710-S0E-BL	GL710-S0E-BR	8 3/4 – 10 (22.2 – 25.4)	
Medium	GL710-M0E-BL	GL710-M0E-BR	10 – 11 1/4 (25.4 – 28.6)	
Large	GL710-L0E-BL	GL710-L0E-BR	11 1/4 - 12 1/4 (28.6 – 31.1)	
XLarge	GL710-XLE-BL	GL710-XLE-BR	12 1/4 - 13 3/8 (31.1 - 34.0)	
2XLarge	GL710-XXLE-BL	GL710-XXLE-BR	13 3/8 - 15 1/2 (34.0 – 39.4)	

GL Elbow Forearm Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Forearm Cuff Size	Product Code		Forearm Circumference (B) in. (cm)	Forearm Length (G) in. (cm)
	Left	Right		
XSmall, Short	GL710-XSS-FL	GL710-XSS-FR	7 - 8 (17.8 – 20.3)	7 - 9 1/2 (17.8 - 24.1)
Small, Short	GL710-S0S-FL	GL710-S0S-FR	8 - 10 (20.3 - 25.4)	
Medium, Short	GL710-M0S-FL	GL710-M0S-FR	10 - 12 (25.4 - 30.5)	
Large, Short	GL710-L0S-FL	GL710-L0S-FR	12 - 14 (30.5 – 35.6)	
XLarge, Short	GL710-XLS-FL	GL710-XLS-FR	14 (35.6) and up	
XSmall, Long	GL710-XSL-FL	GL710-XSL-FR	7 - 8 (17.8 – 20.3)	9 1/2 (24.1) and up
Small, Long	GL710-S0L-FL	GL710-S0L-FR	8 - 10 (20.3 - 25.4)	
Medium, Long	GL710-M0L-FL	GL710-M0L-FR	10 - 12 (25.4 - 30.5)	
Large, Long	GL710-L0L-FL	GL710-L0L-FR	12 - 14 (30.5 – 35.6)	
XLarge, Long	GL710-XLL-FL	GL710-XLL-FR	14 (35.6) and up	

UPPER EXTREMITY DEVICES

GL Shoulder Device: Floor Stand

Each complete JAS Shoulder Device requires: 1 – Frame, 1 – Floor Stand Cuff Set

Description	Product Code		Length (E) in. (cm)
	Left	Right	
GL Shoulder Frame, Short, Floor Stand	GL070-00S-L0	GL070-00S-R0	7 1/2 – 8 3/4 (19 – 22.2)
GL Shoulder Frame, Long, Floor Stand	GL070-00L-L0	GL070-00L-R0	8 3/4 – 10 3/4 (22.2 – 27.3)



GL Shoulder Device: Body Cuff

Each complete JAS Shoulder Device requires: 1 – Frame, 1 – Body Cuff Cuff Set, 1 - Chest Cuff, 1 – Pelvic Cuff

Description	Product Code		Length (E) in. (cm)
	Left	Right	
GL Shoulder Frame, Short, Body Cuff	GL070-00S-LB	GL070-00S-RB	7 1/2 – 8 3/4 (19 – 22.2)
GL Shoulder Frame, Long, Body Cuff	GL070-00L-LB	GL070-00L-RB	8 5/8 – 10 3/4 (21.9 – 27.3)



GL Shoulder Cuffs:

GL Shoulder Floor Stand: Cuff Set²

Product Code	
Left	Right
GL707-F00-L0	GL707-F00-R0

GL Shoulder Body Cuff: Cuff Set³

Product Code	
Left	Right
GL707-B00-L0	GL707-B00-R0

2.) Includes: Scapula Pad, Shoulder Strap, Bicep Cuff, Forearm Cuff, Hand Cuff

3.) Includes: Bicep Cuff, Forearm Cuff, Hand Cuff

GL Shoulder Chest Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Chest Cuff Size	Product Code		Chest Circumference (I) in. (cm)
	Left	Right	
Small	GL707-00S-CL	GL707-00S-CR	28 - 34 3/4 (71.1 – 88.3)
Medium	GL707-00M-CL	GL707-00M-CR	34 3/4 – 41 1/2 (88.3 – 105.4)
Large	GL707-00L-CL	GL707-00L-CR	41 1/2 – 48 1/4 (105.4 – 122.6)
XLarge	GL707-0XL-CL	GL707-0XL-CR	48 1/4 (122.6) and up


GL Shoulder Pelvic Cuffs (See Upper Extremity Measurement Chart on page 7 for measurement locations)

Pelvic Cuff Size	Product Code		Waist Circumference (J) in. (cm)
	Left	Right	
Small	GL707-00S-PL	GL707-00S-PR	24 - 33 3/4 (61.0 – 85.7)
Medium	GL707-00M-PL	GL707-00M-PR	33 3/4 - 42 1/2 (85.7 – 108.0)
Large	GL707-00L-PL	GL707-00L-PR	42 1/2 - 51 1/4 (108.0 – 130.2)
XLarge	GL707-0XL-PL	GL707-0XL-PR	51 1/4 (130.2) and up

UPPER EXTREMITY DEVICES

Upper Extremity Measurement Chart – GL Devices

- A Circumference: Largest point of Bicep
- B Circumference: Largest point of Forearm
- C Circumference: 1 1/2" (3.8 cm) proximal to Ulnar Styloid
- D Circumference: Affected Finger proximal Phalanx
- E Length: Axilla to Medial Epicondyle
- F Length: Crease of Elbow to Ulnar Styloid
- G Length: Lateral Epicondyle to Ulnar Styloid
- H Length: Width of Hand across MP Joints
- I Circumference: Chest at Axilla
- J Circumference: Waist at Belly Button



LOWER EXTREMITY DEVICES

GL Knee Extension Device

Each complete JAS GL Knee Extension Device requires: 1 – Frame,
1 – Thigh Cuff, 1 – Calf Cuff

Description	Product Code	
	Left	Right
GL Knee Extension Frame	GL200-000-L0	GL200-000-R0



GL Knee Extension Cuffs:

GL Knee Extension Thigh Cuffs (See Lower Extremity Measurement Chart on page 11 for measurement locations)

Thigh Cuff Size	Product Code		Thigh Circumference (A) in. (cm)	Thigh Length (C) in. (cm)
	Left	Right		
Small, Short	GL720-ESS-TL	GL720-ESS-TR	14 - 17 (35.6 - 43.2)	9 - 12 (22.9 - 30.5)
Small, Long	GL720-ESL-TL	GL720-ESL-TR		12 (30.5) and up
Medium, Short	GL720-EMS-TL	GL720-EMS-TR	17 - 20 (43.2 - 50.8)	9 - 12 (22.9 - 30.5)
Medium, Long	GL720-EML-TL	GL720-EML-TR		12 (30.5) and up
Large, Short	GL720-ELS-TL	GL720-ELS-TR	20 - 23 (50.8 - 58.4)	9 - 12 (22.9 - 30.5)
Large, Long	GL720-ELL-TL	GL720-ELL-TR		12 (30.5) and up
XLarge, Short	GL720-EXLS-TL	GL720-EXLS-TR	23 - 26 (58.4 - 66.0)	9 - 12 (22.9 - 30.5)
XLarge, Long	GL720-EXLL-TL	GL720-EXLL-TR		12 (30.5) and up
2XLarge, Short	GL720-E2XLS-TL	GL720-E2XLS-TR	26 - 29 (66.0 - 73.7)	9 - 12 (22.9 - 30.5)
2XLarge, Long	GL720-E2XLL-TL	GL720-E2XLL-TR		12 (30.5) and up

GL Knee Extension Calf Cuffs (See Lower Extremity Measurement Chart on page 11 for measurement locations)

Calf Cuff Size	Product Code		Calf Circumference (B) in. (cm)	Tibia Length (D) in. (cm)
	Left	Right		
Small, Short	GL720-ESS-CL	GL720-ESS-CR	11 - 14 (27.9 - 35.6)	13 - 16 1/2 (30.5 - 41.9)
Small, Long	GL720-ESL-CL	GL720-ESL-CR		16 1/2 (41.9) and up
Medium, Short	GL720-EMS-CL	GL720-EMS-CR	14 - 16 (35.6 - 40.6)	13 - 16 1/2 (30.5 - 41.9)
Medium, Long	GL720-EML-CL	GL720-EML-CR		16 1/2 (41.9) and up
Large, Short	GL720-ELS-CL	GL720-ELS-CR	16 - 18 (40.6 - 45.7)	13 - 16 1/2 (30.5 - 41.9)
Large, Long	GL720-ELL-CL	GL720-ELL-CR		16 1/2 (41.9) and up
XLarge, Short	GL720-EXLS-CL	GL720-EXLS-CR	18 - 20 (45.7 - 50.8)	13 - 16 1/2 (30.5 - 41.9)
XLarge, Long	GL720-EXLL-CL	GL720-EXLL-CR		16 1/2 (41.9) and up

LOWER EXTREMITY DEVICES

GL Knee Flexion Device

Each complete JAS GL Knee Flexion Device requires: 1 – Frame, 1 – Thigh Cuff, 1 – Tibia Cuff

Description	Product Code
GL Knee Flexion Frame	GL20FX-000-01



GL Knee Flexion Cuffs:

GL Knee Flexion Thigh Cuffs (See Lower Extremity Measurement Chart on page 11 for measurement locations)

Thigh Cuff Size	Product Code		Thigh Circumference (A) in. (cm)	Thigh Length (C) in. (cm)
	Left	Right		
Small, Short	GL720-FSS-TL	GL720-FSS-TR	14 - 17 (35.8 - 43.2)	9 - 12 (22.9 - 30.5)
Small, Long	GL720-FSL-TL	GL720-FSL-TR		12 (30.5) and up
Medium, Short	GL720-FMS-TL	GL720-FMS-TR	17 - 20 (43.2 - 50.8)	9 - 12 (22.9 - 30.5)
Medium, Long	GL720-FML-TL	GL720-FML-TR		12 (30.5) and up
Large, Short	GL720-FLS-TL	GL720-FLS-TR	20 - 23 (50.8 - 58.4)	9 - 12 (22.9 - 30.5)
Large, Long	GL720-FLL-TL	GL720-FLL-TR		12 (30.5) and up
XLarge, Short	GL720-FXLS-TL	GL720-FXLS-TR	23 - 26 (58.4 - 66.0)	9 - 12 (22.9 - 30.5)
XLarge, Long	GL720-FXLL-TL	GL720-FXLL-TR		12 (30.5) and up
2XLarge, Short	GL720-F2XLS-TL	GL720-F2XLS-TR	26 - 29 (66.0 - 73.7)	9 - 12 (22.9 - 30.5)
2XLarge, Long	GL720-F2XLL-TL	GL720-F2XLL-TR		12 (30.5) and up

GL Knee Flexion Tibia Cuffs (See Lower Extremity Measurement Chart on page 11 for measurement locations)

Tibia Cuff Size	Product Code		Calf Circumference (B) in. (cm)	Tibia Length (D) in. (cm)
	Left	Right		
Small, Short	GL720-FSS-CL	GL720-FSS-CR	11 - 14 (27.9 - 35.6)	13 - 16 1/2 (30.5 - 41.9)
Small, Long	GL720-FSL-CL	GL720-FSL-CR		16 1/2 (41.9) and up
Medium, Short	GL720-FMS-CL	GL720-FMS-CR	14 - 16 (35.6 - 40.6)	13 - 16 1/2 (30.5 - 41.9)
Medium, Long	GL720-FML-CL	GL720-FML-CR		16 1/2 (41.9) and up
Large, Short	GL720-FLS-CL	GL720-FLS-CR	16 - 18 (40.6 - 45.7)	13 - 16 1/2 (30.5 - 41.9)
Large, Long	GL720-FLL-CL	GL720-FLL-CR		16 1/2 (41.9) and up
XLarge, Short	GL720-FXLS-CL	GL720-FXLS-CR	18 - 20 (45.7 - 50.8)	13 - 16 1/2 (30.5 - 41.9)
XLarge, Long	GL720-FXLL-CL	GL720-FXLL-CR		16 1/2 (41.9) and up

LOWER EXTREMITY DEVICES

GL Ankle Device

Each complete JAS GL Ankle Device requires: 1 – Frame, 1 – Calf Cuff

Description	Product Code	
	Left	Right
GL Ankle Frame	GL050-000-L1	GL050-000-R1



GL Ankle Cuffs⁴ (See Lower Extremity Measurement Chart on page 11 for measurement locations.)

Calf Cuff Size	Product Code		Calf Circumference (B) in. (cm)	Tibia Length (D) in. (cm)
	Left	Right		
Small, Short	GL705-0SS-L1	GL705-0SS-R1	11 -13 (27.9 – 33.0)	11 -14 1/2 (27.9 – 33.8)
Small, Long	GL705-0SL-L1	GL705-0SL-R1		14 1/2 (36.8) and up
Medium, Short	GL705-0MS-L1	GL705-0MS-R1	13 - 15 (33.0 – 38.1)	11 -14 1/2 (27.9 – 33.8)
Medium, Long	GL705-0ML-L1	GL705-0ML-R1		14 1/2 (36.8) and up
Large, Short	GL705-0LS-L1	GL705-0LS-R1	15 - 17 (38.1 – 43.2)	11 -14 1/2 (27.9 – 33.8)
Large, Long	GL705-0LL-L1	GL705-0LL-R1		14 1/2 (36.8) and up
XLarge, Short	GL705-XLS-L1	GL705-XLS-R1	17 - 20 (43.2 – 50.8)	11 -14 1/2 (27.9 – 33.8)
XLarge, Long	GL705-XLL-L1	GL705-XLL-R1		14 1/2 (36.8) and up

4.) Includes: Heel Cuff, Foot Plate Pad, Foot Plate Strap

GL Toe Device

Each complete JAS GL Toe Device requires: 1 – Frame, 1 – Foot Plate

Description	Product Code
GL Toe Frame	GL030-000-01



GL Toe Foot Plates⁵ (See Lower Extremity Measurement Chart on page 11 for measurement locations.)


Foot Plate Size	Product Code		Foot Length (E) in. (cm)
	Left	Right	
Small	GL030-S00-L0	GL030-S00-R0	up to 9 1/2 (24.1)
Medium	GL030-M00-L0	GL030-M00-R0	9 1/2 – 10 1/2 (24.1 – 26.7)
Large	GL030-L00-L0	GL030-L00-R0	10 1/2 – 11 5/16 (26.7 – 28.7)
XLarge	GL030-XL0-L0	GL030-XL0-R0	11 5/16 – 12 5/16 (28.7 – 31.3)

5.) Includes: Upright

LOWER EXTREMITY DEVICES

Lower Extremity Measurement Chart – GL Devices

- A Circumference: 1 1/2" (3.8 cm) below Groin
- B Circumference: Largest point of Calf
- C Length: Groin to Knee Center (*not center of Knee Cap*)
- D Length: Knee Center (*not center of Knee Cap*) to Medial Malleolus
- E Length: Foot Length



MISCELLANEOUS COMPONENTS

Description	Product Code
Small Carrying Bag	991-001-99
Medium Carrying Bag	991-002-99
Large Carrying Bag	991-003-99
XLarge Carrying Bag	991-004-99
2XLarge Carrying Bag	991-005-99
Butterfly Pad - Large (Qty.: 10)	K990-201-07
Butterfly Pad - Small (Qty.: 10)	K990-202-07
Hook Strapping, Adhesive, White (Qty.: 1 yard)	960-000-H1
Loop Strapping, Adhesive, White (Qty.: 1 yard)	960-000-L1
Foam Padding, Dense, 3" x 4", White (Qty.: 10)	K707-S0S-0W
Foam Padding, Medium Density, 3" x 4", White (Qty.: 10)	K700-V0S-0W
Foam Padding, Soft Density, 3" x 4", Blue (Qty.: 10)	K700-F00-0B

ČESTNÉ PROHLÁŠENÍ O PODDODAVATELÍCH

Dodavatel:	FiveSteps s.r.o.
Sídlo:	Barvitiova 989/3, Jinonice, 158 00 Praha 5
IČ:	03788067
Název veřejné zakázky:	Statické progresivní dlahy

Jako osoba oprávněná jednat jménem či za výše uvedeného dodavatele prohlašuji, že zakázka **nebude realizována pomocí poddodavatelů.**

KOPIE POJISTNÉ SMLOUVY NEBO POJISTNÉHO CERTIFIKÁTU

NOZ V129

S-VPJA02/N



Pojistná smlouva číslo: 86027299-18
 Stav k datu 21. 6. 2017
 Kód pojištění: DPO02
 Pořadové číslo pojištění: 1

TC8958005020

02204630483230

Pojištění odpovědnosti podnikatele a právnických osob**1. Smluvní strany****Pojišťovna:**

Česká pojišťovna a.s., Spálená 75/16, 113 04, Praha 1, Česká republika, IČO 45272956, DIČ CZ699001273, zapsaná v obchodním rejstříku u Městského soudu v Praze, oddíl B, spisová značka B 1464

Pojistník, pojištěný:

Název firmy: FiveSteps s.r.o.
 IČO: 03788067

2. Smluvní ujednání

2.1. Toto pojištění je nedílnou součástí smlouvy výše uvedeného čísla.

2.2. Toto pojištění se řídí Všeobecnými pojistnými podmínkami pro pojištění majetku a odpovědnosti VPPMO-P-01/2014 (dále jen „VPPMO-P“), ujednáními v Úvodní části pojistné smlouvy a ujednáními tohoto pojištění.

3. Odpovědi pojištěného na dotazy pojišťovny

Výše příjmů, které jsou předmětem daně z příjmů, popř. předpokládané příjmy v Kč
 Máte sjednáno pojištění pro stejná pojištění nebezpečí?

1 100 000,-

NE

Je prodejna specializována na prodej potravin?

NE

Je prodejna specializována na prodej dopravních prostředků?

NE

Je prodejna specializována na prodej chemikálií, hoflavin, výbušnin, třaskavin?

NE

Je prodejna specializována na prodej drogistického zboží, kosmetiky?

NE

Je prodejna specializována na prodej elektropřístrojů, elektroniky?

NE

Je s činností spojeno provozování střediska praktického vyučování

bez právní subjektivity nebo pracoviště praktického vyučování?

NE

Prodává prodejna smíšené zboží?

NE

Je při prodeji poskytováno též občerstvení?

NE

Jsou s prodejem poskytovány drobné služby (výroba klíčů, čištění obuvi, xerox, hlídání dětí,...)?

NE

Je s činností spojeno poskytování software, poradenství v oblasti informačních technologií,

zpracování dat, hostingové a související činnosti, webové portály?

NE

4. Pojistná nebezpečí a rozsah pojištění

4.1. Pojištění se sjednává pro případ právním předpisem stanovené povinnosti pojištěného nahradit škodu či újmu při ublížení na zdraví nebo usmrcení vzniklou jinému v souvislosti s:

– činnostmi vykonávanými na základě:

výpis z veřejné části živnostenského rejstříku

Pojištění v základním rozsahu se sjednává s limitem pojistného plnění v Kč

5 000 000,-

Pojištění v základním rozsahu se sjednává s územním rozsahem

Evropa

Pojištění v základním rozsahu se sjednává se spoluúčastí v Kč

1 000,-

Pojištěný má rovněž právo, aby za něj pojišťovna zaplatila částku, kterou je pojištěný jako vlastník pozemní komunikace povinen uhradit z důvodu ručení za splnění povinnosti k náhradě škody za správce této komunikace. Tato úhrada bude poskytnuta pouze v rozsahu, v jakém by vzniklo právo na pojistné plnění v případě, že by pojištěný nepoužil služeb správce a předmětnou škodu či újmu by způsobil sám.

4.2. Nad rámec pojištění v základním rozsahu se pojištění sjednává též v rozsahu těchto doložek:

Klientský servis: +420 241 114 114, www.ceskapojistovna.cz

strana 1 z 5

**ÚVN**ÚSTŘEDNÍ VOJENSKÁ NEMOCNICE
Vojenská fakultní nemocnice PrahaPojistná smlouva č.: 86027299-18
Stav k datu 21. 6. 2017Kód pojištění: DPO02
Pořadové číslo pojištění: 1**Doložka V70 Pojištění odpovědnosti za škodu vzniklou jinak než na zdraví, poškozením, zničením, ztrátou nebo odcizením hmotné věci (čisté finanční škody)**

Odchylně od článku 22 bodu 1 VPPMO-P se ujednává, že pojištění se vztahuje na povinnost pojištěného nahradit škodu vzniklou třetí osobě jinak než při ublížení na zdraví nebo usmrcení této osoby, poškozením, zničením, ztrátou nebo odcizením hmotné věci, kterou má tato osoba ve vlastnictví nebo v užívání.

Předpokladem vzniku práva na pojistné plnění v rozsahu tohoto ujednání je, že ke vzniku škody došlo v době trvání pojištění v souvislosti s pojištěnou činností či vztahy z této činnosti vyplývajícími, a to včetně škody způsobené vadou výrobku.

Pojištění v rozsahu této doložky se však nevztahuje na povinnost nahradit škodu:

- a) vzniklou prodlením se splněním smluvní povinnosti,
- b) vzniklou schodkem na finančních hodnotách, jejichž správou byl pojištěný pověřen,
- c) vzniklou při obchodování s cennými papíry,
- d) způsobenou pojištěným jako členem statutárního orgánu nebo kontrolního orgánu jakékoliv obchodní společnosti nebo družstva,
- e) vzniklou v souvislosti s čerpáním či přípravou čerpání jakýchkoli dotací a grantů, nebo v souvislosti s organizací veřejných zakázek, zpracováním podkladů pro účast ve výběrovém řízení nebo veřejných zakázkách,
- f) vzniklou v souvislosti s vymáháním pohledávek.
- g) vzniklou v souvislosti se správou datových schránek.

Odchylně od článku 24 bodu 1 písm. d) VPPMO-P se ujednává, že pojištění v rozsahu této doložky se vztahuje i na škodu způsobenou veřejně poskytnutou informací nebo radou, která je součástí přednáškové činnosti.

Ujednává se, že pojištění čistých finančních škod v rozsahu této doložky se vztahuje i na případ finančních škod:

- nastalých v důsledku vady výrobku,
- nastalých v důsledku montáže, umístění nebo položení vadných výrobků vyrobených pojištěným,
- spočívající v nákladech na montáž, umístění nebo položení bezvadných náhradních výrobků náhradou za vadné; musí se vždy jednat o náklady vynaložené třetí osobou,
- nastalých v důsledku toho, že věc vzniklá spojením, smísením nebo zpracováním s vadným výrobkem vyrobeným pojištěným, anebo vzniklá v důsledku dalšího zpracování a opracování tohoto vadného výrobku, je vadná.

Pojištění v rozsahu doložky V70 se sjednává se sublimitem pojistného plnění v Kč

100 000,-

Pojištění v rozsahu doložky V70 se sjednává s územním rozsahem

Evropa

Pojištění v rozsahu doložky V70 se sjednává se spoluúčastí v Kč

1 000,-

Doložka V723 Pojištění odpovědnosti za škodu na pojištěným převzatých nebo užívaných hmotných movitých věcech

Odchylně od ustanovení článku 24 bodu 2 písm. a), b) VPPMO-P se ujednává, že pojištění se vztahuje na povinnost nahradit škodu na hmotných movitých věcech, které pojištěný užívá, nebo na hmotných movitých věcech převzatých pojištěným, jež mají být předmětem jeho závazku.

Pojištění v rozsahu této doložky se však nevztahuje na povinnost nahradit škody:

- a) vzniklé opotřebením, nadměrným mechanickým zatížením nebo chybnou obsluhou,
- b) vzniklé na hmotných věcech převzatých v rámci přepravních smluv,
- c) vzniklé na letadlech nebo sportovních letajících zařízeních,
- d) vzniklé na zvířatech,
- e) vzniklé na motorových vozidlech,
- f) vzniklé ztrátou nebo odcizením hmotné movité věci.

Pojištění v rozsahu doložky V723 se sjednává se sublimitem pojistného plnění v Kč

200 000,-

Pojištění v rozsahu doložky V723 se sjednává s územním rozsahem

Evropa

Pojištění v rozsahu doložky V723 se sjednává se spoluúčastí v Kč

1 000,-

Doložka V112 Pojištění náhrady za nemajetkovou újmu

Odchylně od článku 22 bodu 1 a článku 24 bodu 7 písm. b) VPPMO-P se ujednává, že pojištění se nad rámec základního rozsahu vztahuje i na povinnost pojištěného nahradit nemajetkovou újmu způsobenou zásahem do práv na ochranu osobnosti, která vznikla jinak, než při ublížení na zdraví nebo usmrcení.

Vedle výluk uvedených ve VPPMO-P se pojištění dále nevztahuje na povinnost pojištěného nahradit nemajetkovou újmu:

- a) způsobenou urážkou, pomluvou, sexuálním obtěžováním nebo zneužíváním;
- b) vzniklou zaměstnanci pojištěného.

Výluky z pojištění uvedené v článku 3 a 24 VPPMO-P platí přiměřeně i pro toto pojištění.

Pojištění v rozsahu této doložky se sjednává se sublimitem plnění 500 000 Kč, není-li dále uvedeno jinak.

4.3. Doložka V99 Pojištění odpovědnosti za škodu způsobenou na životním prostředí

Odchylně od ustanovení článku 22 bodu 2 a článku 24 bodu 3 písm. b) VPPMO-P se ujednává:

Pojištění se vztahuje na povinnost pojištěného nahradit škodu vzniklou na životním prostředí, a to v rozsahu dále uvedeném.

Předpokladem vzniku práva na pojistné plnění je, že v době trvání pojištění nastala jak škodná událost, tak první projev první škody plynoucí z této škodné události. Škodnou událostí se v tomto případě rozumí náhlá, nahodilá, mimořádná, částečně