

Nabídka JD.N 23-108



Číslo dokladu: JD.N 23-108
Referent: [REDACTED]

Datum: 29.10.2023
Datum platnosti: 15.12.2023

Dodavatel:

Pragolab s.r.o.

Nad Krocínkou 55/285
190 00 Praha 9

IČ: 48029289, DIČ: CZ48029289
Firma zapsána u Měst. soudu v Praze
oddíl C, vložka 14590
Tel: +420 284 813 020
e-mail: pragolab@pragolab.cz
Internet: www.pragolab.cz

Platební údaje:

Způsob úhrady:
Požadovaná záloha: 0,00 Kč
Úrok: 0,05
Splatnost dní: 14

Odběratel:

Parazitologický ústav AV ČR

[REDACTED]
Branišovská 1160/31
370 05 České Budějovice

IČ: 60077344, DIČ: CZ60077344
Tel: [REDACTED]
e-mail: [REDACTED]

Obchodní údaje:

Doprava: dodavatelem

FD Martin Christ Alpha 1-4LSCplus -55C /4 L with :1/ Acrylic cover with shelf below/ sealing device 120860 (in hazard box)and 2/ Sealing device with 1 WST heated shelf (120821) out of hazard box

Popis	Číslo	Množství	Cena za jedn.	Cena bez DPH	DPH	Cena celkem
XXXXX in hazard box XXXXX		0 Ks	0,00	0,00	21%	0,00
Freeze dryer Alpha 1-4 LSCplus, 230 V, 50 Hz, aircooled, refrigerator 0,51 kW, CFC and H-CFC-free refrigerant, without vacuum pump, bench top unit, integrated support plate for direct mounting of acrylic chambers or accessories with a diameter of 300 mm,	102141	1 Ks	[REDACTED]	[REDACTED]	21%	[REDACTED]
Extension unit HED-16 LSCplus for extension of controller LSCplus of Alpha 1-4 LSCplus, Alpha 2-4 LSCplus, Beta 1-8 LSCplus and Beta 2-8 LSCplus for electrical heating of shelves and incl. product sensor (part no. 124812)	125041	1 Ks	[REDACTED]	[REDACTED]	21%	[REDACTED]
Electromagnetic pressure control and stop valve, incl. standard flange connections DN 25/25 ISO-KF and connection cable, for connection into the suction pipe of the vacuum pump	125910	1 Ks	[REDACTED]	[REDACTED]	21%	[REDACTED]

Vystavil Ing. [REDACTED]

Pokračování na straně 2


Strana 1 z 3

Nabídka JD.N 23-108



Vacuum pump typ Edwards nXDS10i, suction capacity of 11,4 m ³ /h, dry-running pump of the scroll principle, achievable final end vacuum <0.01 mbar. The pump has a multi-grade motor with a voltage range 100-127V / 200-240V, 1ph 50/60 Hz. A silencer part n	125251	1 Ks	██████████	██████████ 21%	██████████	██████████
Vacuum hose incl. standard flange connections DN 25/25 ISO-KF for external connection of the vacuum pumps part no. Lenght 2 m 2125317 and 125318	125712	1 Ks	██████████	██████████ 21%	██████████	██████████
Silencer nXDS for typ Edwards nXDS 10iC, nXDS 15iC and nXDS 20iC	125257	1 Ks	██████████	██████████ 21%	██████████	██████████
Sealing device with 1 shelf O 200 mm and LyoBus-modul for freezing and drying inside the ice condenser chamber, made of aluminium, with temperature control, with product sensor for LSCplus, include acrylic lid O 300 mm optional: fan to circulate the air	120860	1 Ks	██████████	██████████ 21%	██████████	██████████
Fan to circulate the air O 200 mm in the ice condenser chamber, instead of base plate of sealing device (part no. 120860 and 120861), for freeze dryers of the Alpha- and Beta-series with LSCplus controller	120862	1 Ks	██████████	██████████ 21%	██████████	██████████
Programmer module PGM-30 for extension of controllers LSCplus for 30 individually programmable processes, control of temperature and pressure profiles as well as of individual process steps such as „freezing - main drying - final drying“, easy to operate	125099	1 Ks	██████████	██████████ 21%	██████████	██████████
Injection bottle 2 R, DIN ISO 8362-1, pack with 352 pieces, quantity may vary	127572	1 Ks	██████████	██████████ 21%	██████████	██████████
Serrated rubber stoppers, 100 pieces, for part no. 127572	127650	3 Ks	██████████	██████████ 21%	██████████	██████████
Aluminium seals, 100 pieces, for part no. 127572	127660	3 Ks	██████████	██████████ 21%	██████████	██████████
Hand crimper for part no. 127572	127670	1 Ks	██████████	██████████ 21%	██████████	██████████
XXXXX sealing device out of hazard boxXXXXX		0 Ks	██████████	██████████ 21%	██████████	██████████
WST Base plate for freeze dryers Alpha LSCplus, Beta LSCplus, Gamma LSCplus- and Delta LSCplus-series, for use external to the ice condenser chamber (double chamber - outside)	120880	1 Ks	██████████	██████████ 21%	██████████	██████████

Vystavil Ing. ██████████



Pokračování na straně 3

Strana 2 z 3

Nabídka JD.N 23-108



Sealing device with one shelf with rim, made of aluminium, diameter 250 mm, with temperature control - LyoBus-modul, capable with one shelf (part no. 120830) to max. 2 shelves, incl. one product sensor for freeze dryers Alpha, Beta, Gamma and Delta with	120821	1 Ks	██████████	██████████	21%	██████████	██████████
Shelf with rim, made of aluminium, diameter 250 mm, with LyoBus-modul, for sealing device part no. 120821 and 120841	120830	1 Ks	██████████	██████████	21%	██████████	██████████
Acrylic chamber, diameter 300 mm, internal height 295 mm, for accommodation of racks for shelves, with 12 connections for rubber valves External dimensions: O 300 mm x 335 mm height	121550	1 Ks	██████████	██████████	21%	██████████	██████████
Rubber valve for connection of vessels with DIN-internal grinding NS 29/32 or distributor part no. 121870	121860	4 Ks	██████████	██████████	21%	██████████	██████████
Stopper NS 45/40 for acrylic chambers part no. 121450, 121455, 121500, 121505, 121550, 121555 and cover part no. 121401 and 121411	121410	8 Ks	██████████	██████████	21%	██████████	██████████
Distributor with 15 connections for ampoules, for connection to manifold part no. 121226 and 121224 and to acrylic chambers in combination with rubber valve part no. 121860	121870	1 Ks	██████████	██████████	21%	██████████	██████████
Ampoule tipping torch, 2-flame	127695	1 Ks	██████████	██████████	21%	██████████	██████████
Ampoules with long neck 2 ml, diameter 12 mm, length 121 mm, 100 pieces	127502	1 Ks	██████████	██████████	21%	██████████	██████████
Phileas 15 decontamination unit H2O1	PH15	1 Ks	██████████	██████████	21%	██████████	██████████
packing and transport		1 Ks	██████████	██████████	21%	██████████	██████████
instalation		1 Ks	██████████	██████████	21%	██████████	██████████
Celkem:		39 mj		1 076 448,00		226 054,08	1 302 502,08

warranty 24 months, service authorized by M.Christ, delivery time till 8 weeks after order

V případě objednání uvádějte číslo této nabídky. Objednávku, prosím, zasílejte na pragolab@pragolab.cz.

Vystavil Ing. ██████████

