

Prodávající
Se sídlem
IČO

YOUR SYSTEM, spol. s r.o.
Tůrkova 2319/5b, 149 00 Praha 4 – Chodov
00174939

Celková cena bez DPH	835 300,00 Kč
Celková cena s DPH	1 010 713,00 Kč

Katalog DNS		Prodávající				Množství a ceny			
Číslo	Název	Výrobce	Model	Číslo modelu (Part Number)	Cena za jednotku bez DPH [Kč]	Množství [ks]	Cena za množství bez DPH [Kč]	Sazba DPH [%]	Cena za množství s DPH [Kč]
2023-NB13	Notebook 13,3"	Asus	B3402	B3402CTO		41		21	
2023-Dok	Dokovací stanice	Asus	DC300	DC300		41		21	
2023-Monitor27"	Monitor 27"	Philips	275S9JML	275S9JML/00		30		21	

číslo	2023-NB13
název	Notebook 13,3"
NIPEZ	30213100-6
Maximální předpokládaná cena (Cena za ks bez DPH)	24 800

Funkcionalita / požadované parametry závazné pro dodavatele		min. max.	Sestava NB	Sestava NB
			dotykový konvertibilní Požadované parametry	dotykový konvertibilní Asus B3402
CPU (procesor)	Passmark CPU (www.passmark.com)	min.	9000	13-1215U, 11 000 bodů
	Virtualizace procesoru a síťové karty		ano	ano
	Technologie 64 bit		ano	ano
Operační paměť	Typ	min.	DDR4	DDR4
	Celková instalovaná velikost	min.	16 GB	16 GB
BIOS/UEFI	Identifikace UEFI (Unified Extensible Firmware Interface) / BIOS musí obsahovat sériové číslo a informace o výrobci a modelu		ano	ano
	Možnost zabezpečení heslem proti neoprávněnému přístupu do UEFI/BIOS		ano	ano
	Možnost zablokování zavedení operačního systému z periferií		ano	ano
	Možnost zablokování vybraných zařízení (periferií) tak, aby s nimi nemohl pracovat OS		ano	ano
Pevný disk	SSD M2 slot	min.	500	512GB
	Rychlost čtení / zápis MB / sec	min.	1200 / 1200	1200 / 1200
Základní deska	Integrovaná síťová karta - 100/1000 Mbit/sec, RJ45 (možno použít externí redukci USB na RJ45 avšak nesmí dojít ke snížení požadovaného počtu volných USB a zachování plné funkčnosti síťového prvku), Wake on LAN, podpora 802.1X, PXE (Preboot eXecution Envir		ano	ano
		podpora práce více monitorů současně	min.	2
	Integrovaná grafická karta	rozhraní	min.	1x digitální připojení k externímu monitoru (DP/HDMI; standard/mini/micro)
	Integrovaná zvuková karta			ano
	TPM (Trusted Platform Module) chip verze TPM 2.0			ano
		USB 2.0, USB 3.0 (nebo vyšší)	min.	3
	Integrovaná konektivita	bezdrátové připojení	min.	Wireles LAN 802.11ac/a/b/g/n, BlueTooth 4.0 LE
		interní modul LTE (podpora pro 3G a 4G sítě), SIM karta není součástí dodávky	min.	ne
	vstup pro mikrofon / výstup sluchátka (může být společný)	min.	1x	
Display	Velikost úhlopříčky		min. 13,3"	14"
	LCD barevný		ano	ano
	Pracovní rozlišení bodů (Š x v)	min.	1920x1080	1920x1080
	Provedení dotykové, konvertibilní		ano	ano
Baterie	Deklarovaná výdrž baterie	min.	8 hodin	8 hodin
Skříň	Zabezpečení - slot pro mechanický bezpečnostní zámek		ano	ano
	Hmotnost, včetně hlavní baterie	max.	2 - 3kg	1,7kg

Další integrované vybavení notebooku	Klávesnice: CZ, klávesy F1-F12, české rozložení kláves,		ano	ano
	Polohový ovladač - Touch Pad s podporou vícedotykových gest, včetně levého a pravého tlačítka		ano	ano
	Webkamera s rozlišením	min.	HD	HD
	Audio: mikrofon + reproduktor (stereo)		ano	ano
	Stylus pen		ano	ano
	Dokovatelnost-USB C s podporou PD (Power Delivery)		ano	ano
Další příslušenství	Adaptér napájecí 100 - 240V, 50-60 Hz - výkon odpovídající stabilnímu chodu sestavy		ano	ano
Společné parametry				
Systémová platforma	Základní předinstalované programové vybavení (image na disku) - OS OEM MS Windows 10 Pro CZ 64 bit.		ano	ano
	Ostatní SW v ceně - instalační CD nebo DVD s ovladači a managementem na vyžádání při nákupu nebo na USB flash disku.		ne	ne
Záruka	Záruka notebooku v ČR garantovaná výrobcem dokončení opravy NBD on-site od nahlášení, ponechání vadného disku zákazníkovi.	min.	5 let	5 let
	Záruka baterie	min.	3 roky	3 roky
	Řešení závad - rozsah servisních středisek, telefonní podpora a podpora prostřednictvím Internetu: Jediné kontaktní místo pro nahlášení poruch v celé ČR, servisní střediska pokrývající celé území ČR, možnost sledování servisních reportů prostřednictvím In	min.	ano	ano
Ostatní	Zařízení musí splňovat: Nařízení Komise EU č. 617/2013 ze dne 26. června 2013, kterým se provádí směrnice Evropského parlamentu a Rady 2009/2009/125/ES, soulad s direktivou RoHS (Restriction of Use of Certain Hazardous Substances), Energy Star min. v. 6.0	min.	ano	ano
	Barva v odstínech a kombinacích barev černá, šedá, bílá, stříbrná.		ano	ano

Splnění technických parametrů prostřednictvím redukcí je možné pouze po předchozím schválení zadavatelem prostřednictvím dotazu v průběhu zadávacího řízení.


číslo	2023-Dok
název	Dokovací stanice
NIPEZ	30237000-9
Maximální předpokládaná cena (Cena za ks bez DPH)	3 306

Funkcionalita / požadované parametry závazné pro dodavatele		min. max.	Dokovací stanice NTB01	Dokovací stanice NTB01
			Požadované parametry	Asus DC300
Dokovací stanice	Připojení k notebooku prostřednictvím konektoru USB-C s Power Delivery, replikační rozhraní 3x USB 3.2 Gen1 (Type-A) + 1x USB 3.2 Gen 2 (Type-C), 2x DisplayPort pro připojení jednoho 4k monitoru + 1x HDMI, Gbit Ethernet, Wake on LAN, 1x jack 3,5mm combo, včetně napájecího adaptéru 135W	ano		Připojení k notebooku prostřednictvím konektoru USB-C s Power Delivery, replikační rozhraní 3x USB 3.2 Gen1 (Type-A) + 1x USB 3.2 Gen 2 (Type-C), 2x DisplayPort pro připojení jednoho 4k monitoru + 1x HDMI, Gbit Ethernet, Wake on LAN, 1x jack 3,5mm combo, včetně napájecího adaptéru 135W

Splnění technických parametrů prostřednictvím redukcí je možné pouze po předchozím schválení zadavatelem prostřednictvím dotazu v průběhu zadávacího řízení.

číslo	2023-Monitor27"
název	Monitor 27"
NIPEZ	30231310-3
Maximální předpokládaná cena (Cena za ks bez DPH)	3 306

Funkcionalita / požadované parametry závazné pro dodavatele	min. max.	Monitor	Monitor
		27"	27"
		Požadované parametry	Philips 275S9JML
Typ a značka			Philips 275S9JML
velikost úhlopříčky	min.	27"	27"
technologie		LCD barevný	LCD barevný
povrch displeje		matný/antireflexní	matný/antireflexní
podsvícení LED		ano	ano
pracovní rozlišení (š x v)	min.	2560 x 1440 bodů	2560 x 1440 bodů
jas [cd/m2]	min.	250	250
kontrastní poměr (typický)	min.	1000:1	1000:1
pozorovací úhel (h x v)	min.	178°x178°	178°x178°
doba odezvy	max.	5 ms	5 ms
video rozhraní (konektory)	min.	ano	ano
rozhraní USB 2.0 / 3.x	min.	2	2
výškově nastavitelný stojan		ano	ano
nastavení náklonu (předo-zadní), min. -5/+20 °	min.	ano	ano
Integrované reproduktory/podvěšené		ano	ano
otočení monitoru o +/- 90 ° (PIVOT)		ano	ano
digitální propojovací kabely pro HDMI a DisplayPort, kabel USB, napájecí kabel		ano	ano
CD nebo DVD s ovladači, managementem a příručkami na vyžádání při nákupu nebo na		ano	ano
Rozšířená servisní záruka 5 let		ano	ano
soulad s direktivou RoHS (Restriction of Use of Certain Hazardous Substances), certifikát EPEAT dle normy IEEE 1680.1:2018, úroveň Bronze nebo lepší, Energy Star min. v. 6.0.,		ano	ano



Čestné prohlášení

k veřejné zakázce zadávané na základě zavedeného DNS dle § 141 zákona č. 134/2016 Sb., o zadávání veřejných zakázek, s názvem

„DNS ICT – HZS Ústeckého kraje“

Identifikační údaje centrálního zadavatele	
Název:	Česká republika - Ministerstvo vnitra
IČO:	00007064
Sídlo:	Nad Štolou 936/3, 170 34 Praha 7
Jednající	Mgr. Lenka Přibová, ředitelka odboru veřejných zakázek
Identifikační údaje pověřujícího zadavatele	
Název:	ČR – Hasičský záchranný sbor Ústeckého kraje
IČO:	70886300
Identifikační údaje účastníka zadávacího řízení	
Obchodní firma/název:	YOUR SYSTEM, spol. s r.o.
IČO:	00174939
Sídlo:	Türkova 2319/5b, 149 00 Praha 4 – Chodov
Osoba oprávněná jednat za účastníka zadávacího řízení:	RNDr. Martin Nehasil, jednatel


1) Níže podepsaný dodavatel **tímto čestně prohlašuje**, že na smlouvě společnosti, kterou zastupují, není/nebude ruské zapojení do smluv překračujících limity stanovené v článku 5k nařízení Rady (EU) č. 833/2014 ze dne 31. července 2014, o omezujících opatřeních vzhledem k činnostem Ruska destabilizujícím situaci na Ukrajině, ve znění nařízení Rady (EU) č. 2022/576 ze dne 8. dubna 2022, v platném znění.

Zejména prohlašuji, že:

(a) dodavatel, kterého zastupuji (a žádná ze společností, které jsou členy našeho konsorcia), není ruským státním příslušníkem nebo fyzickou nebo právnickou osobou, subjektem nebo orgánem usazeným v Rusku;

(b) dodavatel, kterého zastupuji (a žádná ze společností, které jsou členy našeho konsorcia), není právnickou osobou, subjektem nebo orgánem, jejichž vlastnická práva jsou přímo nebo nepřímo vlastněna z více než 50 % subjektem uvedeným v písmenu a) tohoto odstavce;

c) ani já, ani společnost, kterou zastupuji, nejednáme jménem nebo na pokyn subjektu uvedeného v písmenech a) nebo b) výše,



včetně poddodavatelů, dodavatelů nebo subjektů, jejichž způsobilost je využívána ve smyslu směrnic o zadávání veřejných zakázek, pokud představují více než 10 % hodnoty zakázky.

2) Níže podepsaný dodavatel, jakož i osoba/osoby jednající jeho jménem **tímto čestně prohlašují**, že nejsou sankcionovanou osobou ve smyslu nařízení Rady (EU) č. 269/2014 ze dne 17. března 2014, o omezujících opatřeních vzhledem k činnostem narušujícím nebo ohrožujícím územní celistvost, svrchovanost a nezávislost Ukrajiny, v platném znění, nařízení Rady (EU) č. 208/2014 ze dne 5. března 2014, o omezujících opatřeních vůči některým osobám, subjektům a orgánům vzhledem k situaci na Ukrajině, v platném znění, nařízení Rady (ES) č. 765/2006 ze dne 18. května 2006, o omezujících opatřeních vzhledem k situaci v Bělorusku a k zapojení Běloruska do ruské agrese proti Ukrajině, v platném znění, včetně aktuálních příloh těchto všech nařízení, tj. **nenachází se na tzv. sankčních seznamech.**

Níže podepsaný dodavatel, jakož i osoba/osoby jednající jeho jménem **tímto čestně prohlašují**, že se zavazuje informovat zadavatele o změnách spočívajících ve skutečnostech uvedených v bodě 1) a 2) výše.

V V Praze dne dle el. podpisu



.....

RNDr. Martin Nehasil, jednatel

Philips Business Monitor
LCD monitor

S Line
27" (68.5 cm)
2560 x 1440 (QHD)

275S9JML



Reliable and essential

for daily efficiency

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy-on-the eyes and increase your productivity.

Great performance

- VA display delivers awesome images with wide viewing angles
- Crystalclear images with Quad HD 2560 x 1440 pixels
- SmartImage presets for easy optimized image settings

Designed for comfortable productivity

- LowBlue Mode for easy on-the-eyes productivity
- Less eye fatigue with Flicker-free technology
- EasyRead mode for a paper-like reading experience

Perfectly designed for your space

- Built-in stereo speakers for multimedia
- SmartErgoBase enables people-friendly ergonomic adjustments

Features for the way you work

- HDMI ensures universal digital connectivity
- DisplayPort connection for maximum visuals
- USB 3.2 high speed data transfer


PHILIPS

LCD monitor
S Line 27" (68.5 cm), 2560 x 1440 (QHD)

275S9JML/00


Highlights

VA display



Philips VA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

Crystalclear images



These Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, enabled by high bandwidth sources like USB-C, Displayport, HDMI, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode




Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Built-in stereo speakers



A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

SmartErgoBase



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base can swivel, tilt and rotate to various angles to ensure maximum comfort. The height adjustable stand guarantees the optimal viewing level, reducing the physical strains of a long workday, while cable management reduces cable clutter and keeps the workspace neat and professional.



Specifications

Picture/Display

- LCD panel type: VA LCD
- Backlight type: W-LED system
- Panel Size: 27 inch / 68.5 cm
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- Effective viewing area: 596.736 (H) x 335.664 (V)
- Aspect ratio: 16:9
- Maximum resolution: 2560 x 1440 @ 75 Hz*
- Pixel Density: 108.79 PPI
- Response time (typical): 4 ms (Gray to Gray)*
- Brightness: 300 cd/m²
- Contrast ratio (typical): 4000:1
- SmartContrast: 50,000,000:1
- Pixel pitch: 0.2331 x 0.2331 mm
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Flicker-free
- Picture enhancement: SmartImage
- Display colors: 16.7 M (8 bit)
- Color gamut (typical): NTSC 97%*, sRGB 119%*
- Scanning Frequency: 30 - 114 kHz (H) / 48 - 75 Hz (V)
- LowBlue Mode
- EasyRead
- sRGB
- Adaptive sync

Connectivity

- Signal Input: HDMI 1.4 x 1, DisplayPort 1.2 x 1
- HDCP: HDCP 1.4 (HDMI / DisplayPort)
- USB Hub: USB 3.2 Gen 1 / 5Gbps, USB-B upstream x 1, USB-A downstream x 2 (with 1 for fast charge B.C 1.2)
- Audio (In/Out): Audio out
- Sync Input: Separate Sync

Convenience

- Built-in Speakers: 2 W x 2
- User convenience: SmartImage/Back, Brightness/UP, Input/Down, Menu/OK, Power On/Off
- Control software: SmartControl
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount (100x100mm)
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 11 / 10 / 8.1 / 8

Stand

- Height adjustment: 130 mm
- Pivot: -/+ 90 degree
- Swivel: -/+ 180 degree
- Tilt: -5/25 degree

Power

- ECO mode: 15.0 W (typ.)
- On mode: 19.6 W (typ.) (EnergyStar test method)
- Standby mode: 0.3 W (typ.)
- Off mode: 0.3 W (typ.)
- Energy Label Class: F
- Power LED indicator: Operation - White, Standby mode- White (blinking)
- Power supply: Built-in, 100-240VAC, 50-60Hz

Dimensions

- Product with stand(max height): 613 x 525 x 205 mm
- Product without stand (mm): 613 x 367 x 56 mm
- Packaging in mm (WxHxD): 780 x 445 x 161 mm

Weight

- Product with stand (kg): 5.60 kg
- Product without stand (kg): 3.84 kg
- Product with packaging (kg): 8.20 kg

Operating conditions

- Temperature range (operation): 0°C to 40 °C
- Temperature range (storage): -20°C to 60 °C
- Relative humidity: 20%-80 %
- Altitude: Operation: +12,000ft (3,658m), Non-operation: +40,000ft (12,192m)
- MTBF: 70,000 (Excluded backlight) hour(s)

Sustainability

- Environmental and energy: EnergyStar 8.0, TCO Certified Edge, RoHS
- Recyclable packaging material: 100 %
- Post consumer recycled plastic: 85%
- Specific Substances: Mercury free, PVC / BFR free housing

Compliance and standards

- Regulatory Approvals: CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003, TUV Ergo, TUV/GS

Cabinet

- Front bezel: Black
- Rear cover: Black
- Foot: Black
- Finish: Textured

What's in the box?

- Monitor with stand
- Cables: HDMI cable, Power cable
- User Documentation



Issue date 2023-09-13

Version: 3.1.2

12 NC: 8670 001 88849
EAN: 87 12581 80116 8

© 2023 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Response time value equal to SmartResponse
* The maximum resolution works for either HDMI input or DP input.
* NTSC Area based on CIE1976
* sRGB Area based on CIE1931
* The monitor may look different from feature images.

ExpertBook B3 Flip | B3402FBA

Maximum Flexibility Anytime, Anywhere

Embracing the new normal lifestyle emerging from the coronavirus pandemic, ASUS ExpertBook B3 Flip is designed for hybrid workers and learners to flexibly and effortlessly learn and work anytime, anywhere. Its 360° flip design allows users to position it in various ways, and its handy garaged stylus makes utilization easy in different scenarios. Empowered by the two-way AI noise-cancellation technology, students and home office workers can have a distract-free environment with noise filtered from both ends. With careful consideration of health protection, it features an antibacterial guard keyboard to inhibit the growth of bacteria by over 99% over 24 hours. Thanks to the ExpertBook B3 Flip built-in 4G LTE and WiFi 6E, having safe, secure, and speedy mobile connectivity is easier than ever.



ASUS
Antibacterial
Guard



360° hinge



4G LTE*
and WiFi 6E



Garaged
stylus*



Two-way
AI noise-canceling
technology



A world-facing
camera* and an AI
noise-reducing camera



US military
grade durability



Up to 12th Gen
Intel CPU

All-round versatility

- 360° flip design with a fast-charging MPP 2.0 garaged stylus*
- An AI noise-reducing camera with a 13 MP world-facing camera*
- ASUS exclusive NumberPad 2.0*

Perfect for hybrid learning and working

- Up to 12th Gen Intel® Core™ i7 processor with Iris Xe graphics
- Up to 2 TB M.2 SSD
- Up to 32GB DDR4 SO-DIMM and 8GB onboard memory
- Up to 4G LTE* and WiFi 6E speedy connectivity
- Two-way AI noise-canceling technology with instant mute key
- A user-facing camera with 3D noise-reduction (3DNR) technology
- Full I/O ports with two Thunderbolt™ 4.0 (PD & DP), HDMI, USB Type-A, RJ45

Outstanding health protection

- ASUS Antibacterial Guard protection on the keyboard, touch pad and palm rest
- TÜV Rheinland certified eyes protection display

Enterprise-grade durability and security

- MIL-STD 810H US Military grade durability
- Spill-resistant keyboard (up to 400 cc)
- Reinforced hinge and I/O port bracket
- TPM2.0 / Kensington lock slot / Webcam shield
- Fingerprint reader / power button combo and single sign on

* Optional feature specification

Warranty and Support



3-Year global warranty
100% free of charge, with no hidden costs.



Pick Up & Return service
Enjoy a door-to-door service including pick up, repair, and return.



MyASUS App
Contact customer service, view repair status, read product guides and more.

Contact Us

Commercial Support – Contact Us

Self-service:
Phone:
Email:

Commercial Sales – Volume Purchase Inquiries

Email:
For more information:

SPECIFICATION



SPEC	B3402FBA
Operation System	Windows 11 Pro (ASUS recommends Windows 11 Pro) Windows 11 Home
CPU	Intel® Core™ i7-1255U Processor 1.7 GHz (12M Cache, up to 4.7 GHz, 10 cores) Intel® Core™ i5-1235U Processor 1.3 GHz (12M Cache, up to 4.4 GHz, 10 cores) Intel® Core™ i3-1215U Processor 1.2 GHz (10M Cache, up to 4.4 GHz, 6 cores)
GPU	Intel® Iris Xe graphics Intel® UHD graphics
Memory	1 x DDR4 SO-DIMM (max up to 32GB) 1 x Onboard memory (4GB/8GB onboard) Supports total max up to 40GB of system RAM (on board + SO-DIMM)
Storage	1 x M.2 SSD, up to 2 TB PCIe® 4.0 performance SSD 256 GB/512 GB/1TB M.2 PCIe® 4.0 Value SSD 512 GB/1TB/2TB M.2 PCIe® 4.0 Performance SSD
Display	14" FHD (1920 x 1080), IPS, 16:9, touch screen, LED backlight, 250 nits, 80% screen-to-body ratio, stylus support, 45% NTSC 14" FHD (1920 x 1080), IPS, 16:9, touch screen, wide view, LED backlight, 400 nits, 80% screen-to-body ratio, stylus support, 100% sRGB With eye-protecting technology
Stylus	MPP 2.0 garaged stylus (optional)
I/O Port	2 x Thunderbolt™4 Type-C (supports 4K display, USB PD3.0), 1 x USB 3.2 Gen2 Type-A, 1 x USB 2.0 Type-A, 1 x HDMI 2.0b, 1 x RJ45 1 x microSD card and nano SIM card combo slot (optional), 1 x 3.5 mm combo audio jack, 1 x Kensington lock slot
Video Camera	720 P HD user-facing camera, Webcam Shield; 13.0 MP world-facing camera (optional)
Wireless	Intel Wi-Fi 6 AX201 + BT 5.2 Intel Wi-Fi 6E AX211 + BT 5.2 4G LTE embedded with 4 antenna (optional)
Audio	2 x speaker 2 x multi-array microphone ASUS two-way AI Noise-Canceling Technology Cortana voice-recognition support
Weight	1.61 kg
Dimensions (WxDxH)	32.9 x 22.39 x 1.93 cm
Battery	50 Wh, 3-cell, Li-polymer
Security	Fingerprint sensor(combo power button), TPM 2.0 (optional), Webcam Shield , Kensington lock slot, BIOS Booting User Password Protection
Keyboard and touchpad	Full-size keyboard with 1.5 mm key travel, backlight (optional), spill-resistant to 400cc* *Quantity used during testing, with duration of 3 minutes *Support Customize FN+1~4 KB Cap
NumberPad 2.0	Optional
Manageability	ASUS Control Center (sold separately), ASUS Business Manager, MyASUS App
AC adapter	USB Type-C®, 65 W, Output: 20 V DC, 3.25 A, Input: 100~240 V AC 50/60 Hz universal
Energy efficiency compliance	Energy star, EPEAT Silver

Disclaimer :

ASUS Expert Series Service Package may differ from country to country. We recommend that you check with your local dealers for the specifications of the products available in your country.

Recommend Accessory



ASUS SimPro dock 2



ASUS Ultra Mini Universal Adapter



ASUS Webcam Monitor