



Pro forma invoice: 95538

Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Akademie múzických umení v Praze
Jan Krecek
Malostranské Náměstí 259/12**CZ-11800 Praha 1****Delivery address:**Akademie múzických umení v Praze
Jan Krecek
Malostranské Náměstí 259/12

CZ-11800 Praha 1

Pro forma invoice: 95538

Date: 01.12.2023

Your customer no.: 6383417

Order No.: 202348.094228 / 854Sales Person: Tomas Hartman
Telephone: 0049 9546 9223 649
Method of Shipment: Freight
Your Reference:**Your VAT No.: CZ61384984**

dodání zboží do jineho clenenskeho statu, osvobozeno od DPH

Please include your customer no.: 6383417 with payment by bank transfer!Receiver: Thomann GmbH
IBAN: CZ31 2700 0000 0013 8794 3816
BIC: BACXCZPPXXX

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	103456 Thon Economy II 2U Economy rack, 19" economy 7mm plastic case,4 snap locks, 1 carry handle, incl screws, Internal Depth: 33cm. Colour: Black,.Made in Germany	1	piece	1626,45 CZK	1.626,45 CZK
002.00	208906 Furman M-10Lx E - Power conditioner and power distribution unit with rack-light, 10 A max. power (2300 Watt), for Live-and recording application, AC noise filter, 10x rear mounted connections plus 1x front mounted connector, protection OK indicator, Voltage over-load protection, master power switch mounted on front panel, dimmable LED tubes, dimensions: 19"/1U, total depth 19 cm, weight 2,3 Kg	1	piece	4499,17 CZK	4.499,17 CZK
003.00	257869 DPA SCM0017-B, miniatur holder for 4060, 4061, 4062, 4063 and 4071, black	4	piece	323,14 CZK	1.292,56 CZK
004.00	239443 DPA VC4099, Violin holder for DPA 4099 microphone, black	1	piece	742,98 CZK	742,98 CZK
005.00	239442 DPA STC4099, Sax and Trumpet holder for DPA 4099 microphone, black	1	piece	742,98 CZK	742,98 CZK
006.00	270109 DPA DC4099 - rim clip (drums) for DPA 4099 microphone. Colour: Black	2	piece	742,98 CZK	1.485,96 CZK
007.00	239441 DPA GC4099 - guitar clip for DPA 4099 microphone. Colour: Black	1	piece	772,73 CZK	772,73 CZK

Amount carried forward : 11.162,83 CZK

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrachinfo@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: BurgebrachUst.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKBRaiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGBPostbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFFDeutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

Pos.	Article	Amount	Unit	Unit Price	Total Price
008.00	257993 DPA PC4099, Piano holder for DPA 4099 microphone, black	2	piece	742,98 CZK	1.485,96 CZK
009.00	379889 DPA CM4099, Clamp mount to fix a DPA 4099 Series microphone	2	piece	742,98 CZK	1.485,96 CZK
010.00	252937 DPA CC4099, Cello microphone holder for DPA 4099 Cello microphone, black	1	piece	742,98 CZK	742,98 CZK
011.00	252936 DPA BC4099, Bass microphone holder for DPA 4099 double bass microphone, black	1	piece	772,73 CZK	772,73 CZK
012.00	530077 DPA MS4099 - stand mount for DPA 4099 Series, 3/8" and 5/8" thread	1	piece	772,73 CZK	772,73 CZK
013.00	169000 Cordial CAI 5 black, professional instrument cable - original Neutrik NP 2 X-BAG jack plugs. CIK 122 Black cable, Length: 5m. Colour: Black. Includes Thomann cable strap tie - special Musikhaus Thomann 50th anniversary edition	6	piece	309,92 CZK	1.859,52 CZK
014.00	432496 Cordial CPM 5,0 FM 234, flexible microphone cable for stage applications, XLR fe-/male, CMK 234 cable, 0,34 mm ² / AWG 22, Conductor Resistance 58 Ohms/km, diameter 6,2 ± 0,2 mm, Neutrik NC 3 FXX / MXX BAG XLR connectors, black, length 5m	10	piece	467,77 CZK	4.677,70 CZK
015.00	432499 Cordial CPM 20 FM 234, flexible microphone cable for stage applications, XLR fe-/male, CMK 234 cable, 0,34 mm ² / AWG 22, Conductor Resistance 58 Ohms/km, diameter 6,2 ± 0,2 mm, Neutrik NC 3 FXX / MXX BAG XLR connectors, black, length 20m	10	piece	825,62 CZK	8.256,20 CZK
016.00	184049 Cordial CTM 20 FM-BK - professional microphone cable with male to female Neutrik XLR connectors. Colour: Black. Cable length: 20mtrs.	20	piece	701,65 CZK	14.033,00 CZK
017.00	157877 K&M 25910 Microphone Stand - Colour: Black	2	piece	983,47 CZK	1.966,94 CZK
018.00	156932 K&M 201A/2 Black, Mic-Stand, Basic of 210/2 und 210/9	6	piece	776,03 CZK	4.656,18 CZK

Amount carried forward : **51.872,73 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM15KB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

Pos.	Article	Amount	Unit	Unit Price	Total Price
019.00	104941 K&M 210/2 - classic mic stand with boom, heavy base, folding feet, adjustable height (90-160.5cm). boom arm 840 mm Weight: 3.18kg. Colour: Black	6	piece	1009,92 CZK	6.059,52 CZK
020.00	428493 SE Electronics SE8 Stereo Set; two SE8 Small-Diaphragm Condenser Microphones; Polar Pattern: Cardioid; Frequency range: 20 Hz - 20 kHz; Sensitivity: 25 mV/Pa (-32 dBV); Max SPL: 139 / 149 / 159 dB SPL (0/10/20 dB pad) (0.5% THD @ 1kHz); Equivalent noise level: 13 dB(A); Dynamic range: 126 / 136 / 146 dB (0/10/20 dB Attenuation pad); Signal to Noise Ratio: 81 dB; switchable Low-cut filter: 80 / 160 Hz, 6 dB/Oct; switchable Pad: 10 / 20 dB; requires 48V Phantom Power; Dimensions per Mic: 23 x 120 mm (Diameter x Length); Weight per Mic: 141g	1	piece	7519,83 CZK	7.519,83 CZK
021.00	385799 EV ND46, dynamic large diaphragm microphone for instruments, especially for Drums, Brass, Guitar- and Bass-Amps, low profile pivoting head, 70 - 18.000 Hz, 140 dB SPL max, 2,4 mV/Pascal, 350 Ohms, black die cast housing, ABS Polycarbonat, dimensions: 144,1 x 72,5 x 56 mm, weight 309g, inkl. SAND-1 microphone holder and bag	1	piece	3489,26 CZK	3.489,26 CZK
022.00	178288 Sennheiser e 906, Evolution series, dynamic instrument microphone, supercardioid, frequency response 40-18000 Hz, Sensitivity 2.2 mV / Pa @ 1 kHz, 3-position switch (Hi-Boost-Flat - Hi-Cut), specially for guitar snare drum, brass, dimensions: 55 x 34 x 134 mm, weight 140 g, including microphone clamp MZQ 100	1	piece	3672,73 CZK	3.672,73 CZK
023.00	434983 DPA 4099 Core Universal Mount - condenser clip microphone with universal holder, super-cardioid polar pattern, frequency response: 20Hz-20kHz, 2dB soft boost at 10 - 12 kHz, 142dB maximum SPL, gooseneck length 140 mm (optional extension up to 220 mm with 294624), detachable cable, length 1,8 meter, cable diameter 1,6mm (optional heavy duty cable with 2,2 mm available, art. 289926), improved shockmount for the capsule, B&K connector, includes universal holder, XLR phantom adapter DAD 6001; Suitable case: Art. 489538 (not included)	5	piece	10900,83 CZK	54.504,15 CZK
024.00	105760 Shure Beta 52A, dynamic microphone, Supercardioid, Frequency Response 20 - 10,000 Hz, Max SPL 174 dB Sensitivity -64 dBV / Pa * (0.6 mV), for example, for bass drum, bass guitar, weight 605 g, included microphone bag, 3/8 "Thread Adapter	1	piece	3793,39 CZK	3.793,39 CZK
025.00	105768 Shure SM57 LC, Dynamic Instr. microphone, cardioid, frequency response 40-15000 Hz, Max SPL: 94 dB SPL, Sensitivity -56.0 dBV / Pa * (1.6 mV), for percussion, drums, snare or electric guitar, dimensions: 157 x 32 mm, weight: 284 g, including microphone bag, microphone clamp, 3/8 "Thread Adapter, optional accessories: windscreen item number 264694, replacement grille item number 149561	2	piece	2111,57 CZK	4.223,14 CZK

Amount carried forward : **135.134,75 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Ust.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM15KB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

Pos.	Article	Amount	Unit	Unit Price	Total Price
026.00	105767 Shure SM58 LC, dynamic vocal microphone, cardioid, frequency response 50-15000 Hz, sensitivity -56 dBV / Pa (1.85 mV), suitable for vocals, dimensions: 23 x 162 x 51 mm, 298 g, including microphone bag, microphone clamp, 3/8" thread adaptor, optional accessories: windscreen item number 135783, replacement grill item number 183069	4	piece	2194,21 CZK	8.776,84 CZK
027.00	372631 Gravity BGMS 6 B, zipper bag for up to 6 microphone stands, 5mm padding, Nylon, dimensions. 1050 x 330 x 330 mm	1	piece	891,74 CZK	891,74 CZK
028.00	330504 Flyht Pro WP Safe Box 3 IP65, WP Safe Box 3. Water, dust and airtight carrying case with sturdy carrying handle, impact resistant hard plastic housing, rubber gasket, front valve for pressure equalization, solid ironing locking, convoluted foam and foam cubes stamped on the ground, can be used at temperatures of -25°C to +75°C, Dimensions (LxWxH) 330 x 280 x 120 mm, internal dimensions (LxWxH) 3298 x 218 x 95 mm, Material: Polypropylen (PP), weight 1.70 kg; Suitable flexible inlay: Art. 480977, Art. 515202 (not included)	3	piece	792,56 CZK	2.377,68 CZK
029.00	159991 Thon Cable Case 98x40x48 Wheels, External dimensions: 102.5 x 58 x 52.5cm(including wheels); internal dimensions: 98.5 x 40 x 48.5cm (WxHxD);, 2 Seperation Panels included, 2 Braked Wheels and 2 non Braked; 23,1kg.Made in Germany	1	piece	6528,10 CZK	6.528,10 CZK
030.00	463898 K&M 21316 Select, large carrying case for speaker and hand crank stands, case made of extremely durable 1680D nylon fabric, all seams hand-stitched in high quality, padded carrying handles and a durable zipper, dimensions: 1200 mm, weight: 2,1kg, colour: black	2	piece	1156,20 CZK	2.312,40 CZK
031.00	518242 Klark Teknik DN200 V2 Active DI - Two-channel DI box, Neutrik XLR/jack combo with HiZ input, stereo mini-jack input, phantom power switchable for each channel individually, sum switch routes both inputs to both outputs, split switch routes left input to both outputs, 20 dB input pad and ground lift switchable, dimensions (WxHxD): 118 x 63 x 142 mm, weight: 0.65 kg	4	piece	3672,73 CZK	14.690,92 CZK
032.00	225501 Pro Snake 88685-50 - professional CAT5E cable on Schill GT-310 cable drum with 2x RJ45 Hirose plugs with Neutrik NE8MX1 connectors.Double shielding, Length: 50m. housing shielded. Cable made by Belden, Colour: Black, made in Germany	1	piece	5233,88 CZK	5.233,88 CZK
033.00	545787 Thon Mixer case Midas M 32R PB; custom made live cover case for Midas M 32R and M 32R live; made from 7 mm polyboard plastic; 30 x 30 mm aluminium profile; with foam padding; 4 x medium spring butterfly-catches; 4 x folding handles; rounded steelcorners; 10 cm cable channel in the rearside; all ports are accessible; device to be operated in the case; external dimensions (WxDxH): 553 x 765 x 310 mm; weight: 12,3 kg; color: black; made in Germany	1	piece	6978,51 CZK	6.978,51 CZK

Amount carried forward : **182.924,82 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM15KB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

Pos.	Article	Amount	Unit	Unit Price	Total Price
034.00	104946 KM 214/6 - lightweight aluminum speaker stand with double-braced folding base. Extension tube diameter: 35mm. Height adjustable via a spring-loaded locking screw and safety bolt (1375 to 2185mm). GS approved for loads of up to 50kg. Weight: 3.5kg. Colour: Black.	4	piece	2147,93 CZK	8.591,72 CZK
035.00	174160 Thon Rack 2U ECO II - Compact 19" economy case made of super-lightweight plastic, 2U, double-door version, 20cm Internal depth, 1x cArry handle. 4 snap locks, Includes screws.External Dimensions 526 mm x 146 mm x 335 mm, Weight 3 Kg, Ideal for Radio microphone systems, Gtr Fx's uand rack tuners....Made in Germany	2	piece	1626,45 CZK	3.252,90 CZK
036.00	445021 Sennheiser HSP Essential Omni-Beige EW, professional condenser headset microphone, omni-directional, 20 - 20.000 Hz, headband size adjustable, microphone boom can be switched from left to right, 2,5 mV/Pa ± 3,5 dB, 148 dB SPL max., 1000 Ohms, EW connector, cable length 1,3m, fixed cable, weight 25g, colour beige, incl. SL MZW windscreen and soft pouch, replacement windscreen 441499, suitable transport case: 512960 (not included)	1	piece	5611,57 CZK	5.611,57 CZK
037.00	182589 DPA DAD6034 - adapter for Sennheiser EW series.	3	piece	1928,10 CZK	5.784,30 CZK
038.00	438271 Sennheiser ew 300 G4 Base SK-RC GW Band, UHF Wireless System with SK 300 G4-RC pocket transmitter with remote control and EM 300-500 G4 9,5" receiver, 88 MHz bandwidth, 20 banks with each up to 32 presets, up to 32 compatible channels, remote control and frequency management via RJ45 network connector and WSM software (Wireless System Manager), audio frequency range 25 - 18.000 Hz, infra red data and frequency transmission, pocket transmitter with charging contacts for optional BA 2015 (NiMH) rechargeable battery pack, pilotone, autotune to find free frequencies, internal EQ, 60dB Audio Gain, Soundcheck-Mode, 4-segment battery level on transmitter and receiver, HDX-Compander, frequency range GW Band 588 -626 MHz, LCD display with NF and channel, switchable transmitted power 10/30/50mW, 2 BNC antenna connectors, XLR-male balanced and jack unbalanced out, external powersupply 10,5 - 16 V DC, incl. GA 3 rackmount, powersupply NT2 and 2x AA-batteries, Please note: Due to every country having different regulations, you may need to Contact your local licensing authorities before using a wireless system.	3	piece	16685,95 CZK	50.057,85 CZK
039.00.	10 International Shipping Rate	1	piece	255,00 CZK	255,00 CZK

Amount carried forward : **256.478,16 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Page 6 of Pro forma invoice: 95538 from 01.12.2023 to Jan Krecek (customer number: 6383417)

Pos.	Article	Amount	Unit	Unit Price	Total Price
	Prevedte prosím částku na následující účet:				
	Příjemce: Thomann GmbH				
	Číslo účtu/kód banky: 1387943816/2700				
	Název banky: UniCredit Bank Czech Republic				
	Adresa banky: Zeletavská 1525/1, 14092 Praha 4				
	Reference platby/zpráva pro příjemce/variabilní symbol: zákaznické číslo a/nebo číslo objednávky				

Value of goods:	256.478,16 CZK
Value of goods for discount:	256.223,16 CZK
3,00 % Discount:	-7.686,69 CZK
Sub-total:	248.791,47 CZK

Method of payment:	
Bank transfer	248.791,47 CZK

Thank you for your purchase!

Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760