

OBJEDNÁVKA č. 10145797/750

Ze dne 14.05.2024

Odběratel-fakturační adresa

Vysoká škola báňská
Technická univerzita Ostrava
Rektorát
17. listopadu 2172/15
708 00 Ostrava-Poruba
IBAN:
SWIFT:

Dodavatel

Setcas LLC
12546 Cabezon Place
00000 San Diego, CA 92129
USA

Zboží dodejte na adresu:

Vysoká škola báňská
Technická univerzita Ostrava
Inst.env.technologií 750/9350
17. listopadu 2172/15
708 00 Ostrava-Poruba

Vyřizuje
Telefon
e-mail
Fax

Termín dodání 18.06.2024

Objednáváme na základě Vaší nabídky: QUOTATION 1551

Měna objednávky: **USD**

| Materiál | Text | Množství | Celk.bez DPH |
|----------|--|----------|--------------|
| 20000055 | 501300 DrHM Odstředivé zařízení s pumpou Zdroj: 2401 SPP: RP7504811 KW-4A Spin Coater The new KW-4A shimming machine new features: SC-550V Oil-free vacuum pum Vacuum Chuck for KW series Spin Coater Two (2) Year Full Warranty - Parts & Labor SHIPPING \$300.00 TAX 0.00 TOTAL \$2,300.00 | 1 KS | 2,300.00 |

Celková hodnota objednávky bez DPH: 2,300.00

Pokud správce daně zveřejní způsobem umožňující dálkový přístup skutečnost, že plátce (dodavatel) v den uskutečnění zdanitelného plnění je NESPOLEHLIVÝ PLÁTCE, příjemce zdanitelného plnění (odběratel) uhradí za poskytovatele zdanitelného plnění daň (DPH) na účet Finančního úřadu místně příslušného pro poskytovatele (dodavatele). Pokud příjemce (odběratel) uhradí za poskytovatele zdanitelného plnění daň Finančnímu úřadu, příjemce (odběratel) si o tuto úhradu poníží platbu faktury vůči poskytovateli (dodavateli).

Pokud správcem daně nebude zveřejněn v den úhrady faktury bankovní účet, na který příjemce zdanitelného plnění má provést úhradu faktury, příjemce zdanitelného plnění (odběratel) uhradí za poskytovatele zdanitelného plnění daň (DPH) na účet Finančního úřadu místně příslušného pro poskytovatele (dodavatele). Pokud příjemce (odběratel) uhradí za poskytovatele zdanitelného plnění daň Finančnímu úřadu, příjemce (odběratel) si o tuto úhradu poníží platbu faktury vůči poskytovateli (dodavateli).

Tato objednávka nahrazuje smlouvu

Evidenční č. smlouvy: **S951/24-9350-01**

| Příkazce operace | Správce rozpočtu | NS | SPP | Zdroj | Cena | Měna |
|------------------|------------------|----|-----------|-------|----------|------|
| | | | RP7504811 | 2401 | 2,300.00 | USD |

Schváleno:Příkazce operace
Správce rozpočtu**Datum**14.05.2024
15.05.2024**Podpis**schváleno elektronicky
schváleno elektronicky**Objednávka schválena:****15.05.2024**

Jednu kopii objednávky potvrďte a zašlete zpět na VŠB- TUO.

podpis dodavatele

Na faktuře prosím uvádějte číslo objednávky!

Setcas LLC
 12546 Cabezon Pl
 San Diego, CA 92129
 +1 8583608868
 info@setcas.us
 https://setcas.online



Quotation

ADDRESS

VSB – Technical University
 Ostrava, CEET, Institute of
 Environmental Technology
 17. listopadu 2172/15, 708 00
 Ostrava-Poruba
 Czech republic
 VAT CZ61989100

SHIP TO

VSB – Technical University
 Ostrava, CEET, Institute of
 Environmental Techncnlogy
 17. listopadu 2172/15, 708 00
 Ostrava-Poruba
 Czech republic
 VAT CZ61989100

QUOTATION # 1551

DATE 05/06/2024

EXPIRATION DATE 06/06/2024

| DATE | ACTIVITY | DESCRIPTION | QTY | RATE | AMOUNT |
|------|--------------------------|--|-----|------|-----------|
| | KW-4A Spin Coater | <p>The new KW-4A shimming machine new features:</p> <ol style="list-style-type: none"> 1. Key interlock to prevent flying. 2. The panel controls the pump switch. 3. With countdown display function. <p>Dual LED digital display with countdown display, speed stability: 1%, glue uniformity: 2%.</p> <p>Specifications:</p> <p>Spin-coater power: 100w , spin-coating uniformity: 2%, pump power: 350w, pumping speed: 30L/MIN;</p> <p>The motor is closed-loop control, there are two speed sections: high-speed range: 1000-8500rpm , low-speed range: 500-8500rpm;</p> <p>Set time of each speed section separately,time range of high-speed: 0-999s , timerange of high-speed: 0-999s;</p> <p>Motor speed stability: 1%, timing accuracy: 20ppm;</p> <p>Speed indicator range: 0-9990rpm, precision: 10rpm; Time indicator range 0-999s, precision: 20ppm;</p> <p>Voltage: AC100-240V, single phase;</p> <p>Dimensions: 215mm (W) 240mm (D) 220mm (H);</p> <p>Productweight: spin coater, 9 kg; pump, 8.5kg;</p> | | | 2,000.00T |

| DATE | ACTIVITY | DESCRIPTION | QTY | RATE | AMOUNT |
|------|---|--|-----|------|--------|
| | SC-550V Oil-free vacuum pump | Substrate size: 5mm to 100mm round, 5mm 5mm to 100mm 100mm square. Voltage/Frequencies (V/Hz) : 220V,110V / 50Hz, 60Hz Power (Watt) : 320W Max. Air Flow (m3/h) : 5.0m3/h(83L/min) Ultimate Vacuum (KPa) : -92KPa(-700mmHg) Noise Level dB(A) : 58dB(A) Insulation Class : B Dielectric Strength : 1500V/50Hz 1min (No Breakdown) Net Weight : 5.8Kg Installation Sizes : L147xW83mm(Installation hole 4-M6) Product Dimensions : 232 97 163mm Restart Pressure : 0KPa Inlet/Outlet Connections : 1/4-18FNPT or M12xP1.25 | | | 0.00T |
| | Vacuum Chuck for KW series Spin Coater | SCO-10-15 - 1 qty SCO-20-25 - 2 qty | | | 0.00T |
| | Two (2) Year Full Warranty - Parts & Labor | | | | 0.00T |

Thank you for your business!

| | |
|--------------|-------------------|
| SUBTOTAL | 2,000.00 |
| TAX | 0.00 |
| SHIPPING | 300.00 |
| TOTAL | \$2,300.00 |

Notes & Terms:

Shipment processing time: All orders are processed within 2-3 business days. Orders are not shipped or delivered on weekends or holidays. If we are experiencing a high volume of orders, shipments may be delayed by a few days. Please allow additional days in transit for delivery. If there will be a significant delay in shipment of your order, we will contact you via email or telephone.

Warranty: Two Year. Warranty is for parts and labor to cover defects in manufacturing and excludes wear and consumable items. Factory Warranty begins upon delivery date. Complete Warranty terms available upon request.

Accepted By

Accepted Date