

| | |
|--------------------------------|----------|
| Procento slevy LICENCE | LIC |
| Procento slevy PODPORA | PODP |
| Procento slevy SUBSKRIPCE | SUBS |
| Procento slevy SLUŽBY AS-FIXED | AS-FIXED |
| Procento slevy ŠKOLÍČÍ KREDIT | KREDIT |
| Procento slevy DODÁVKA HW | DHW |
| Procento slevy IMPLEMENTACE HW | IHW |

Kurz USD

0,000 Kč

| Produktové číslo | Název produktu | Sériové číslo | Způsob nabídky | Nákupní období | Jednotka nákupu | Plnění | Počet kusů | Počet jednotek | Ceníková cena za kus | Nabízená cena za kus | Nabízená cena za kus v Kč | Cena celkem bez DPH | Cena celkem bez DPH v Kč |
|---------------------------|--|---------------|----------------|----------------|-----------------|--------|------------|----------------|----------------------|----------------------|---------------------------|---------------------|--------------------------|
| C9200CX-12T-2X2G-E | Catalyst 9000 Compact Switch 12-port Data Only, Essentials | | Standard | | kus | DHW | 50 | 1 | | | | | |
| CON-SNT-C9200001 | SNTC-8X5XNBD Catalyst 9000 Compact Switch 12-port Dat | | Standard | 5 let | | PODP | 50 | 1 | | | | | |
| C9200CX-NW-E-12 | C9200CX Network Essentials, 12-port license | | Standard | | kus | LIC | 50 | 1 | | | | | |
| SCAT9200CXUK9-179 | Cisco Catalyst 9200CX XE 17.9 UNIVERSAL | | Standard | | kus | DHW | 50 | 1 | | | | | |
| C9200CX-DNA-E-12 | C9200CX Cisco DNA Essentials, 12-Port Term Licenses | | Standard | | kus | LIC | 50 | 1 | | | | | |
| C9200CX-DNAE12-5Y | C9200CX Cisco DNA Essentials, 5Y Term License, 12P | | Standard | 5 let | | SUBS | 50 | 1 | | | | | |
| NETWORK-PNP-LIC | Network Plug-n-Play Connect for zero-touch device deployment | | Standard | | kus | DHW | 50 | 1 | | | | | |
| C9K-80W-ADPT= | Power Adaptor Spare for Compact Switch, 80W | | Standard | | kus | DHW | 50 | 1 | | | | | |
| CAB-AC2E | AC Power cord Europe | | Standard | | kus | DHW | 50 | 1 | | | | | |
| C9200L-24T-4X-E | Catalyst 9200L 24-port data, 4 x 10G ,Network Essentials | | Standard | | kus | DHW | 125 | 1 | | | | | |
| CON-SNT-C920L24X | SNTC-8X5XNBD Catalyst 9200L 24-port data, 4 x 10G ,Ne | | Standard | 5 let | | PODP | 125 | 1 | | | | | |
| C9200L-NW-E-24 | C9200L Network Essentials, 24-port license | | Standard | | kus | LIC | 125 | 1 | | | | | |
| CAB-TA-EU | Europe AC Type A Power Cable | | Standard | | kus | DHW | 125 | 1 | | | | | |
| PWR-C5-BLANK | Config 5 Power Supply Blank | | Standard | | kus | DHW | 125 | 1 | | | | | |
| C9200-STACK-BLANK | Catalyst 9200 Blank Stack Module | | Standard | | kus | DHW | 250 | 1 | | | | | |
| C9200L-DNA-E-24 | C9200L Cisco DNA Essentials, 24-port Term license | | Standard | | kus | LIC | 125 | 1 | | | | | |
| C9200L-DNA-E-24-5Y | C9200L Cisco DNA Essentials, 24-port, 5 Year Term license | | Standard | 5 let | | SUBS | 125 | 1 | | | | | |
| NETWORK-PNP-LIC | Network Plug-n-Play Connect for zero-touch device deployment | | Standard | | kus | DHW | 125 | 1 | | | | | |
| C9200L-24T-4X-E | Catalyst 9200L 24-port data, 4 x 10G ,Network Essentials | | Standard | | kus | DHW | 5 | 1 | | | | | |
| CON-SNT-C920L24X | SNTC-8X5XNBD Catalyst 9200L 24-port data, 4 x 10G ,Ne | | Standard | 5 let | | PODP | 5 | 1 | | | | | |
| C9200L-NW-E-24 | C9200L Network Essentials, 24-port license | | Standard | | kus | LIC | 5 | 1 | | | | | |
| PWR-C5-125WAC/2 | 125W AC Config 5 Power Supply - Secondary Power Supply | | Standard | | kus | DHW | 5 | 1 | | | | | |
| CAB-TA-EU | Europe AC Type A Power Cable | | Standard | | kus | DHW | 10 | 1 | | | | | |
| C9200L-DNA-E-24 | C9200L Cisco DNA Essentials, 24-port Term license | | Standard | | kus | LIC | 5 | 1 | | | | | |
| C9200L-DNA-E-24-5Y | C9200L Cisco DNA Essentials, 24-port, 5 Year Term license | | Standard | 5 let | | SUBS | 5 | 1 | | | | | |

| | | | | | | |
|-----------------------|--|----------|-------|------|----|---|
| C9200L-STACK-KIT | Cisco Catalyst 9200L Stack Module | Standard | kus | DHW | 5 | 1 |
| C9200-STACK | Catalyst 9200 Stack Module | Standard | kus | DHW | 10 | 1 |
| STACK-T4-50CM | 50CM Type 4 Stacking Cable | Standard | kus | DHW | 5 | 1 |
| NETWORK-PNP-LIC | Network Plug-n-Play Connect for zero-touch device deployment | Standard | kus | DHW | 5 | 1 |
| C9300-48P-A | Catalyst 9300 48-port PoE+, Network Advantage | Standard | kus | DHW | 1 | 1 |
| CON-SNT-C93004PA | SNTC-8X5XNBD Catalyst 9300 48-port PoE+, Network Adva | Standard | 5 let | PODP | 1 | 1 |
| C9300-NW-A-48 | C9300 Network Advantage, 48-port license | Standard | kus | LIC | 1 | 1 |
| SC9300UK9-176 | Cisco Catalyst 9300 XE 17.6 UNIVERSAL UNIVERSAL | Standard | kus | DHW | 1 | 1 |
| PWR-C1-715WAC-P | 715W AC 80+ platinum Config 1 Power Supply | Standard | kus | DHW | 1 | 1 |
| PWR-C1-715WAC-P/2 | 715W AC 80+ platinum Config 1 SecondaryPower Supply | Standard | kus | DHW | 1 | 1 |
| CAB-TA-EU | Europe AC Type A Power Cable | Standard | kus | DHW | 2 | 1 |
| C9300-SSD-NONE | No SSD Card Selected | Standard | kus | DHW | 1 | 1 |
| STACK-T1-50CM | 50CM Type 1 Stacking Cable | Standard | kus | DHW | 1 | 1 |
| CAB-SPWR-30CM | Catalyst Stack Power Cable 30 CM | Standard | kus | DHW | 1 | 1 |
| TE-C9K-SW | TE agent for IOSXE on C9K | Standard | kus | DHW | 1 | 1 |
| C9300-DNA-A-48 | C9300 DNA Advantage, 48-Port Term Licenses | Standard | kus | LIC | 1 | 1 |
| C9300-DNA-A-48-5Y | C9300 DNA Advantage, 48-Port, 5 Year Term License | Standard | 5 let | SUBS | 1 | 1 |
| PI-LFAS-T | Prime Infrastructure Lifecycle & Assurance Term - Smart Lic | Standard | kus | DHW | 1 | 1 |
| PI-LFAS-AP-T-5Y | PI Dev Lic for Lifecycle & Assurance Term 5Y | Standard | 5 let | SUBS | 1 | 1 |
| D-DNAS-EXT-S-T | Cisco DNA Spaces Extend Term License for Catalyst Switches | Standard | kus | LIC | 1 | 1 |
| D-DNAS-EXT-S-5Y | Cisco DNA Spaces Extend for Catalyst Switching - 5Year | Standard | 5 let | SUBS | 1 | 1 |
| TE-EMBEDDED-T | Cisco ThousandEyes Enterprise Agent IBN Embedded | Standard | kus | DHW | 1 | 1 |
| TE-EMBEDDED-T-5Y | ThousandEyes - Enterprise Agents | Standard | 5 let | SUBS | 1 | 1 |
| C9300-NM-8X | Catalyst 9300 8 x 10GE Network Module | Standard | kus | DHW | 1 | 1 |
| NETWORK-PNP-LIC | Network Plug-n-Play Connect for zero-touch device deployment | Standard | kus | DHW | 1 | 1 |
| FPR1120-ASA-K9 | Cisco Firepower 1120 ASA Appliance, 1U | Standard | kus | DHW | 2 | 1 |
| CON-SNT-FPR1120A | SNTC-8X5XNBD Cisco Firepower 1120 ASA Appliance, 1U | Standard | 5 let | PODP | 2 | 1 |
| CAB-ACE | AC Power Cord (Europe), C13, CEE 7, 1.5M | Standard | kus | DHW | 2 | 1 |
| SF-F1KASA9.16.2-K9 | Cisco ASA 9.16.2 Software for Firepower 1000 appliances | Standard | kus | DHW | 2 | 1 |
| FPR1K-RM-SSD200- | Cisco Firepower 1K Series 200GB for FPR-1120/1140 | Standard | kus | DHW | 2 | 1 |

| | | | | | | |
|-----------------------|--|----------|-------|------|----|---|
| FPR1K-RM-ACY-KIT | Cisco Firepower 1K Series Accessory Kit for FPR-1120/1140 | Standard | kus | DHW | 2 | 1 |
| FPR1000-ASA | Cisco Firepower 1000 Standard ASA License | Standard | kus | LIC | 2 | 1 |
| FPR1010-ASA-K9 | Cisco Firepower 1010 ASA Appliance, Desktop | Standard | kus | DHW | 5 | 1 |
| CON-SNT-FPR1010A | SNTC-8X5XNBD Cisco Firepower 1010 | Standard | 5 let | PODP | 5 | 1 |
| FPR1K-DT-PWR-AC | Cisco Firepower 1K Series 115W Power Adapter for FPR-1010 | Standard | kus | DHW | 5 | 1 |
| CAB-AC-C5-EUR | AC Power Cord, Type C5, Europe | Standard | kus | DHW | 5 | 1 |
| SF-F1KASA9.16.2-K9 | Cisco ASA 9.16.2 Software for Firepower 1000 appliances | Standard | kus | DHW | 5 | 1 |
| FPR1K-DT-ACY-KIT | Cisco Firepower 1K Series Accessory Kit for FPR-1010 | Standard | kus | DHW | 5 | 1 |
| FPR1000-ASA | Cisco Firepower 1000 Standard ASA License | Standard | kus | LIC | 5 | 1 |
| SNS-3755-K9 | Medium Secure Network Server for ISE Applications | Standard | kus | DHW | 2 | 1 |
| CON-SNT-SN3755K9 | SNTC-8X5XNBD Medium Secure Network Server for ISE Ap | Standard | 5 let | PODP | 2 | 1 |
| SNS-CPU-I4316 | Intel 4316 2.3GHz/150W 20C/30MB DDR4 2667MHz | Standard | kus | DHW | 2 | 1 |
| SNS-MR-X16G1RW | 16GB RDIMM SRx4 3200 (8Gb) | Standard | kus | DHW | 12 | 1 |
| SNS-TPM-002C | TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers | Standard | kus | DHW | 2 | 1 |
| SW-37X5-ISE-K9 | Cisco ISE Software Load on SNS-36x5-K9 appliance | Standard | kus | DHW | 2 | 1 |
| SNS-RAID-220M6 | Cisco 12G SAS RAID Controller w/4GB FBWC (16 Drv) w/1U Brkt | Standard | kus | DHW | 2 | 1 |
| CAB-9K10A-EU | Power Cord, 250VAC 10A CEE 7/7 Plug, EU | Standard | kus | DHW | 4 | 1 |
| SNS-PCIE-IQ10GF | Intel X710 quad-port 10G SFP+ NIC | Standard | kus | DHW | 2 | 1 |
| SNS-SD800GS3X-EP | 800GB 2.5in Enterprise Performance 12G SAS SSD(3X endurance) | Standard | kus | DHW | 8 | 1 |
| CON-SNT-SNS9SD8G | SNTC-8X5XNBD 800GB 2.5in Enterprise Performance 12G S | Standard | 5 let | PODP | 8 | 1 |
| SNS-PSU1-1050W | 1050W power supply | Standard | kus | DHW | 4 | 1 |

\$0,00

0,00 Kč

Výsledná cena v Kč bez DPH přepočtena zadaným kursem výše pro doplnění do smlouvy

0,00 Kč

Tuto tabulku doplněnou o Vámi nabídnuté slevy a aktuální kurs USD v den vypsání minitendru **nezapomeňte přiložit k minitendru!** Slouží k přehledné kontrole dodržení Vámi nabízených slev.

Ověřovací doložka změny datového formátu dokumentu podle § 69a zákona č. 499/2004 Sb.

Doložka číslo: 4715526

Původní datový formát: application/pdf

UUID původní komponenty: 9ac4663c-52c8-4660-b34b-71b475d36356

Jméno a příjmení osoby, která změnu formátu dokumentu provedla:

System ERMS (zpracovatel dokumentu Lucie ŠVECOVÁ)

Subjekt, který změnu formátu provedl: Správa železnic, státní organizace

Datum vyhotovení ověřovací doložky: 20.06.2024 17:21:00



8354ba72-9e01-4346-a6b0-7ad427694a27