





Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY







Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY







Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY





Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY




Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY





Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy




MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY




Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY






Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy




MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY




Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY






Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY



Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY




Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY





Financováno
Evropskou unií
NextGenerationEU



Národní
plán
obnovy



MINISTERSTVO VNITRA
ČESKÉ REPUBLIKY

the 1990s, the number of people in the United States who are obese has increased by 100% (Flegal et al. 2002). In the United Kingdom, the prevalence of obesity has increased from 10% in 1980 to 15% in 1997 (Health Survey for England 1997). In the United States, the prevalence of obesity has increased from 15% in 1980 to 23% in 1994 (Flegal et al. 2002).

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a major public health problem, and it is associated with a number of health problems, including type 2 diabetes, heart disease, and stroke. It is also associated with a number of psychological problems, including depression and anxiety. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity.

The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors. Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

Obesity is a complex condition, and its aetiology is multifactorial. It is a result of an imbalance between energy intake and energy expenditure. The energy intake is determined by the amount of food and drink consumed, and the energy expenditure is determined by the amount of physical activity. The imbalance between energy intake and energy expenditure is the result of a combination of genetic, environmental, and behavioural factors.

the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported as the most common serotype in children with acute bacterial dysentery [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [13].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [14]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [15].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [16]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [17].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [18]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [19].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [20]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [21].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [22]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [23].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [24]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [25].

In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [26]. In the 1990s, *S. flexneri* was the most commonly isolated serotype from patients with acute bacterial dysentery in the United Kingdom [27].