

NABÍDKA č. 24NA264

Dodavatel: Promedeus s.r.o. Maříkova 1899/1 621 00 Brno-Řečkovice IČ: 04939948 DIČ: CZ04939948	Odběratel: IČ: 27661989 DIČ: CZ27661989 Krajská nemocnice T. Bati, a. s. Havlíčkovo nábřeží 600 762 75 Zlín Tel.: 577551111
Nabídka číslo: 24NA264 Datum zápisu: 27.06.2024 Platnost nabídky do: 27.09.2024	Konečný příjemce: Krajská nemocnice T. Bati, a. s., Odd. zdrav.techniky Havlíčkovo nábřeží 600 762 75 Zlín

Cenová nabídka Bowa ARC400

Kód a popis výrobku	Množství	Jedn.cena	Celková cena	Sleva %	Jedn. cena po slevě	Cena po slevě	DPH%	DPH	Celkem vč. DPH
900-400: Elektrochirurgický generátor ARC 400 s konektory Erbe (monopolární konektor pr. 5 mm), Přístroje Šarže nabídka	1 ks	502 085,00	502 085,00		502 085,00	502 085,00	21%	105 437,85	607 522,85
901-031: Nožní pedál - 2 pedály, s tlačítkem, kabel 4 m, Příslušenství Šarže	1 ks	60 915,00	60 915,00		60 915,00	60 915,00	21%	12 792,15	73 707,15
Součet položek CELKEM K ÚHRADĚ			563 000,00			563 000,00		118 230,00	681 230,00 681 230,00

Při objednání zboží prosím uvádějte číslo nabídky nebo nabídku přiložte k objednávce.

Vystavil: _____

V případě dotazů a reklamací kontaktujte zákaznické oddělení na telefonních číslech +420 702 248 624, +420 724 859 817 nebo emailem objednavky@promedeus.cz

Ekonomický a informační systém POHODA



Declaration of Conformity (DoC)

We

BOWA-electronic GmbH & Co. KG
Heinrich-Hertz Strasse 4-10
72810 Gomaringen / Germany
SRN manufacturer: N.N.

declare in sole responsibility that the medical device(s)

Basic UDI-DI	see attached list
CND	see attached list
Product code / REF	see attached list
Device name	see attached list (product description)
Product group(s)	see attached list (PG)
Intended purpose	Electrosurgical equipment for cutting and coagulation of tissue

to which this declaration relates is classified as **risk class IIb**, according to the rules as set out in **Annex VIII**, is in conformity with the following relevant European Union harmonization legislation:

Regulation (EU) 2017/745 relating to medical devices,

and that the device(s) is/are in conformity with the following standards and/or other normative documents

EN ISO 14971 / EN ISO 60601-1 / EN ISO 60601-2-2 / EN ISO 10993-1 / EN ISO 13485 /
DIN EN 1041

and that the following Notified Body performed the intervention as described and issued the certificate

Notified Body name	TUEV-SUED Product Service GmbH
Address	Ridlerstr. 65, 80339 München
Country	Germany
Identification number	0123
Description of intervention	Conformity assessment to Annex IX
Number certificate	G10 016316 0022 Rev. 00
Date certificate	2020-08-10
Duration and conditions of validity of the examination certificate	2025-08-09

Gomaringen, 2020-08-10

Head of Quality Management /
Regulatory Affairs

BOWA-electronic GmbH & Co. KG
Heinrich-Hertz-Strasse 4-10
72810 Gomaringen | Germany

Telefon +49 (0) 7072-6002-0
Telefax +49 (0) 7072-6002-33
info@bowa.de | bowa.de

Registergericht: Stuttgart HRA 381478
Geschäftsführer: Jens Kröber
Martin Heinrich

10.08.2020

Article list for
DoC class II

BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
K020401	ARGON GAS SURGICAL INSTRUMENTARY, SINGLE-USE				
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue		K020401		4250350186008
932-248	Flexible Argon probe, Ø 1.5 mm, 1.5 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350103586	4250350186008
932-249	Flexible Argon probe, Ø 2.3 mm, 2.2 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350103593	4250350186008
932-250	Flexible Argon probe, Ø 3.2 mm, 2.2 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350103609	4250350186008
932-251	Flexible Argon probe, Ø 1.5 mm, 3 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350103616	4250350186008
932-252	Flexible Argon probe, Ø 2.3 mm, 3 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350103623	4250350186008
932-253	Flexible Argon probe, 90°, Ø 2.3 mm, 2.2 m, single-use, sterile (10 pcs.)	10-5	K020401	04250350107508	4250350186008
K020480	ARGON GAS SURGICAL DEVICES - ACCESSORIES				
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue		K020480		4250350186015
900-901	Pressure reducer, for ARC PLUS (REF 900-000), DIN 477 no. 6	15-2	K020480	04250350103098	4250350186015
900-902	Pressure reducer, for ARC PLUS (REF 900-000), DIN 477 no. 10	15-2	K020480	04250350103104	4250350186015
900-903	Pressure reducer, for ARC PLUS (REF 900-000), CGA 580	15-2	K020480	04250350103111	4250350186015
900-904	Pressure reducer, for ARC PLUS (REF 900-001), BS 341 no. 3	15-2	K020480	04250350103128	4250350186015
900-906	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, DIN 477 no. 6	15-2	K020480	04250350108505	4250350186015
900-907	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, DIN 477 no. 10	15-2	K020480	04250350108512	4250350186015
900-908	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, CGA 580	15-2	K020480	04250350108529	4250350186015
900-909	Pressure reducer, for ARC PLUS (REF 900-001) and ARC 400, BS 341 no. 3	15-2	K020480	04250350108536	4250350186015
900-921	Pressure reducer, for ARC PLUS (REF 900-001), GOCT G34*	15-2	K020480	04250350110378	4250350186015
900-922	Pressure reducer, for ARC PLUS (REF 900-001), GOCT G34*	15-2	K020480	04250350110362	4250350186015
900-923	Pressure reducer, for ARC PLUS (REF 900-001), ISO 5145 no. 4	15-2	K020480	04250350112228	4250350186015
900-924	Pressure reducer, for ARC PLUS (REF 900-001), ISO 5145 no. 4	15-2	K020480	04250350112236	4250350186015
932-031	Rigid Argon coagulation electrode, 75 mm	10-1	K020480	04250350103395	4250350186015
932-032	Rigid Argon coagulation electrode, 150 mm	10-1	K020480	04250350103401	4250350186015
932-033	Rigid Argon coagulation electrode, 370 mm	10-1	K020480	04250350103418	4250350186015
932-035	Rigid Argon needle cutting and coagulation electrode, 100 mm	10-1	K020480	04250350109403	4250350186015
932-036	Rigid Argon needle cutting and coagulation electrode, 150 mm	10-1	K020480	04250350109410	4250350186015
932-042	Argon handle COMFORT, cable 3.5 m	10-1	K020480	04250350108338	4250350186015
932-055	Rigid Argon knife cutting and coagulation electrode, 100 mm	10-1	K020480	04250350109427	4250350186015
932-058	Rigid Argon knife cutting and coagulation electrode, 150 mm	10-1	K020480	04250350109434	4250350186015
932-059	Rigid Argon knife cutting and coagulation electrode, 370 mm	10-1	K020480	04250350109441	4250350186015
932-060	Argon coagulation electrode, bendable 170 mm	10-1	K020480	04250350110102	4250350186015
932-061	Argon coagulation electrode, bendable 250 mm	10-1	K020480	04250350110119	4250350186015
932-062	Argon coagulation electrode, bendable 370 mm	10-1	K020480	04250350110126	4250350186015
932-148	Cable for flexible Argon probe COMFORT, 2.5 m	10-2	K020480	04250350108345	4250350186015
932-148	Flexible Argon probe, Ø 1.5 mm, 1.5 m	10-2	K020480	04250350103531	4250350186015
932-149	Flexible Argon probe, Ø 2.3 mm, 2.2 m	10-2	K020480	04250350103548	4250350186015
932-150	Flexible Argon probe, Ø 3.2 mm, 2.2 m	10-2	K020480	04250350103555	4250350186015
932-151	Flexible Argon probe, Ø 1.5 mm, 3.0 m	10-2	K020480	04250350103562	4250350186015
932-152	Flexible Argon probe, Ø 2.3 mm, 3.0 m	10-2	K020480	04250350103579	4250350186015
932-153	Flexible Argon probe, 90°, Ø 2.3 mm, 2.2 m	10-2	K020480	04250350107492	4250350186015
932-154	Flexible Argon probe, Ø 2.3 mm, 1 m	10-2	K020480	04250350108352	4250350186015
L180201	SCISSORS, "OPEN SKY" ELECTROSURGICAL, REUSABLE				
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue		L180201		4250350186022
795-145	BIZZER, bipolar scissors, 145 mm, curved, needle tip	18	L180201	04250350108581	4250350186022
795-180	BIZZER, bipolar scissors, 180 mm, curved, needle tip	18	L180201	04250350108598	4250350186022
795-545	BIZZER, bip. scissors, 145 mm, curved, needle tip, COMFORT, cable 4.5m	18	L180201	04250350108604	4250350186022
795-580	BIZZER, bip. scissors, 180 mm, curved, needle tip, COMFORT, cable 4.5m	18	L180201	04250350108611	4250350186022
796-170	BIZZER, bipolar scissors, 170 mm, curved	18	L180201	04250350108628	4250350186022
796-570	BIZZER, bipolar scissors, 170 mm, curved, COMFORT, cable 4.5 m	18	L180201	04250350108635	4250350186022
797-180	BIZZER, bipolar scissors, 180 mm, curved, slight	18	L180201	04250350108642	4250350186022
797-230	BIZZER, bipolar scissors, 230 mm, curved, slight	18	L180201	04250350108659	4250350186022
797-280	BIZZER, bipolar scissors, 280 mm, curved, slight	18	L180201	04250350108666	4250350186022
797-580	BIZZER, bipolar scissors, 180 mm, curved, slight, COMFORT, cable 4.5 m	18	L180201	04250350108673	4250350186022
797-630	BIZZER, bipolar scissors, 230 mm, curved, slight, COMFORT, cable 4.5 m	18	L180201	04250350108680	4250350186022
797-680	BIZZER, bipolar scissors, 280 mm, curved, slight, COMFORT, cable 4.5 m	18	L180201	04250350108687	4250350186022
796-145	BIZZER, bipolar scissors, 145 mm, curved, fine	18	L180201	04250350108703	4250350186022
796-180	BIZZER, bipolar scissors, 180 mm, curved, fine	18	L180201	04250350108710	4250350186022

10.08.2020

**Article list for
DoC class II**
BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
798-230	BIZZER, bipolar scissors, 230 mm, curved, fine	18	L180201	04250350108727	4250350186022
798-280	BIZZER, bipolar scissors, 280 mm, curved, fine	18	L180201	04250350108734	4250350186022
798-545	BIZZER, bipolar scissors, 145 mm, curved, fine, COMFORT, cable 4.5 m	18	L180201	04250350108741	4250350186022
798-580	BIZZER, bipolar scissors, 180 mm, curved, fine, COMFORT, cable 4.5 m	18	L180201	04250350108758	4250350186022
798-630	BIZZER, bipolar scissors, 230 mm, curved, fine, COMFORT, cable 4.5 m	18	L180201	04250350108765	4250350186022
798-680	BIZZER, bipolar scissors, 280 mm, curved, fine, COMFORT, cable 4.5 m	18	L180201	04250350108772	4250350186022
L180301	HANDPIECES, "OPEN SKY" ELECTROSURGICAL, REUSABLE		L180301		4250350186039
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
100-016	Electrode handle, without switches, shaft 4 mm, for Erbe-T, 4.5 m	05	L180301	04250350100103	4250350186039
104-045	ErgoPEN slim, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	05	L180301	04250350100202	4250350186039
105-045	ErgoPEN slim, 2 switches, shaft 2.4 mm, for Erbe, cable 4.5 m	05	L180301	04250350100219	4250350186039
110-045	ErgoPEN large, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	05	L180301	04250350100233	4250350186039
112-045	ErgoPEN large, 2 switches, shaft 4 mm, for Erbe-T, cable 4.5 m	05	L180301	04250350100284	4250350186039
120-045	JackKNIFE, 2 switches, shaft 2.4 mm, for Erbe, cable 4.5 m	05	L180301	04250350100530	4250350186039
120-145	JackKNIFE, 2 switches, shaft 4 mm, for Erbe, cable 4.5 m	05	L180301	04250350100789	4250350186039
210-030	Electrode handle, without switches, shaft 4 mm, for Martin, cable 4.5 m	05	L180301	04250350100325	4250350186039
214-045	ErgoPEN slim, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	05	L180301	04250350100332	4250350186039
215-045	ErgoPEN slim, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100349	4250350186039
215-145	ErgoPEN slim, 2 switches, shaft 4 mm, COMFORT, cable 4.5 m	05	L180301	04250350100844	4250350186039
218-045	ErgoPEN slim, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100356	4250350186039
218-145	ErgoPEN slim, 2 switches, shaft 2.4 mm, COMFORT, cable 4.5 m	05	L180301	04250350100845	4250350186039
220-045	JackKNIFE, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100370	4250350186039
220-145	JackKNIFE, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100387	4250350186039
220-245	JackKNIFE, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	05	L180301	04250350100523	4250350186039
220-345	JackKNIFE ARC 100, shaft 2.4 mm with cable for bipolar forceps 4 m	05	L180301	04250350110010	4250350186039
227-045	ErgoPEN large, 2 switches, shaft 4 mm, for Martin, cable 4.5 m	05	L180301	04250350100400	4250350186039
322-045	ErgoPEN large, 2 switches, shaft 4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100547	4250350186039
327-045	ErgoPEN large, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m	05	L180301	04250350100554	4250350186039
330-030	Electrode handle, without switches, shaft 4 mm, for 8 mm, cable 4.5 m	05	L180301	04250350100561	4250350186039
335-030	Electrode handle, without switches, shaft 2.4 mm, 8 mm Bovie, cable 4.5 m	05	L180301	04250350100592	
L180401	FORCEPS, "OPEN SKY" ELECTROSURGICAL, REUSABLE		L180401		4250350186046
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
605-001	Bipolar forceps, angled, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350101681	4250350186046
605-002	Bipolar forceps, bayonet, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350101698	4250350186046
605-007	Bipolar forceps, angled, 195 mm, 8 mm x 2 mm	04-4	L180401	04250350101704	4250350186046
605-011	Bipolar forceps, straight, 160 mm, 6 mm x needle	04-4	L180401	04250350101711	4250350186046
605-013	Bipolar forceps, angled, 160 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101728	4250350186046
605-014	Bipolar forceps, angled, 160 mm, 6 mm x 1 mm	04-4	L180401	04250350101735	4250350186046
605-018	Bipolar forceps, bayonet, 165 mm, 6 mm x 1 mm	04-4	L180401	04250350101742	4250350186046
605-019	Bipolar forceps, straight, 110 mm, 6 mm x needle	04-4	L180401	04250350101759	4250350186046
605-020	Bipolar forceps, straight, 110 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101786	4250350186046
605-021	Bipolar forceps, angled, 110 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101773	4250350186046
605-022	Bipolar forceps, angled, 110 mm, 6 mm x needle	04-4	L180401	04250350101780	4250350186046
605-023	Bipolar forceps, angled, 110 mm, 6 mm x 1 mm	04-4	L180401	04250350101797	4250350186046
605-024	Bipolar forceps, angled, 220 mm, 8 mm x 1 mm	04-4	L180401	04250350101803	4250350186046
605-027	Bipolar forceps, straight, 160 mm, 8 mm x 2 mm	04-4	L180401	04250350101803	4250350186046
605-029	Bipolar forceps, straight, 195 mm, 8 mm x 2 mm	04-4	L180401	04250350101810	4250350186046
605-030	Bipolar forceps, straight, 220 mm, 8 mm x 2 mm	04-4	L180401	04250350101827	4250350186046
605-031	Bipolar forceps, bayonet, 220 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101834	4250350186046
605-033	Bipolar forceps, bayonet, 165 mm, 8 mm x 0.5 mm	04-4	L180401	04250350104933	4250350186046
605-034	Bipolar forceps, bayonet, 195 mm, 8 mm x 2 mm	04-4	L180401	04250350101841	4250350186046
605-036	Bipolar forceps, angled, 160 mm, 8 mm x needle	04-4	L180401	04250350101858	4250350186046
605-038	Bipolar forceps, straight, 160 mm, 8 mm x 1 mm	04-4	L180401	04250350101865	4250350186046
605-040	Bipolar forceps, straight, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350101872	4250350186046
605-041	Bipolar forceps, straight, 220 mm, 8 mm x 1 mm	04-4	L180401	04250350101889	4250350186046
605-057	Bipolar forceps, straight, 195 mm, 8 mm x 2 mm, square rille	04-4	L180401	04250350101896	4250350186046
605-058	Bipolar forceps, angled, 195 mm, 8 mm x 2 mm, square rille	04-4	L180401	04250350101902	4250350186046
605-059	Bipolar forceps, bayonet, 195 mm, 8 mm x 2 mm, square rille	04-4	L180401	04250350103975	4250350186046
605-063	Bipolar forceps, bayonet, angled, 220 mm, 6 mm x 1 mm	04-4	L180401	04250350101919	4250350186046
605-070	Bipolar forceps, straight, 300 mm, 8 mm x 2 mm	04-4	L180401	04250350101926	4250350186046

10.08.2020

Article list for
DoC class II

BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
605-080	Bipolar forceps, straight, 270 mm, 8 mm x 2 mm				
607-001	Bipolar forceps, NON-Stick-Gold, angled, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350103692	4250350186046
607-002	Bipolar forceps, NON-Stick-Gold, bayonet, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350101933	4250350186046
607-007	Bipolar forceps, NON-Stick-Gold, angled, 195 mm, 8 mm x 2 mm	04-4	L180401	04250350101940	4250350186046
607-014	Bipolar forceps, NON-Stick-Gold, angled, 160 mm, 6 mm x 1 mm	04-4	L180401	04250350101957	4250350186046
607-020	Bipolar forceps, NON-Stick-Gold, straight, 110 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101964	4250350186046
607-021	Bipolar forceps, NON-Stick-Gold, angled, 110 mm, 6 mm x 0.5 mm	04-4	L180401	04250350101971	4250350186046
607-027	Bipolar forceps, NON-Stick-Gold, straight, 160 mm, 8 mm x 2 mm	04-4	L180401	04250350105061	4250350186046
607-029	Bipolar forceps, NON-Stick-Gold, straight, 195 mm, 8 mm x 2 mm	04-4	L180401	04250350101988	4250350186046
607-030	Bipolar forceps, NON-Stick-Gold, straight, 220 mm, 8 mm x 2 mm	04-4	L180401	04250350101995	4250350186046
607-039	Bipolar forceps, NON-Stick-Gold, straight, 160 mm, 8 mm x 1 mm	04-4	L180401	04250350102008	4250350186046
607-040	Bipolar forceps, NON-Stick-Gold, straight, 195 mm, 8 mm x 1 mm	04-4	L180401	04250350102015	4250350186046
607-080	Bipolar forceps, NON-Stick-Gold, straight, 270 mm, 8 mm x 2 mm	04-4	L180401	04250350102022	4250350186046
607-100	Bipo. forceps, NON-Stick-Gold, bayonet, 160 mm, 0.3 mm	04-4	L180401	04250350102039	4250350186046
607-101	Bipolar forceps, NON-Stick-Gold, bayonet, 180 mm, 0.3 mm	04-4	L180401	04250350103093	4250350186046
607-102	Bipolar forceps, NON-Stick-Gold, bayonet, 200 mm, 0.3 mm	04-4	L180401	04250350104009	4250350186046
607-103	Bipolar forceps, NON-Stick-Gold, bayonet, 220 mm, 0.3 mm	04-4	L180401	04250350104016	4250350186046
607-105	Bipo. forceps, NON-Stick-Gold, bayonet, 160 mm, 0.6 mm	04-4	L180401	04250350104023	4250350186046
607-106	Bipo. forceps, NON-Stick-Gold, bayonet, 180 mm, 0.6 mm	04-4	L180401	04250350104030	4250350186046
607-107	Bipo. forceps, NON-Stick-Gold, bayonet, 200 mm, 0.6 mm	04-4	L180401	04250350104047	4250350186046
607-108	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 0.6 mm	04-4	L180401	04250350104054	4250350186046
607-110	Bipolar forceps, NON-Stick-Gold, bayonet, 180 mm, 1.0 mm	04-4	L180401	04250350110461	4250350186046
607-111	Bipolar forceps, NON-Stick-Gold, bayonet, 200 mm, 1.0 mm	04-4	L180401	04250350110478	4250350186046
607-112	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 1 mm	04-4	L180401	04250350110485	4250350186046
607-113	Bipo. forceps, NON-Stick-Gold, bayonet, 240 mm, 1 mm	04-4	L180401	04250350110492	4250350186046
607-115	Bipo. forceps, NON-Stick-Gold, bayonet, 200 mm, 2 mm	04-4	L180401	04250350110508	4250350186046
607-116	Bipo. forceps, NON-Stick-Gold, bayonet, 220 mm, 2 mm	04-4	L180401	04250350110515	4250350186046
607-120	Bipo. forceps, NON-Stick-Gold, bayonet, angled up, 200 mm, 1 mm	04-4	L180401	04250350110522	4250350186046
607-121	Bipo. forceps, NON-Stick-Gold, bayonet, angled up, 220 mm, 1 mm	04-4	L180401	04250350110539	4250350186046
607-122	Bipo. forceps, NON-Stick-Gold, bayonet, angled down, 200 mm, 1 mm	04-4	L180401	04250350110546	4250350186046
607-123	Bipo. forceps, NON-Stick-Gold, bayonet, angled down, 220 mm, 1 mm	04-4	L180401	04250350110553	4250350186046
607-130	Bipolar forceps, NON-Stick-Gold, straight, 220 mm, 0.3 mm	04-4	L180401	04250350110560	4250350186046
607-140	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 0.3 mm	04-4	L180401	04250350110577	4250350186046
607-141	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 0.3 mm	04-4	L180401	04250350110584	4250350186046
607-145	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 0.6 mm	04-4	L180401	04250350110591	4250350186046
607-146	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 0.6 mm	04-4	L180401	04250350110607	4250350186046
607-147	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 225 mm, 0.6 mm	04-4	L180401	04250350110614	4250350186046
607-150	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 180 mm, 1 mm	04-4	L180401	04250350110621	4250350186046
607-151	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 200 mm, 1 mm	04-4	L180401	04250350110638	4250350186046
607-152	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 225 mm, 1 mm	04-4	L180401	04250350110645	4250350186046
607-153	Bipo. forceps, NON-Stick-Gold, round handle, bayonet, 250 mm, 1 mm	04-4	L180401	04250350110652	4250350186046
607-170	Bipo. forceps, NON-Stick-Gold, round handle, straight, 155 mm, 0.3 mm	04-4	L180401	04250350110676	4250350186046
607-171	Bipo. forceps, NON-Stick-Gold, round handle, straight, 180 mm, 0.3 mm	04-4	L180401	04250350110683	4250350186046
607-175	Bipo. forceps, NON-Stick-Gold, round handle, straight, 155 mm, 0.6 mm	04-4	L180401	04250350110690	4250350186046
607-176	Bipo. forceps, NON-Stick-Gold, round handle, straight, 180 mm, 0.6 mm	04-4	L180401	04250350110706	4250350186046
607-177	Bipo. forceps, NON-Stick-Gold, round handle, straight, 200 mm, 0.6 mm	04-4	L180401	04250350110713	4250350186046
607-180	Bipo. forceps, NON-Stick-Gold, round handle, straight, 225 mm, 1 mm	04-4	L180401	04250350110720	4250350186046
607-181	Bipo. forceps, NON-Stick-Gold, round handle, straight, 200 mm, 1 mm	04-4	L180401	04250350110737	4250350186046
607-182	Bipo. forceps, NON-Stick-Gold, round handle, straight, 225 mm, 1 mm	04-4	L180401	04250350110744	4250350186046
607-185	Bipo. forceps, NON-Stick-Gold, round handle, straight, 200 mm, 2 mm	04-4	L180401	04250350110751	4250350186046
607-186	Bipo. forceps, NON-Stick-Gold, round handle, angled, 225 mm, 1.0 mm	04-4	L180401	04250350110768	4250350186046
607-190	Bipolar forceps, NON-Stick-Gold, round handle, angled, 225 mm, 1.0 mm	04-4	L180401	04250350110775	4250350186046
610-016	Monopolar forceps, bayonet, 195 mm, 8 mm x 2 mm	04-5	L180401	04250350104187	4250350186046
610-017	Monopolar forceps, straight, 195 mm, 8 mm x 1 mm	04-5	L180401	04250350102046	4250350186046
610-018	Monopolar forceps, straight, 220 mm, 8 mm x 2 mm	04-5	L180401	04250350102053	4250350186046
610-019	Monopolar forceps, straight, 220 mm, 8 mm x 1 mm	04-5	L180401	04250350102060	4250350186046
610-021	Monopolar forceps, straight, 270 mm, 8 mm x 2 mm	04-5	L180401	04250350102077	4250350186046
612-018	Monopolar forceps, anatomic, 180 mm, 18 mm x 2 mm	04-5	L180401	04250350102084	4250350186046
612-021	Monopolar forceps, anatomic, 200 mm, 18 mm x 2.2 mm	04-5	L180401	04250350102090	4250350186046
612-025	Monopolar forceps, anatomic, 250 mm, 18 mm x 2.4 mm	04-5	L180401	04250350102107	4250350186046
612-118	Monopolar forceps, surgical, 180 mm, 18 mm x 2 mm	04-5	L180401	04250350102114	4250350186046

10.08.2020

**Article list for
DoC class II**
BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
612-121	Monopolar forceps, surgical, 200 mm, 18 mm x 2.2 mm	04-5	L180401	04250350102138	4250350186046
612-125	Monopolar forceps, surgical, 250 mm, 18 mm x 2.4 mm	04-5	L180401	04250350102145	4250350186046
760-119	TissueSeal PLUS, 190 mm	16-1	L180401	04250350105450	4250350186046
760-123	TissueSeal PLUS, 230 mm	16-1	L180401	04250350105467	4250350186046
760-128	TissueSeal PLUS, 280 mm	16-1	L180401	04250350105474	4250350186046
760-216	TissueSeal PLUS COMFORT, 160 mm, cable 4.5 m	16-1	L180401	04250350108406	4250350186046
760-219	TissueSeal PLUS COMFORT, 190 mm, cable 4.5 m	16-1	L180401	04250350107676	4250350186046
760-223	TissueSeal PLUS COMFORT, 230 mm, cable 4.5 m	16-1	L180401	04250350107683	4250350186046
760-228	TissueSeal PLUS COMFORT, 280 mm, cable 4.5 m	16-1	L180401	04250350107690	4250350186046
760-319	TissueSeal handle, COMFORT 190 mm, cable 4.5 m	16-1	L180401	04250350108376	4250350186046
760-323	TissueSeal handle, COMFORT 230 mm, cable 4.5 m	16-1	L180401	04250350108383	4250350186046
760-328	TissueSeal handle, COMFORT 280 mm, cable 4.5 m	16-1	L180401	04250350108390	4250350186046
L180402	FORCEPS, ELECTROSURGICAL ENDOTHERAPY, REUSABLE		L180402		4250350186053
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
720-000	ErgoLAP MONOPOLAR, handle	12	L180402	04250350102244	4250350186053
721-301	ErgoLAP MONOPOLAR, jaw, forceps, 360 mm	12	L180402	04250350102251	4250350186053
721-302	ErgoLAP MONOPOLAR, jaw, DeBakey, 360 mm	12	L180402	04250350102268	4250350186053
721-303	ErgoLAP MONOPOLAR, jaw, Babcock, 360 mm	12	L180402	04250350102275	4250350186053
721-304	ErgoLAP MONOPOLAR, jaw, Metzenbaum, 360 mm	12	L180402	04250350102282	4250350186053
721-306	ErgoLAP MONOPOLAR, jaw, hook scissors, 360 mm	12	L180402	04250350102299	4250350186053
721-307	ErgoLAP MONOPOLAR, jaw, Dorsey, 360 mm	12	L180402	04250350102305	4250350186053
721-308	ErgoLAP MONOPOLAR, jaw, Fundus, 360 mm	12	L180402	04250350102312	4250350186053
721-309	ErgoLAP MONOPOLAR, jaw, Maryland, 360 mm	12	L180402	04250350102329	4250350186053
721-310	ErgoLAP MONOPOLAR, jaw, Alligator, 360 mm	12	L180402	04250350102336	4250350186053
722-530	ErgoLAP MONOPOLAR, shaft tube, 360 mm	12	L180402	04250350102343	4250350186053
736-005	ErgoLAP MONO, handle, shaft tube, sealing spare parts, 360 mm	12	L180402	04250350102381	4250350186053
741-100	ERGO 320R, handle, COMFORT, cable, 4.5 m	11-1	L180402	04250350110896	4250350186053
741-101	ERGO 320R, handle	11-1	L180402	04250350110904	4250350186053
741-234	ERGO 320R, shaft tube, ø 5 mm, 340 mm	11-1	L180402	04250350110928	4250350186053
741-812	ERGO 320R Set, atraumatic grasping forceps, 340 mm, COMFORT	11-1	L180402	04250350111222	4250350186053
741-814	ERGO 320R Set, atraumatic grasping forceps, 340 mm	11-1	L180402	04250350111280	4250350186053
741-822	ERGO 320R Set, grasping forceps, fenestrated, curved, 340 mm, COMFORT	11-1	L180402	04250350111239	4250350186053
741-823	ERGO 320R Set, grasping forceps, fenestrated, curved, 340 mm	11-1	L180402	04250350111277	4250350186053
741-827	ERGO 320R Set, grasping forceps with 2x3 teeth, 340 mm, COMFORT	11-1	L180402	04250350111475	4250350186053
741-828	ERGO 320R Set, grasping forceps with 2x3 teeth, 340 mm	11-1	L180402	04250350111482	4250350186053
741-832	ERGO 320R Set, Metzenbaum scissors, 340 mm, COMFORT	11-1	L180402	04250350111246	4250350186053
741-833	ERGO 320R Set, Metzenbaum scissors, 340 mm	11-1	L180402	04250350111284	4250350186053
741-842	ERGO 320R Set, Maryland dissector, 340 mm, COMFORT	11-1	L180402	04250350111253	4250350186053
741-843	ERGO 320R Set, Maryland dissector, 340 mm	11-1	L180402	04250350111291	4250350186053
742-106	ERGO 325R, handle, rotatable, with lock	11-1	L180402	04250350110911	4250350186053
742-234	ERGO 325R, shaft tube, ø 5 mm, 340 mm	11-1	L180402	04250350110935	4250350186053
742-310	ERGO 320R/325R, jaw atraumatic grasping forceps, fenestrated, 340 mm	11-1	L180402	04250350110935	4250350186053
742-320	ERGO 320R/325R, jaw grasping forceps, fenestrated, curved, 340 mm	11-1	L180402	04250350110942	4250350186053
742-330	ERGO 320R/325R, jaw Metzenbaum scissors, 340 mm	11-1	L180402	04250350110959	4250350186053
742-340	ERGO 320R/325R, jaw Maryland dissector, 340 mm	11-1	L180402	04250350110966	4250350186053
742-350	ERGO 320R/325R, jaw grasping forceps with 2x3 teeth, 340 mm	11-1	L180402	04250350110973	4250350186053
742-816	ERGO 325R Set, atraumatic grasping forceps, 340 mm, rotatable, with lock	11-1	L180402	04250350111307	4250350186053
742-826	ERGO 325R Set, grasp. forceps, fenest., curved, 340 mm, rotatable, with lock	11-1	L180402	04250350111314	4250350186053
742-829	ERGO 325R Set, grasp. forceps with 2x3 teeth, 340 mm, rotatable, with lock	11-1	L180402	04250350111499	4250350186053
742-836	ERGO 325R Set, Metzenbaum scissors, 340 mm, rotatable, with lock	11-1	L180402	04250350111321	4250350186053
742-846	ERGO 325R Set, Maryland dissector, 340 mm, rotatable, with lock	11-1	L180402	04250350111338	4250350186053
744-100	ERGO 335R, handle, COMFORT, cable, 4.5 m	11-1	L180402	04250350111093	4250350186053
744-101	ERGO 335R, handle	11-1	L180402	04250350111109	4250350186053
744-220	ERGO 335R, shaft tube, ø 3 mm, 290 mm	11-1	L180402	04250350111123	4250350186053
744-229	ERGO 335R, shaft tube, ø 3 mm, 290 mm	11-1	L180402	04250350111116	4250350186053
744-312	ERGO 335R, jaw atraumatic grasping forceps, fenestrated, 290 mm	11-1	L180402	04250350111161	4250350186053
744-313	ERGO 335R, jaw atraumatic grasping forceps, fenestrated, 290 mm	11-1	L180402	04250350111154	4250350186053
744-342	ERGO 335R, jaw Maryland dissector, 290 mm	11-1	L180402	04250350111147	4250350186053
744-343	ERGO 335R, jaw Maryland dissector, 290 mm	11-1	L180402	04250350111130	4250350186053
744-812	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 290 mm, COMFORT	11-1	L180402	04250350111408	4250350186053
744-813	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 290 mm, COMFORT	11-1	L180402	04250350111413	4250350186053

10.08.2020

Article list for
DoC class II

BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
744-815	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 290 mm	11-1	L180402	04250350111444	4250350186053
744-816	ERGO 335R Set, atraumatic grasping forceps, ø 3 mm, 200 mm	11-1	L180402	04250350111451	4250350186053
744-844	ERGO 335R Set, Maryland dissector, ø 3 mm, 290 mm, COMFORT	11-1	L180402	04250350111383	4250350186053
744-845	ERGO 335R Set, Maryland dissector, ø 3 mm, 200 mm, COMFORT	11-1	L180402	04250350111390	4250350186053
744-847	ERGO 335R Set, Maryland dissector, ø 3 mm, 290 mm	11-1	L180402	04250350111420	4250350186053
744-848	ERGO 335R Set, Maryland dissector, ø 3 mm, 200 mm	11-1	L180402	04250350111437	4250350186053
750-000	ErgoLAP BIPOLAR, handle	11	L180402	04250350102398	4250350186053
750-033	ErgoLAP BIPOLAR, handle, shaft tube, sealing spare parts, 330 mm	11	L180402	04250350102411	4250350186053
751-033	ErgoLAP BIPOLAR, jaw, Hirsch, 330 mm	11	L180402	04250350102428	4250350186053
752-033	ErgoLAP BIPOLAR, jaw, Kleppinger, 330 mm	11	L180402	04250350102435	4250350186053
753-033	ErgoLAP BIPOLAR, jaw, tweezers, 330 mm	11	L180402	04250350102442	4250350186053
754-033	ErgoLAP BIPOLAR, jaw, micro-tweezers, 330 mm	11	L180402	04250350102459	4250350186053
755-033	ErgoLAP BIPOLAR, outer shaft tube, 330 mm	11	L180402	04250350102466	4250350186053
756-033	ErgoLAP BIPOLAR, inner shaft tube, 330 mm	11	L180402	04250350102473	4250350186053
760-033	ErgoLAP BIPOLAR, jaw, NON-Stick CUT, knife-shaped, 330 mm	11	L180402	04250350102510	4250350186053
761-033	ErgoLAP BIPOLAR, jaw, NON-Stick CUT, wedge-shaped, 330 mm	11	L180402	04250350102527	4250350186053
770-000	NightKNIFE + LIGATOR, handle, COMFORT, cable 4.5 m	16-2	L180402	04250350102534	4250350186053
770-036	LIGATOR, handle, shaft tube, sealing spare parts, 360 mm, COMFORT	16-2	L180402	04250350102541	4250350186053
770-201	NightKNIFE set, exchangeable knife, 200 mm, COMFORT	16-3	L180402	04250350105160	4250350186053
770-211	LIGATOR, shaft tube, 110 mm	16-2	L180402	04250350102558	4250350186053
770-236	LIGATOR, shaft tube, 360 mm	16-2	L180402	04250350102565	4250350186053
770-301	NightKNIFE set, exchangeable knife, 360 mm, COMFORT	16-3	L180402	04250350102572	4250350186053
770-320	NightKNIFE, shaft tube, 200 mm	16-3	L180402	04250350104026	4250350186053
770-336	NightKNIFE, shaft tube, 360 mm	16-3	L180402	04250350102589	4250350186053
770-502	ERGO 315R 275 mm	16-3	L180402	04250350110812	4250350186053
770-503	ERGO 315R 360 mm	16-3	L180402	04250350110829	4250350186053
770-510	ERGO 315R, handle	16-3	L180402	04250350110133	4250350186053
770-522	ERGO 315R, jaw 275mm	16-3	L180402	04250350110140	4250350186053
770-523	ERGO 315R, jaw 360mm	16-3	L180402	04250350110157	4250350186053
770-532	ERGO 315R, push rod 275mm	16-3	L180402	04250350110164	4250350186053
770-533	ERGO 315R, push rod 360mm	16-3	L180402	04250350110171	4250350186053
770-542	ERGO 315R, blade rod 275mm	16-3	L180402	04250350110188	4250350186053
770-543	ERGO 315R, blade rod 360mm	16-3	L180402	04250350110195	4250350186053
770-552	ERGO 315R Set 275 mm	16-3	L180402	04250350110836	4250350186053
770-553	ERGO 315R Set 360 mm	16-3	L180402	04250350110843	4250350186053
770-999	NightKNIFE, blade (5 pcs.)	16-3	L180402	04250350105191	4250350186053
771-011	LIGATOR, jaw, straight, 110 mm	16-2	L180402	04250350102596	4250350186053
771-036	LIGATOR, jaw, straight, 360 mm	16-2	L180402	04250350102602	4250350186053
771-121	NightKNIFE, jaw, exchangeable knife, 200 mm	16-3	L180402	04250350105184	4250350186053
771-137	NightKNIFE, jaw, exchangeable knife, 360 mm	16-3	L180402	04250350105177	4250350186053
772-011	LIGATOR, jaw, Maryland, 110 mm	16-2	L180402	04250350102628	4250350186053
772-036	LIGATOR, jaw, Maryland, 360 mm	16-2	L180402	04250350102633	4250350186053
773-001	NightKNIFE + LIGATOR set, exchangeable knife, COMFORT	16-3	L180402	04250350105207	4250350186053
L180601	ELECTRODES, "OPEN SKY" ELECTROSURGICAL, REUSABLE		L180601		4250350186060
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
500-000	Electrode container, 12 standard electrodes, shaft 4 mm				
500-007	Knife electrode, straight, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100912	4250350186060
500-008	Knife electrode, angled, rhombic, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100929	4250350186060
500-009	Knife electrode, straight, rhombic, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100936	4250350186060
500-011	Needle electrode, straight, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100943	4250350186060
500-014	Wire loop electrode, Ø 5 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100950	4250350186060
500-015	Wire loop electrode, Ø 10 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100967	4250350186060
500-016	Wire loop electrode, Ø 14 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100974	4250350186060
500-017	Ribbon loop electrode, Ø 10 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100981	4250350186060
500-018	Ribbon loop electrode, Ø 17 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350100988	4250350186060
500-019	Ball electrode, straight, Ø 1.5 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350110003	4250350186060
500-020	Ball electrode, straight, Ø 2 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101018	4250350186060
500-021	Ball electrode, straight, Ø 4 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101025	4250350186060
500-022	Ball electrode, straight, Ø 6 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101032	4250350186060
500-023	Plate electrode, Ø x 10 mm, shaft 4 mm	04-1	L180601	04250350101049	4250350186060
500-024	Plate electrode, straight, 10 x 15 mm, shaft 4 mm	04-1	L180601	04250350101056	4250350186060
		04-1	L180601	04250350101063	4250350186060

10.08.2020

**Article list for
DoC class II**
BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
500-112	Micro needle electrode, tungsten wire, straight, shaft 4 mm	04-1	L180601	04250350101070	4250350186060
500-113	Micro needle electrode, tungsten wire, angled, shaft 4 mm	04-1	L180601	04250350101087	4250350186060
500-124	Needle electrode, 45° angled, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101094	4250350186060
500-125	Lancet electrode, angled, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101100	4250350186060
500-126	Lancet electrode, straight, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101117	4250350186060
500-127	Knife electrode, thin, straight, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101124	4250350186060
500-129	Ball electrode, angled, Ø 1.5 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101131	4250350186060
500-130	Ball electrode, angled, Ø 2 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101148	4250350186060
500-131	Ball electrode, angled, Ø 4 mm, shaft 4 mm (5 pcs.)	04-1	L180601	04250350101155	4250350186060
500-150	Electrode extension, 172 mm, shaft 4 mm	04-1	L180601	04250350101162	4250350186060
510-108	Needle electrode, arthroscopy, 90° angled, 1.5 x 0.8 mm	04-1	L180601	04250350101179	4250350186060
510-109	Needle electrode, arthroscopy, 90° angled, 4 x 0.8 mm	04-1	L180601	04250350101186	4250350186060
510-110	Knife electrode, arthroscopy, 45° angled, 4 x 1.5 mm	04-1	L180601	04250350101193	4250350186060
510-112	Keying electrode, arthroscopy, 90° angled, 3 x 1.5 mm	04-1	L180601	04250350101209	4250350186060
520-027	Needle electrode, straight, 136 mm, insulated shaft 4 mm	04-1	L180601	04250350101216	4250350186060
520-028	Knife electrode, straight, 154 mm, insulated shaft 4 mm	04-1	L180601	04250350101223	4250350186060
520-029	Ball electrode, straight, Ø 4 mm, 122 mm, insulated shaft 4 mm	04-1	L180601	04250350101230	4250350186060
520-030	Ball electrode, straight, Ø 6 mm, 124 mm, insulated shaft 4 mm	04-1	L180601	04250350101247	4250350186060
520-031	Wire loop electrode, straight, Ø 5 mm, 123 mm, insulated shaft 4 mm	04-1	L180601	04250350101261	4250350186060
520-032	Wire loop electrode, straight, Ø 10 mm, 128 mm, insulated shaft 4 mm	04-1	L180601	04250350101278	4250350186060
520-035	Ball electrode, angled, Ø 6 mm, 124 mm, insulated shaft 4 mm	04-1	L180601	04250350101285	4250350186060
520-122	Needle electrode, angled, 132 mm, insulated shaft 4 mm	04-1	L180601	04250350101292	4250350186060
520-123	Knife electrode, angled, rhombic, 142 mm, insulated shaft 4 mm	04-1	L180601	04250350101308	4250350186060
520-124	Knife electrode, straight, rhombic, 142 mm, insulated shaft 4 mm	04-1	L180601	04250350101315	4250350186060
520-132	Loop electrode, 20 x 20 mm, 138 mm, insulated shaft 4 mm	04-1	L180601	04250350101322	4250350186060
520-133	Loop electrode, 20 x 15 mm, 133 mm, insulated shaft 4 mm	04-1	L180601	04250350101339	4250350186060
520-134	Loop electrode, 10 x 10 mm, 128 mm, insulated shaft 4 mm	04-1	L180601	04250350109519	4250350186060
520-135	Loop electrode, 15 x 15 mm, 133 mm, insulated shaft 4 mm	04-1	L180601	04250350109526	4250350186060
520-136	Loop electrode, 25 x 25 mm, 143 mm, insulated shaft 4 mm	04-1	L180601	04250350101346	4250350186060
530-000	Electrode container, 12 standard electrodes, shaft 2.4 mm	04-1	L180601	04250350101353	4250350186060
530-008	Knife electrode, angled, rhombic, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101360	4250350186060
530-009	Knife electrode, straight, rhombic, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101377	4250350186060
530-012	Micro needle electrode, tungsten wire, straight, shaft 2.4 mm	04-1	L180601	04250350101384	4250350186060
530-013	Micro needle electrode, tungsten wire, angled, shaft 2.4 mm	04-1	L180601	04250350101391	4250350186060
530-014	Wire loop electrode, Ø 5 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101407	4250350186060
530-015	Wire loop electrode, Ø 10 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101414	4250350186060
530-016	Wire loop electrode, Ø 14 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101421	4250350186060
530-017	Ribbon loop electrode, Ø 2 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101438	4250350186060
530-020	Ball electrode, straight, Ø 2 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101445	4250350186060
530-021	Ball electrode, straight, Ø 4 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101452	4250350186060
530-022	Ball electrode, straight, Ø 6 mm, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101469	4250350186060
530-027	Needle electrode, straight, 140 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101476	4250350186060
530-028	Knife electrode, straight, 152 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101483	4250350186060
530-029	Ball electrode, Ø 4 mm, 126 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101490	4250350186060
530-030	Ball electrode, Ø 6 mm, 128 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101506	4250350186060
530-032	Wire loop electrode, Ø 10 mm, 132 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101513	4250350186060
530-035	Ball electrode, d=6 mm, angled, 128 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101520	4250350186060
530-070	Electrode extension, 105 mm, shaft 2.4 mm	04-1	L180601	04250350101537	4250350186060
530-122	Needle electrode, angled, 136 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101544	4250350186060
530-123	Knife electrode, angled, rhombic, 146 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101551	4250350186060
530-124	Needle electrode, angled, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101568	4250350186060
530-125	Lancet electrode, angled, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101575	4250350186060
530-126	Lancet electrode, straight, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101582	4250350186060
530-127	Knife electrode, thin, straight, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101599	4250350186060
530-130	Ball electrode, Ø 2 mm, angled, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101605	4250350186060
530-132	Loop electrode, 20 x 20 mm, 142 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101612	4250350186060
530-133	Loop electrode, 20 x 15 mm, 137 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101629	4250350186060
530-134	Loop electrode, 10 x 10 mm, 132 mm, insulated shaft 2.4 mm	04-1	L180601	04250350109533	4250350186060
530-135	Loop electrode, 15 x 15 mm, 137 mm, insulated shaft 2.4 mm	04-1	L180601	04250350109540	4250350186060
530-136	Loop electrode, 25 x 25 mm, 147 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101636	4250350186060
530-150	Electrode extension, 175 mm, shaft 2.4 mm	04-1	L180601	04250350101643	4250350186060
530-207	Knife electrode, straight, shaft 2.4 mm (5 pcs.)	04-1	L180601		

10.08.2020

**Article list for
DoC class II**
BOWA
EINFACH SICHER

REF	Product description	PG	CND	UDI	Basic UDI-DI
530-211	Needle electrode, straight, shaft 2.4 mm (5 pcs.)	04-1	L180601	04250350101650	4250350186060
530-224	Knife electrode, rhombic, 146 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101667	4250350186060
530-225	Needle electrode ENT, angled, 124 mm, insulated shaft 2.4 mm	04-1	L180601	04250350101674	4250350186060
L180602	ELECTRODES, ELECTROSURGICAL ENDOTHERAPY, REUSABLE		L180602		4250350186077
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
700-003	LAP electrode, spatula, 360 mm	04-6	L180602	04250350102152	4250350186077
700-004	LAP electrode, strong hook, 360 mm	04-6	L180602	04250350102169	4250350186077
700-005	LAP electrode, thin hook, 360 mm	04-6	L180602	04250350102176	4250350186077
700-006	LAP electrode, needle, 360 mm	04-6	L180602	04250350102189	4250350186077
710-003	LAP electrode, spatula, suction / irrigation tube, sealing cap, 360 mm	04-6	L180602	04250350102206	4250350186077
710-004	LAP electr., strong hook, suct. / irrigation tube, sealing cap, 360 mm	04-6	L180602	04250350102213	4250350186077
710-005	LAP electr., thin hook, suction / irrigation tube, sealing cap, 360 mm	04-6	L180602	04250350102220	4250350186077
710-006	LAP electrode, needle, suction / irrigation tube, sealing cap, 360 mm	04-6	L180602	04250350102237	4250350186077
Z120109	ELECTROSURGERY INSTRUMENTS		Z120109		4250350186084
Intended Purpose	Electrosurgical equipment for cutting and coagulation of tissue				
040-400	Generator trunk, for BOWA ARC (without generator)	26	Z120109	04250350108031	4250350186084
040-402	Argon trunk for ARC PLUS (without argon unit)	26	Z120109	04250350108840	4250350186084
358-245	ERGO 315R, cable with handswitch	01	Z120109	04250350110218	4250350186084
745-100	Trocar sleeve, metal tube, smooth, insufflation stopcock, ø 3.4 mm, 100mm	19	Z120109	04250350111178	4250350186084
745-200	Trocar, pyramid-shaped, 145 mm	19	Z120109	04250350111185	4250350186084
900-000	ARC PLUS Argon coagulation unit for ARC 250 / 303	15-1	Z120109	04250350102961	4250350186084
900-001	ARC PLUS Argon coagulation unit, for ARC 400 / 350 (REF 900-351)	15-1	Z120109	04250350108369	4250350186084
900-100	Electrosurgical unit ARC 100	14-6	Z120109	04250350110027	4250350186084
900-250	Electrosurgical unit ARC 250	14-5	Z120109	04250350105412	4250350186084
900-303	Electrosurgical unit ARC 303	14-5	Z120109	04250350105429	4250350186084
900-350	Electrosurgical unit ARC 350 (REF 900-350)	14-1	Z120109	04250350103036	4250350186084
900-351	Electrosurgical unit ARC 350 (REF 900-351)	14-3	Z120109	04250350108574	4250350186084
900-400	Electrosurgical unit ARC 400	14-3	Z120109	04250350105566	4250350186084
900-600	ARC Energy System	14-4	Z120109	04250350112601	4250350186084
901-011	Single-pedal footswitch, with switch, cable 4 m	14-2	Z120109	04250350103197	4250350186084
901-012	Single-pedal footswitch for ARC 100, cable 4 m	14-2	Z120109	04250350109946	4250350186084
901-021	Double-pedal footswitch, cable 4 m	14-2	Z120109	04250350103203	4250350186084
901-022	Double-pedal footswitch for ARC 250 / 303, cable 4 m	14-2	Z120109	04250350110386	4250350186084
901-031	Double-pedal footswitch with switch, cable 4 m	14-2	Z120109	04250350103210	4250350186084
901-032	Double-pedal footswitch with switch and clip, cable 4 m	14-2	Z120109	04250350107638	4250350186084
901-124	Accessory set, 2.4 mm	19	Z120109	04250350103241	4250350186084
901-126	ARC 100 accessory set, 2.4 mm	19	Z120109	04250350109953	4250350186084
901-140	Accessory set, 4 mm	19	Z120109	04250350103258	4250350186084

