



Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

**Základní umelecká škola Josefa
Labitzkého Becov nad Teplou, p.o., ICO: 63554453
Školní 338**

CZ-364 64 Becov nad Teplou**Delivery address:**

Základní umelecká škola
[REDACTED]
Školní 338

CZ-364 64 Becov nad Teplou

Invoice Nr.: 76533397

Date: 24.09.2024

Your customer no.: 19611267

Order No.:**202439.110369 / 1703**

Sales Person:

Telephone:

Method of Shipment:

UPS

Your Reference:

Please include your customer no.: 19611267 with payment by bank transfer!

Receiver: Thomann GmbH

IBAN: CZ31 2700 0000 0013 8794 3816

BIC: BACXCZPPXXX

Pos.	Article	Amount	Unit	Unit Price	Total Price
001.00	495865	1	piece	63,00 CZK	63,00 CZK
	the sssnake Cable Label Holder Set Small - cable marker, cable tie assembly, included: 10x cable label holder transparent 40x20mm, 10x paper label white and 10x cable tie transparent 4x200mm				
002.00	161394	2	piece	659,00 CZK	1.318,00 CZK
	Daddario PW-GS-10 handle cable, length 3m, 2 straight Stereo jack plugs, 24 carat gold coating, Premium quality, for, balanced				
003.00	445170	1	piece	425,00 CZK	425,00 CZK
	Sommer Cable Stage 22 SGHN RD 5,0m, Stage 22 Highlex microphone cable for stage and studio applications, 2x 0,22 mm ² (AWG 24), Hicon HI-X3CM - HI-X3CF connectors, PVC outer jacket with 6,4mm diameter, colour red, length 5m				
004.00	199094	2	piece	244,00 CZK	488,00 CZK
	Cordial CFM 3 MV high quality audio cable - balanced 1/4" jack to balanced male XLR, 2x 0.20mm?, Neutrik/Rean-Stecker gold plated connectors (REAN is a registered trademark of Neutrik AG). Colour: Black. Cable length: 3 mtrs.				

Amount carried forward : **2.294,00 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760



Pos.	Article	Amount	Unit	Unit Price	Total Price
005.00	445174	1	piece	425,00 CZK	425,00 CZK
Sommer Cable Stage 22 SGHN BL 5,0m, Stage 22 Highlex microphone cable for stage and studio applications, 2x 0,22 mm ² (AWG 24), Hicon HI-X3CM - HI-X3CF connectors, PVC outer jacket with 6,4mm diameter, colour blue, length 5m					
006.00	468427	1	piece	10090,00 CZK	10.090,00 CZK
Focusrite Scarlett 18i20 3rd Gen; 18-Channel USB2.0 Audiointerface with USB-C Connector; 24-Bit / 192 kHz; 8 Scarlett Mic-Preamps; +48V Phantom Power; switchable Air-Function; build-in Microphone for Talkback-Feature; Pad-Switch; Connections: 8x Mic-/Line-Input XLR/6.3 mm Jack Combo balanced (2x Instrument Input Support), 10x Line-Output 6.3 mm Jack balanced, 2x Stereo Headphone-Out 6.3 mm Jack, S/PDIF I/O coax, 2x ADAT I/O, MIDI I/O, USB-C Connector; incl. USB-Cable (Type C to A) and Hitmaker Expansion Software Bundle (Ableton Live Lite, 3 months Splice Sounds membership and Plugin Bundle for songwriting, mixing and mastering), Pro Tools Artist (three-month subscription), Avid Complete Plugin Bundle, Hitmaker extension plugins: LANDR - AI-based Mastering-Tool (two-month subscription), Softube Marshall Silver Jubilee 2555 - Amp Sim; XLN Audio Addictive Keys Studio Grand Piano - Virtual Keyboard Instruments; XLN Audio Addictive Drums 2: Studio Rock - Virtual Drum Library; Antares Auto-Tune Access - Vocals; Brainworx Bx_console Focusrite SC - Channel Strip; Focusrite Red 2 & 3 Plug-in Suite - EQ and Compressor; Relab's LX480 Essentials - Reverb, Native Instruments MASSIVE, FAST Balancer; for PC/Mac; Housing: 19" 1U (removeable rack ears); Dimensions: 482.6 x 46.6 x 259.8 mm (WxHxD); Weight: 3.19 kg					
007.00	166130	1	piece	1998,00 CZK	1.998,00 CZK
Littlite 18 XR 3 LED 497146 18"/45cm, XLR direct connection for XLR D-3-f socket, 90° degrees					
008.00	479532	1	piece	1059,00 CZK	1.059,00 CZK
Thomann Mixer Bag X-Touch; Bag suitable for Behringer X-Touch; Fleece lining with foam padding; Outer material: 600 Cordura (robust, abrasion-resistant, nylon); removable shoulder strap; Handle; Exterior dimensions: 480 x 330 x 133 mm; Interior dimensions: 450 x 300 x 103 mm; Color: Black					
Amount carried forward :					15.866,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
009.00	368658	1	piece	12690,00 CZK	12.690,00 CZK
Behringer X-Touch, Universal DAW Remote Controller for Studio and Live applications, Supports HUI and Mackie Control protocols for seamless integration with every compatible music production software, 9 fully automated and touch-sensitive 100 mm motorized faders, 8 dynamic LCD Scribble Strips for instant overview of track names and parameters, Ethernet interface for RTP (Real-Time Protocol) MIDI and future BEHRINGER X32 remote control, 8 rotary controls with LED-collars for on-the-fly adjustments of your favorite parameters, 92 dedicated illuminated buttons for direct access of key functions, 8-segment LED meters per channel for precise level control, Large jog/shuttle wheel and tape-style transport controls for intuitive operation, Built-in 2x2 USB/MIDI interface for direct connection to Mac* or PC computers and one external MIDI device, 2 dedicated footswitch connectors and one foot controller input for external remote control, 2-port powered multi-TT USB hub for connecting additional controllers, Planet Earth" switching power supply for maximum flexibility (100 - 240 V~) and low power consumption for energy saving; Dimensions(H xWxD): 100 x 452 x 301 mm; Gewicht: 4,3 kg; suitable bag: Art. 479532, suitable case: Art. 330507 (not included)					
010.00	436481	1	piece	26190,00 CZK	26.190,00 CZK
Sennheiser ew IEM G4 A-Band, Evolution Wireless In Ear System comprising UHF Bodypack receiver (EK IEM G4), 9,5" Transmitter (SR IEM G4) and IE4 Earphones, Stereo- / Focus- / Mono - Mode, up to 1680 frequencies in 42 MHz bandwidth, 20 channel banks with each up to 16 Presets, up to 16 compatible systems, audio frequency range 25 - 15.000 Hz, infra red data and frequency transmission, pocket receiver with charging contacts for optional Akku BA 2015 (NiMH), Pilotone, autotune to find free frequencies, OLED Display with NF and channel, 3,5mm stereo jack connector for earphones, adjustable Limiter, switchable transmitted power 10/30/50 mW, WSM-Support (Ethernet-connector for Frequency Management), adjustable 6,3mm headphones connector on the receiver, 1 BNC antenna connector, 2x jack/XLR female balanced combi connectors, powersupply 10,5 - 16 V DC, incl. powersupply NT 2-3 CW, 1x Earphones IE 4, 2x 1,5 V battery, Rackkit GA 3, frequency range A-Band 516 - 558 MHz. Please note: Due to every country having different regulations, you may need to Contact your local licensing authorities before using a wireless system.					
011.00	103554	1	piece	1477,00 CZK	1.477,00 CZK
Thon Rack Drawer 2U, 19"/2U, Steel, black powder coating, 2/3 extension ball race drawer slides, Ball race drawer slides, max. load capacity 25 kg, Material thickness 1,2 mm, dimensions interior (HxWxD) 75 x 401 x 377 mm, exterior (HxWxD) 2 HE x 434 x 392 mm, weight 7,9 Kg					

Amount carried forward : 56.223,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
012.00	557852 Black Lion Audio PG-1 Type F MKII; power conditioner; total of eight switchable, filtered and surge protected outputs; two filtered outputs, one 3-pin XLR lamp connector and one USB-A charging socket at the front; six filtered outputs at the rear, two of which are time-delayed for high current components (e.g. amplifiers or active speakers); outputs individually optimized for digital or analog devices and high current components; LED indicators for input voltage level, grounding, polarity, noise filtering, and AC voltage and surge protection; sequenced on and off modes; audible and visual warning signals; surge energy rating: 2775 joules; Connections: EU Schuko type F combination plugs, ground clamp and power connector; Voltage: 230V AC; maximum load: 10A; design: 19" 1U; dimensions (W x H x D): 438 x 44 x 250mm; weight: 4,2kg	1	piece	10790,00 CZK	10.790,00 CZK
014.00	409196 Roland CB-BSPD-SX Sampling Pad Bag, material: 600D Polyester, fleece interior and thick foam padding, suitable for Roland SPD-SX, outside pocket for various accessories and sheet music, carry handle and shoulder strap,	1	piece	1999,00 CZK	1.999,00 CZK
015.00	552267 Roland SPD-SX PRO Sampling Pad Bundle bestehend aus	1	piece	22666,00 CZK	22.666,00 CZK
015.01	414579 Millenium Percussion Pad Stand, stand for Roland and Alesis Percussion Pads, height adjustable from 69cm - 105 cm, double-braced, mounting plate angle adjustable	1	piece	0,00 CZK	0,00 CZK
015.02	551308 Roland SPD-SX PRO Sampling Pad, 9 pads; over 1550 samples and sounds; 43 deletable preset kits and 157 user kits; 32 GB internal storage for samples, backing tracks and click tracks; import of 48/44.1 kHz (16-/24-/32-bit) WAV/AIFF files and MP3s (32-320 kbps) with automatic conversion to 48 kHz/16-bit; 4.3" colour display; up to four parallel effects; plus side-chain with output routing; 16-step pad sequencer; metronome; real-time WAV recording; increased shoulder pad sensitivity and improved crosstalk performance; 2x 6.3mm jack master out (balanced); 4x 6.3mm jack direct out (balanced, freely assignable); 1x 6.3mm stereo jack headphone output; 1x 6.3mm stereo jack line input with own volume control; 4x 6.3mm stereo jack trigger inputs for up to eight external individual triggers or pads; 1x 6.3mm jack connector for hi-hat controller or expression pedal; 1x 6.3mm jack for single or double foot switch; dedicated SPD-SX PRO app for Windows/Mac for easy importing, sample management and deep kit editing, Dimensions: 360mm x 330mm x 93mm (WxDxH), Weight: 3kg, including power supply,	1	piece	0,00 CZK	0,00 CZK

Amount carried forward : 91.678,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
018.00	342	1	piece	3999,00 CZK	3.999,00 CZK

Please note: Position 013.00 (FLYHT PRO L-RACK 6U/7U SF LAPTOP) has already been charged. 1 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.

The following items will be dispatched automatically as soon as they are back in stock:

013.00	392449	1	piece	0,00 CZK	0,00 CZK
--------	--------	---	-------	----------	----------

Flyht Pro L-Rack 6U/7U SF Laptop; 6HE/7HE L-rack with service flap and laptop shelf; Material: black coated 10 mm multiplex; split lid for front and top; 4x butterfly clasp; 2x folding handle; 8x ball corner; service flap with butterfly closure; Usable length rack rail top: 340 mm; Distance rack rail to top shelf: 45 mm; usable length Rack rail front: 175 mm (with stabilizer) / 260 mm (without stabilizer); Installation depth rack rail front: 485 mm; Dimensions Laptop shelf WxD: 510 x 280 mm; External dimensions WxHxD: 580 x 430 x 635 mm; weight: 21 kg

Value of goods: 95.677,00 CZK

Net amount: 79.071,90 CZK

21,00% Vat.: 16.605,10 CZK

Total amount: 95.677,00 CZK

Method of payment:

Visa Card 95.677,00 CZK

Thank you for your purchase!

Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Participation in the OSS procedure.

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760