				Obj	ednávka č.	<i>250</i>	10188		
Odběratel:	Ústav experimentální botaniky AV Rozvojová 263 165 02 PRAHA 6 - LYSOLAJE	v. i.		PID: Smlouva:					
	IČ: 61389030 DIČ: CZ61389030			P	Číslo účtu: eněžní ústav:				
Konečný příjer	nce:		Dodavatel: IČ:		DIČ:				
_	rimentální botaniky		ELVESYS	S SAS	S				
Akademie v d eské republiky v. v. i. Rozvojová 263			Comptabilité fournisseurs 172 Rue de Charonne Bâtiment B2, 2 ème étage 75011 Paris France						
E-mail:@ueb.ca Tel.:	s.cz Mobil:			31.12.2025					
	stav experimentální botaniky				Termín dodá	L	27.03.2025		
Způsob dopravy Dodací podmínk					Forma úhra Termín úhra	•	Příkazem		
Zpráva pro doda	vatele:						_		
DODEJTE	E :								
DODEJTE Položkový r									
Položkový r Položka	ozpis:		Množství	MJ	Cena/MJ s DPH		Celkem s DPH		
Položkový r Položka KIT COMPRE BAR 230V/50I	ozpis: SSOR PRESSURE 8 HZ		1,00	ks	1 714,88		1 714,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON	ozpis: SSOR PRESSURE 8 HZ ND PACKING -						1 714,88 EUR 450,00 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I	ozpis: SSOR PRESSURE 8 HZ ND PACKING -		1,00	ks	1 714,88		1 714,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem:	ozpis: SSOR PRESSURE 8 HZ ND PACKING -		1,00	ks	1 714,88		1 714,88 EUR 450,00 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem:	ssor pressure 8 HZ ND PACKING - PALLET uná cena celkem (s DPH):		1,00	ks	1 714,88		1 714,88 EUR 450,00 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav	ssor pressure 8 HZ ND PACKING - PALLET uná cena celkem (s DPH):		1,00	ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil:	ssor pressure 8 HZ ND PACKING - PALLET uná cena celkem (s DPH):		1,00	ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje	ssor pressure 8 HZ ND PACKING - PALLET uná cena celkem (s DPH):		1,00	ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025	Akce:	1,00 1,00 Objednávka:	ks ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin	Akce:	1,00 1,00 Objednávka:	ks ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin E MIMOROZPOČTOVÉ	Akce:	1,00 1,00 Objednávka: 233330 Fendr	ks ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L TA: 120 - HČ	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin MIMOROZPOČTOVÉ	Akce:	1,00 1,00 Objednávka: 233330 Fendr Částka:	ks ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L TA: 120 - HČ Příkazce opera Schválil dne: 1	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin MIMOROZPOČTOVÉ	Akce:	1,00 1,00 Objednávka: 233330 Fendr Částka: Správce rozp	ks ks	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L TA: 120 - HČ Příkazce opera Schválil dne: 1	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin MIMOROZPOČTOVÉ ace: 13.03.2025		1,00 1,00 1,00 Objednávka: 233330 Fendr Částka: Správce rozp Schválil dne:	136 ych očtu: 13.03.	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L TA: 120 - HČ Příkazce opera Schválil dne: 1	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin i MIMOROZPOČTOVÉ ace: 3.03.2025 Laboratoř dynamiky morfogeneze rostlin		1,00 1,00 1,00 Objednávka: 233330 Fendr Částka: Správce rozp Schválil dne: Objednávka:	136 ych očtu: 13.03.	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR dpis KP: 0030 27 071,83 CZK		
Položkový r Položka KIT COMPRE BAR 230V/50I SHIPMENT A EUROPE- ON Celkem: Předpokláda Datum vystav Vystavil: Zdroje NS: 280133 L TA: 120 - HČ Příkazce opera Schválil dne: 1	SSOR PRESSURE 8 HZ ND PACKING - PALLET Iná cena celkem (s DPH): vení: 13.03.2025 Laboratoř dynamiky morfogeneze rostlin i MIMOROZPOČTOVÉ ace: 3.03.2025 Laboratoř dynamiky morfogeneze rostlin i INSTITUCIONÁLNÍ		1,00 1,00 1,00 Objednávka: 233330 Fendr Částka: Správce rozp Schválil dne: Objednávka: 805133 režie	ks ks ks 136 ych očtu: 13.03.	1 714,88 450,00		1 714,88 EUR 450,00 EUR 2 164,88 EUR 2 164,88 EUR KP: 0030 27 071,83 CZK		



BILLING ADDRESS: CONTACT:

ELVESYS
Comptabilité fournisseurs
172 Rue de Charonne
Bâtiment B2, 2 ème étage
75011 Paris
France

VAT No. FR19531301174 **EORI:** FR53130117400037

SHIPPING ADDRESS:

ELVESYS SAS 172 Rue de Charonne Bâtiment B2, 2 ème étage 75011 Paris France INVOICE ADDRESS:

CHARLES UNIVERSITY FACULTY OF SCIENCE Albertov 6 128 00 PRAGUE 2 Czech Republic

VAT No. CZ00216208

DELIVERY ADDRESS:

n/a

QUOTE REFERENCE: BRIKOVA-94885-83294

Paris - March 4, 2025

YOUR CONTACT:

@elvesys.com Tel: +33(0)1.84.16.38.07

Quote Reference :94885-83294

COSTS AND TIMESCALE



DESIGNATION	REF.	QTY	UNIT PRICE (excl.tax)	DSCT (%)	TOTAL (excl.tax)		
KIT COMPRESSOR PRESSURE BAR 230V/50HZ	8 PVS-P-02-230	1	1,864.00€	8 %	1,714.88 €		
Version 230V/50Hz Kit includes: Compressor Unit • Filter $5\mu m$ • Filter $0.01 \mu m$ • Pneumatic Fittings Specs: Noise Level 35 dB(A) • Max Pressure 120 psig (8 bar) • Tank Size 1.1 gal (4 litres) • Displacement (50 Hz) 0.6 cfm (17 l/min) • Dimensions (1 x w x h) $382 \times 300 \times 334$ mm / 15×11 $6/8 \times 13$ $1/8$ inch HS CODE [84148022]							
Kit includes: Compressor Unit • Filter 5µm • Specs: Noise Level 35 dB(A) • Max Pressur Dimensions (I x w x h) 382 x 300 x 334 mm	e 120 psig (8 bar) • Tank Siz		itres) • Displacement (50) Hz) 0.6 cfm (17 l/min) •		

Quote Reference: 94885-83294

TOTAL QUOTATION



TOTAL exclude tax 2.164.88 €

TAX RATE 0 %

TOTAL TAX 0.00 €

GRAND TOTAL incl. tax 2.164.88 €

QUOTE REFERENCE:

The quote is valid for 1 month (valid until: April 04, 2025) Shipping time (depending of the date of the purchase order): 3 weeks

YOUR CONTACT:

@elvesys.com Tel: +33(0)1.84.16.38.07

PAYMENT TERMS

Delivery terms: DAP-Delivered at place

Custom fees are not included and are supported by the customer. Delivery times are indicative and apply after the receipt of a valid purchase order. Delivery date are liable to change in function of the availability of items in stocks.

A quote is valid for 1 month.

No parts will be delivered until a valid purchase order has been placed with ELVESYS. Payment by bank transfer:

Beneficiary name: ELVESYS
RIB: 30004 00969 00010166554 20
IBAN: FR76 3000 4009 6900 0101 6655 420
BIC: BNPAFRPPXXX
Bank Address: BNP PARIBAS, 1 place d'Estienne d'Orves
75009 PARIS 9E

PLEASE notify the invoice number in the bank transfer informations. Please mention specifically to your bankers that all transfer fees will be taken care of byyou. Please make sure to specifically inform your bankers to mention OUR (as in buyer will bebearing the charges for the transfer) in the column for charges and NOT SHA.

If some or all of the contents of the order are not paid for, the purchaser must pay a latepayment fee equal to at least 3 times the statutory interest rate. This quotation and the payment terms are subject to ELVESYS' Terms and Conditions, asdescribed in Appendix 1.

SUPPORTING DOCUMENTS

For ELVEFLOW instruments (OB1, AF1-P, MUX):

User's guid

Install software on soft copy (USB key) or on the ELVEFLOW website DLLs, Matlab $\&\, \text{LabVIEW}$ libraries

WARRANTY CONDITIONS (NEW PRODUCTS)

The ELVESYS hardware products, are warranted against defects in material andworkmanship for a period of 1 year from date of delivery. Any installation-related damageis not covered under warranty.

Warranty exceptions:

(i) the OB1 and the OptoReader warranted against defects in material and workmanshipfor a period of 2 years from date of delivery;

(ii) the ELVESYS accessories and spare parts warranted 30 days from date of delivery. Any installation-related damage is not covered under warranty;

(iii) the ELVESYS software and firmware products, that are designated by ELVESYS foruse with a hardware product and when properly installed on that product, warranted not tofail to execute their programming instructions due to defects in material and workmanshipfor a period of 1 year from date of delivery.

It is possible to extend the warranty of most of our equipment. Do not hesitate to contactus to know payment terms of extended warranty.

Be careful: The calibration process are not included in warranty

APPENDIX 1: TERMS AND CONDITIONS



RETURNS POLICY DAMAGED OR INCORRECT GOODS

We hope that you will be pleased with your purchase. However, in the unlikely event that you should receive damaged or incorrect goods in your delivery, then please notify us within 14 business days of receipt. You will be offered the option of a refund or an exchange (provided the goods are in stock). You may be asked to return goods to us for inspection and we will refund the cost of return postage. Should the damaged or incorrect item be no longer available, you will be given the option of a refund. Please note that goods that become damaged or broken after 14 business days of receipt cannot be returned. Cancellations

Upon receipt of of a formal purchase order duly validated by our customer service, our cancellation policy is the following: for an order canceled more than 2 months before departure date, ELVESYS will not charge you; between 2 and 1 month, ELVESYS will charge 30% of the total order amount; between 1 month and 15 days, ELVESYS will charge 50% of the total order amount; between 15 days and 1 day before the departure date, ELVESYS will charge 70% of the total order amount. If you wish to cancel your order or part of it, please email us immediately at sales-admin@elvesys.com

PRIVACY POLICY

Customer details remain private and confidential and will not be released to a third party unless required to do so by law. We use the information we collect about you to process orders, to provide a more personalized shopping experience and, if you request, to notify you of products, special offers or other information that may be of interest to you. We do not sell or pass on any personal information to any other Companies or Organizations.

PAYMENTS & PROCEDURES

Payment from private customers must be paid for in advance of shipment. Trade orders from registered companies or organizations can be invoiced. Payment is due strictly within 30 days of the invoice date.

PRODUCTS & PRICES

Please note that some goods may vary in style, color or detail from the image shown. We reserve the right to change prices at any time without notice. Important Read all Instructions, warnings and precautions prior to use.

WARRANTIES SUMMARY

The ELVESYS hardware products are warranted against defects in material and workmanship for a period of 1 year from date of delivery except for: (i) the OB1 warranted against defects in material and workmanship for a period of $2\ \text{years}$ from date of delivery ; (ii) the ELVESYS accessories warranted 30 days from date of delivery; (iii) the ELVESYS software and firmware products, that are designated by ELVESYS for use with a hardware product and when properly installed on that product, warranted not to fail to execute their programming instructions due to defects in material and workmanship for a period of 1 year from date of delivery. During the warranty period ELVESYS will, either repair or replace products that prove to be defective. ELVESYS does not warrant that the operation for the software, firmware or hardware shall be uninterrupted or error free. For warranty service, this product must be returned to a service facility designated by ELVESYS. Customer shall prepay shipping charges (and shall pay all duty and taxes) for products returned to ELVESYS for warranty service. Except for products returned to a Customer from another country, ELVESYS shall pay for return of products to the Customer. If ELVESYS is unable.

within a reasonable time to repair or replace any product to condition as warranted, the Customer shall be entitled to a refund of the purchase price upon return of the product to ELVESYS. This warranty does not apply to any equipment which has not been installed and used within the specifications recommended by ELVESYS for the intended and proper use of the equipment.

LIMITATION OF WARRANTY

ELVESYS explicitly disclaims all warranties, express or implied, for any period during which the goods are operated or stored not in accordance with the technical specifications. ELVESYS does not assume any liability arising out of any application or use of any product or circuit and specifically disclaims any and all liability, including without limitation consequential or incidental damages. All operating parameters, including without limitation recommended parameters, must be validated for each customer's applications by customer's technical experts. Recommended parameters can and do vary in different applications ELVESYS reserves the right, without further notice, (i) to change the product specifications and/or the information in this document and (ii) to improve reliability, functions and design of this product. The foregoing warranty shall not apply to defects resulting from improper or inadequate maintenance by the Customer, Customer-supplied software or interfacing, unauthorized modification or misuse. operation outside of the environmental specifications for the product, or improper site preparation and maintenance

EXCLUSIVE REMEDIES

The remedies provided herein are the customer's sole and exclusive remedies. ELVESYS shall not be liable for any direct, indirect, special, incidental, or consequential damages, whether based on contract, tort, or any other legal theory. No other warranty is expressed or implied. ELVESYS specifically disclaims the implied warranties of merchantability and fitness for a particular purpose.

ASSISTANCE

ELVESYS Sales and Service office for further information on ELVESYS full line of Support Programs. See: www.elveflow.com. The following general safety precautions must be observed during all phases of operation, service, and repair of this instrument. Failure to comply with these precautions or with specific warnings elsewhere in this manual violates safety standards of design, manufacture, and intended use of the instrument. Elvesys assumes no liability for the customer's failure to comply with these requirements.

GENERAI

Caution for research use only: wear proper body protection during experience. Do not operate in an explosive environment. Do not operate in wet/damp conditions. Do not use this product as safety or emergency stop devices or in any other application where failure of the product could result in personal injury. The protective features of this product may be impaired if it is used in a manner not specified in the operating instructions. Before installing, handling, using or servicing this product, please consult the data sheet and user guide. Failure to comply with these instructions could result in death or serious injury. If the buyer shall purchase or use ELVESYS products for any unintended or unauthorized application, the buyer shall defend, indemnify and hold harmless ELVESYS and its officers, employees, subsidiaries, affiliates and distributors against all claims, costs, damages and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such

unintended or unauthorized use, even if ELVESYS shall be allegedly negligent with respect to the design or the manufacture of the product.

ESD PRECAUTIONS

The inherent design of this component causes it to be sensitive to electrostatic discharge (ESD). To prevent ESD-induced damage and/or degradation, take customary and statutory ESD precautions when handling this product.

ENVIRONMENTAL CONDITIONS

This instrument is intended for indoor use. It is designed to operate at a maximum relative humidity of 60% and at altitudes of up to 2000 meters. Operating temperature range is $+5^{\circ}\mathrm{C}$ to $50^{\circ}\mathrm{C}$. Do not operate in an explosive atmosphere. Do not operate the instrument in the presence of flammable gases or fumes. Before applying power, verify that the line voltage matches the product's input voltage requirements and the correct fuse is installed. Use only the specified line cord for this product and make sure the line cord is certified for the country of use.

FUSES

Only fuses with the required rated current, voltage, and specified type (normal blow, time delay, etc.) should be used. Do not use repaired fuses or short circuited fuse holders. To do so could cause a shock or fire hazard. Keep away from live circuits Operating personnel must not remove instrument covers.

COMPONENT REPLACEMENT

Component replacement and internal adjustments must be made by qualified service personnel from ELVESYS company only, subject to the loss of the warranty. Do not replace components with power cable connected. Under certain conditions, dangerous voltages may exist even with the power cable removed. To avoid injuries, always disconnect power, discharge circuits and remove external voltage sources before touching components. Do not service or adjust alone. Do not attempt internal service or adjustment unless another person, capable of rendering first aid and resuscitation, is present. Do not substitute parts or modify instruments. Because of the danger of introducing additional hazards, do not install substitute parts or perform any unauthorized modification to the instrument. Return the instrument to an ELVESYS Office for service and repair to ensure that safety features are maintained. Instruments which appear damaged or defective should be made inoperative and secured against unintended operation until they can be repaired by qualified service personnel.

CE COMPLIANCE

This product meets the essential requirements of applicable European Directives, as amended for CE marking, as follows: Electromagnetic Compatibility COUNCIL DIRECTIVE 89/336/EEC of 3 May 1989. This directive has been amended by the following Council Directives: (i) 92/59/eec of 29 June 1992 (General Product Safety); (ii) 93/68/eec of 22 July 1993 (CE Marking directive); (iii) 99/5/ec: Directive of Radio Equipment & Telecommunications Terminal Equipment (R&TTE).

DELIVERY

Delivery dates are indicative. ELVESYS shall not be liable for any delay in delivery. Claims arising from delivery delays will not lead to any financial compensation from ELVESYS company. In case of major delays in delivery dates, claims will be treated amicably.