

ZHOŤOVITEL: Bohdan Chadt, Maidalena 103, 37 803 Maidalena IČO: 466 73 857 DIČ:XXXXXXXXXXXXX Tel.: XXXXXXXXXXXXX E-mail: XXXXXXXXXXXXXXX - návrh PO dne 22. 8. 2025

E 15 (1) Zámečský rybník																																				
38	Tilia cordata MILL.	440	140	4	11	11	121	5/S-B	A-3,B-4	B-3-4, Vb-3	1,4		1	3	3/4	C	3	1	2	2	Y2- 4,8m	2	DI: SK-H-S PO: RL-OZ,RZ, OVNS HPO: 2015		1	0	0	0	0	1	0	0	0	0		
43	Tilia cordata MILL.	255	81	5	26	13	338	4-5	0	0	(2)		1	3	1-2/2	A	1	1	3	3	Y2- 7m		DI: SK-H PO: RL-OZ,RZ HPO: 2017		1	0	0	0	0	0	1	0	0	3 000	0	0
44	Tilia cordata MILL.	325	104	5	25	13	325	5/S-B	A-1,B-2	C-2	1,3-4C		2	3	2/2-3	A	2	1	3	2-3	Y2- 4m	2	DI: SK-H-S PO: RL-OZ,RZ, HPO: 2017		1	0	0	0	0	0	1	0	0	2 500	0	0
49	Tilia cordata MILL.	307	98	8	26	13	338	5/S-B	A,B-2	?	1,2-3		2	3	2/3	A	2	1	2-3	(2)	Y4- 2V,3 V.8m		DI: SK-H, ASK PO: RL-OZ,RZ, HPO: 2017, BV-3x -revize		1	0	0	0	0	0	1	0	0	3 500	0	0
50	Tilia cordata MILL.	260	83	4	21	12	252	5/S-C	A-2,B-4	?	1,3C		3	3	2-3/3	B	3	1	3	3	Y4- 3V,5 Vm		DI: SK-H-S PO: RL-OZ,RZ HPO: 2017 IBV- 2021		1	0	0	0	0	0	1	0	0	2 000	0	0
E 1 (2) Tisové boskety																																				
181	Tilia cordata MILL.	200	64	8	26	12	312	4-5	B-2	0	1,2		1	2	1-2/2	A	2	1	2	4	Y2- 6m		DI: SK-H-S PO: RO SSK, RZ, BVDpo- 2t-r-5m HPO: 2019		1	0	0	0	0	0	1	0	0	3 000	1 200	4 200

185	Tilia cordata MILL.	225	72	7	28	11	308	4-5	0	0	0		1	2	2	A	2	2	2	2	Y2- 7m	2	DI: SK-H PO: RL-OZ,RZ HPO: 2019		1	0	0	0	0	1	0	2 500	0	0	2 500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	2 500	0	0	2 500
186	Tilia cordata MILL.	112	36	7	25	10	250	4-5	B,C-2	BC-3	2		2	2	3	B	4	1	2	3	Y2- 7m	2	DI: SK-H , ASK PO: RL-OZ,RZ, OVNS HPO: 2019		1	0	0	0	0	1	0	3 500	0	0	3 500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	3 500	0	0	3 500
187	Tilia cordata MILL.	255	81	7	26	13	338	4-5	A,B-1	0	1,2		1	2	2	A	2	1	2	3	Y3	2	DI: SK-H PO: RL-OZ,RZ HPO: 2019		1	0	0	0	0	1	0	3 500	0	0	3 500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	3 500	0	0	3 500
188	Tilia cordata MILL.		0				0															ZANIKLÝ													
189	Tilia cordata MILL.	200	64	5	19	11	209	4-5	A,B-3	0	2C		4	3	2	A	3	1	3	3	Y2- 7mV	2	DI: SK-S PO: RO SSK, RZ HPO: 2015		1	0	0	0	0	1	0	2 000	0	0	2 000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	2 000	0	0	2 000
E 9 (7) Plocha bývalého basketu pravouhlého bludiště																																			
250	Acer platanoides L.	270	86	8	24	12	288	5	A,B,C-3	B,C?	1		3	1	3-4	C	4	2	4	2	Y4- 2V,6, 7m		DI: KČP PO: RL-OZ,RZ HPO: 2019 IBV-1x-stará		1	0	0	0	0	1	0	2 000	0	0	2 000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	2 000	0	0	2 000
E 7 (13) Parter Bellarie východní																																			
460	Gleditsia triacanthos L.	220	70	3	17	10	170	5/S-C	B,C-4	B,C-4	1		1	2	3/4	C	4	3				4	DI: Tž PO: Torzo živé - OVNS ? Zda ponechat HPO: 2014, 2017		1	0	0	0	0	1	0	500	0	0	500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	500	0	0	500
469	Acer platanoides L.	260	83	5	28	15	420	4-5	A,B-1	0	0		2	2	1-2	A	1*	2	3				DI: ASK PO: RL-OZ -až citlivá RO ,RZ HPO: 2014		1	0	0	0	0	1	0	4 000	0	0	4 000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	4 000	0	0	4 000
470	Quercus robur L.	405	129	7	29	22	638	5	AB-2	A-2	0		1	2	1-2/2	A	1*	1	4				DI: PO: RL-OZ,RZ, BVDpo-4t-r-11m - u kosterní větve napadené HI HPO: 2014	*	1	0	0	0	0	1	0	5 000	0	0	5 000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	5 000	0	0	5 000
E 8 (14) Parter Bellarie západní																																			
481	Quercus rubra L.	240	76	5	25	14	350	4-5	A-1,C-2	?	0		2	2	2	A	3	1	3-4	2		2	DI: KČP, mírně NAKL PO: RL-OZ-O, RZ HPO: 2015, 2019	*	1	0	0	0	0	1	0	4 200	0	0	4 200
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	4 200	0	0	4 200
487	Fraxinus americana L.	250	80	5	13	8	104	5/S-B	B,C-4-5	BC-4	3		1	3	4	C	4	3	2			3	DI: TŽ PO: OVNS ? zda ponechat HPO: 2014		1	0	0	0	0	1	0	500	0	0	500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	500	0	0	500
496	Robinia pseudoacacia "Unifolia"	208	66	7	19	12	228	4-5	A,B-3	?	0		1	2	2/3	B	3	4	3	4		3-4	DI: PO: RL-OZ - VZU,RZ HPO: 2015		1	0	0	0	0	1	0	2 500	0	0	2 500
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	2 500	0	0	2 500
506	Tilia tomentosa MOENCH	320	102	3	22	17	374	5/SB	A,B-2, C1	B-2	AE		2	3	2/3	A	3	1	3	3	Y3- 8,9m	2-3	DI: KČP PO: RO - SSK HPO: 2014 IBV-2x-stará	*	1	0	0	0	0	1	0	4 800	0	0	4 800
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	4 800	0	0	4 800
507	Quercus robur L.	260	83	7	28	15	420	4-5	B-?	0	0		1	1	2	A	2	1	3	2	Y2- 18m		DI: PO: RL-OZ,RZ HPO: 2014, ?2018	*	1	0	0	0	0	1	0	4 800	0	0	4 800
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C			1	0	0	0	0	1	0	4 800	0	0	4 800

510	Quercus robur L.	370	118	9	32	20	640	4-5	A,B-1	0	0	A	1	2	2	A	1	1	3		SV	(2)	DI: částečně ASK PO: RL-OZ,RZ	*	1	0	0	0	0	1	0	5200	0	0	5200
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
E 10 (15) Plocha bývalého basketu se šnekovým bludištěm																																			
548	Carpinus betulus L.	88	28	4	14	9	126	4	B-2	B-?	0		4	3	2	A	4	1	2-3				DI: ASK PO: RL-OZ-VZU,RZ		1	0	0	0	0	1	0	600	0	0	600
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
549	Carpinus betulus L.	130	41	4	24	9	216	4	B-2, C-2	?	0		3	3	2	A	3	1	2-3				DI: PO: RL-OZ - VZU,RZ		1	0	0	0	0	1	0	1000	0	0	1000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
550	Tilia cordata MILL.	195	62	20	33	11	363	4	B-1	0	0		3	3	2	A	3	1	2-3	2			DI: PO: RL-OZ,RZ		1	0	0	0	0	1	0	2400	0	0	2400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO:	u											
551	Carpinus betulus L.	150	48	3	20	12	240	4	A,B-2, C-1	?	0	C	3	3	2	A	3	1	2-3		Y3-3,8v m		DI:ASK PO: RL-OZ,RZ		1	0	0	0	0	1	0	1400	0	0	1400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO_ 2019	u											
552	Tilia cordata MILL.	242	77	8	28	15	420	4	A,B,C-1	0	2		2	3	2	A	2	1	3	3		3	DI: AST, NAKL, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	3000	0	0	3000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2015	u											
553	Tilia cordata MILL.	180	57	10	30	9	270	5	B,C-2	?	(2)		3	3	2-3	A	4	1	3	3		2	DI: KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1000	0	0	1000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
554	Acer platanoides L.	182	58	10	27	11	297	4	B,B-1, C-2	0	0		3	3	2-3	A	3	1	3				DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1400	0	0	1400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
555	Tilia cordata MILL.	210	67	4	32	10	320	4	A,B,C-1	0	2		2	3	2	A	3	2	3	3			DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	2000	0	0	2000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
557	Larix decidua MILL.	338	108	8	27	13	351	5/S-B	ABC-3	C?	2-3		3	3	3(4	B	3	1	2			3	DI: PO: RS - TŽ - dle aktuální potřeby, OVNS	*	1	0	0	0	0	1	0	4400	0	0	4400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2015	u											
560	Carpinus betulus L.	100	32	3	12	9	108	3	A,B,C-2	?	1	C	3	3	2	A	4	2	2-3				DI: PO: RL-OZ,RZ		1	0	0	0	0	1	0	800	0	0	800
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
561	Tilia cordata MILL.	252	80	10	31	14	434	4	A-1, C2-3		(2)	C	2	2	2	A	3	1	2	3	Y2-15v m		DI: ASK, KČP PO: RL-OZ,RZ, ravize BV- případně výměna		1	0	0	0	0	1	0	3400	0	0	3400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2015, IBV-4t-1x-2015	u											
562	Tilia cordata MILL.	155	49	4	27	9	243	A	C-2	0	0		3	2	2	A	3	2	2-3				DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1000	0	0	1000
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											
565	Tilia cordata MILL.	177	56		22	11	242	4	C-2-3	?	0		2	2	2	A	3	3	2-3	2		(2)	DI: KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1400	0	0	1400
		oOK	ok	fvN	ivs	oSk	pk	ufS▲	>o MP	>● HI	⊙ D	fv	u1	u2	u3	u4	u5	u6	u7	u8	Y	u9	HPO: 2019	u											

567	Fagus sylvatica L.	148	47	4	24	9	216	3	A,B,C-2	B?	0	C	3	3	2	A	1	2	3-4-SV	2	Y3-4m		DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1400	0	0	1400
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2019	U											
568	Tilia cordata MILL.	155	49	4	26	9	234	4	C-2	0	0		2	3	1-2	A	3	1	2-3		Y		DI: PO: RL-OZ,RZ		1	0	0	0	0	1	0	1000	0	0	1000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2019	U											
569	Carpinus betulus L.	103	33	4	16	10	160	4	B,C-1	0	0		2	3	2	A	3	1	2-3		Y		DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	1000	0	0	1000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2019	U											
570	Tilia cordata MILL.	190	61	8	29	12	348	4	C-2	?	2		2	2	1-2	A	2	1	2-3 (2)		Y		DI: ASK, KČP PO: RL-OZ,RZ		1	0	0	0	0	1	0	2000	0	0	2000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2019	U											
E 12 (16) Bosket s boulingrinem (Suchý rybník)																																			
573	Tilia cordata MILL.	440	140	18	28	12	336	5/SB	A,B,C-4	B,C-3?	1,4-5E		1	2	4	C	3	1	2	3	Y2-10m	3	DI: SK-H, TŽ PO: RS dle aktuální potřeby, RZ, OVNS	*	1	0	0	0	0	1	0	4000	0	0	4000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021 IBV-3x-stará	U											
575	Tilia cordata MILL.	295	94	7	22	12	264	5/S-C	B,C-4	BC-4?	5C		1	2	3/4	C	4	2		3	Y4-6m	3	DI: SK-H, TŽ PO: RS dle aktuální potřeby, RZ, OVNS	*	1	0	0	0	0	1	0	3400	0	0	3400
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021 IBV-3x-stará	U											
576	Tilia cordata MILL.	400	127	8	20	14	280	5/S-C	B,C-3	B-2, C-4	1,4-5		1	2	3/4	C	3	2	3	3	Y2-6m	3	DI: SK-H, TŽ, HI - dřevomor k. PO: RS dle aktuální potřeby, RZ, OVNS	*	1	0	0	0	0	1	0	3800	0	0	3800
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021 IBV-4t-3x- 2021 revize	U											
577	Tilia cordata MILL.	230	73		18	14	252	5/S-C	B,C-5	B,C-4	5		2	2	2	C	4	2	2	3		3	DI: SK-H, TM PO: RS dle aktuální potřeby, OVNS	*	1	0	0	0	0	1	0	2000	0	0	2000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											
578	Tilia cordata MILL.	400	127	7	16	12	192	5/S-C	A,B,C-4	B,C-4	5C		1	2	4	C	4	2	2	3	Y2-7m	3	DI: SK-H, TŽ PO: RS dle aktuální potřeby, RZ, OVNS	*	1	0	0	0	0	1	0	2000	0	0	2000
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											
585	Tilia cordata MILL.	320	102	7	30	16	480	5/S-A	A-4, B-3	A,B-?	1,2-3	C	2	2	2-3	A	1*	1	2-3-SV-~	5	Y4-7m	3	DI: SK-H,výrazně prosych ve vrch. č., žerstvá rozsáhlá prasklina km. ! PO: RL-OZ,RZ, (BVDpo- 2x-4t-r-7,10m)	*	1	0	0	0	0	1	0	4800	0	0	4800
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	PZ-2020 IBV-2x-stará	U											
589	Tilia platyphyllos SCOP.	310	99	7	27	13	351	5/S-A	A-1,B-3	B-?	3-4E		3	3	2-3	A	2	3	2	3		3	DI: SK-H, NAKL PO: RL-OZ,RZ	*	1	0	0	0	0	1	0	4600	0	0	4600
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											
590	Tilia cordata MILL.	300	96	8	27	11	297	5/S-B	A-1,BC-4	BC-?	1,4-5	C	3	3	3	B	3	2	2	3		2	DI: SK-H PO: RL-OZ,RZ, OVNS	*	1	0	0	0	0	1	0	3200	0	0	3200
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											
591	Tilia cordata MILL.	280	89	7	29	11	319	5/SB	B-3,C-2	B,C-?	1,4		3	9	2-3/3	B	3	3	2	3		3	DI: SK-H , mírně NAKL PO: RL-OZ,RZ, OVNS	*	1	0	0	0	0	1	0	3400	0	0	3400
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											
594	Tilia cordata MILL.	330	105	8	26	14	364	5/S-B	A,C-2, B-3	B-?	1,4		2	2	2-3/3	B	2	2	2	3-4	Y2-9m	3	DI: SK-H , KČP PO: RL-OZ,RZ, OVNS	*	1	0	0	0	0	1	0	5400	0	0	5400
		oOK	ok	fvN	ivs	oSk	pk	ufS	>o MP	>● HI	⊙ D	fv	u1	uI	uVIT/♣ZS	±P	sh	ppB	α A	α B	Y	α C	HPO: 2015, 2021	U											

608	Tilia cordata MILL.	190	61	16	24	13	312	4	AB-2	C-?	2		3	3	1-2/2	A	3	1	2	3	Y2-3m	2	DI: ASK, NAKL PO: RL-OZ,RZ HPO: 2015	1	0	0	0	0	1	0	2 000	0	0	2 000
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
609	Tilia cordata MILL.	230	73	5	24	15	360	4	B,C-2	?	1		2	3	1-2/2	A	3	1	2	3	Y2-4m	2	DI: PO: RL-OZ,RZ HPO: 2015, 2021 IBV-1x-stará	1	0	0	0	0	1	0	3 400	0	0	3 400
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
E 14 (17) Jižní bosket před zámeckým rybníkem																																		
622	Tilia cordata MILL.	160	51	5	33	8	264	4	0	0	0		2	2	1-2	A	3	3	2	2-3			DI: PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	1 000	0	0	1 000
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
625	Tilia cordata MILL.	200	64	3	33	15	495	4-5	0	0	0		1	2	2-3	A	3	2	2	2_3			DI: PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	2 400	0	0	2 400
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
626	Tilia cordata MILL.	200	64	5	28	11	308	4	C-1	0	?		2	2	2	A	3	1	2	3		2	DI: KČP, ASK, NAKL PO: RL-OZ,RZ HPO: 2015	1	0	0	0	0	1	0	2 200	0	0	2 200
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
628	Tilia cordata MILL.	193	61	12	32	10	320	4-5	C-1	0	0		2	2	2	A	3	3	3	3		(2)	DI: PO: RL-OZ,RZ HPO: 2015	1	0	0	0	0	1	0	2 800	0	0	2 800
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
632	Carpinus betulus L.	180	57	2	24	11	264	4-5	B-2	0	0		3	2	2	A	3	2	3		Y3-V1m		DI: KČP PO: RL-OZ,RZ HPO: 2015	1	0	0	0	0	1	0	1 400	0	0	1 400
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
635	Carpinus betulus L. 4 k. 130, 95,80,45,50	130	41	4	28	13	364	5	A-1,B-2	B,C?	1		3	2	2/2-3	B	4	1	3	2	Y3-0m	2	DI: PO: RL-OZ,RZ HPO: 2015	1	0	0	0	0	1	0	2 200	0	0	2 200
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
637	Carpinus betulus L.	140	45	3	24	10	240	5	BC-2	BC-?	1-2		3	3	2	A	3	1	3	2	Y2-6m	3	DI: ASK, mírně NAKL PO: RL-OZ,RZ HPO: 2017	1	0	0	0	0	1	0	1 800	0	0	1 800
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
646	Tilia cordata MILL.	180	57	4	33	10	330	4	BC-2	C-?	2		3	2	2	A	3	2	2	3		(2)	DI: PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	2 000	0	0	2 000
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
649	Tilia cordata MILL.	157	50	12	32	9	288	4	C-2	0	0		3	2	2	A	3	2	2	2-3			DI: ASK , IB PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	2 000	0	0	2 000
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
650	Tilia cordata MILL.	228	73	14	36	12	432	5	C-1	?	2		3	2	3	A	3	2	3	2-3			DI: KČP PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	2 800	0	0	2 800
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
651	Tilia cordata MILL.	218	69	17	36	12	432	5	A,B-2	0	?		3	2	2-3	A?	3	2	3	3	Y3-17m	(2)	DI: ASK PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	3 400	0	0	3 400
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												
652	Tilia cordata MILL.	170	54	17	35	9	315	5	B,C-2	?	1,(2)		3	2	2-3	A	3	2	2-3	2-3		2	DI: PO: RL-OZ,RZ HPO:	1	0	0	0	0	1	0	2 800	0	0	2 800
		oOK	ok	fvN	ivs	oSk	pk	ufFS▲	>o MP	>● HI	⊙ D	fv	u1	uI	♦VIT/♣ZS	±P	sh	ppB	π A	π B	Y	π C												

653	Tilia cordata MILL.	117	37	10	26	7	182	4	B,C-1	0	0		3	2	2	A	4	3	2	3			DI: ASK, IB PO: RL-OZ,RZ									1 400
		oOK	ok	fVN	IvS	oSk	Pk	↑FS▲	>o MP	>● HI	⊙ D	fV	★	↑	❄ I	♣ VIT / ♠ ZS	± P	* SH	♢ PB	π A	̄ B	Y	π C	HPO:	↻	1	0	0	0	0	0	1 400
654	Tilia cordata MILL.	210	67	17	35	10	350	5	B-2, C-3	C-?	(2)		3	2	2-3	A	3	3	2	2-3			DI: PO: RL-OZ,RZ									2 800
		oOK	ok	fVN	IvS	oSk	Pk	↑FS▲	>o MP	>● HI	⊙ D	fV	★	↑	❄ I	♣ VIT / ♠ ZS	± P	* SH	♢ PB	π A	̄ B	Y	π C	HPO:	↻	1	0	0	0	0	0	2 800
690	Acer platanoides L.	160	51	7	26	8	208	4-5	B-2	0	0		2	3	2	A	3	1	SV- 3				DI: PO: RL-OZ-O, RZ									600
		oOK	ok	fVN	IvS	oSk	Pk	↑FS▲	>o MP	>● HI	⊙ D	fV	★	↑	❄ I	♣ VIT / ♠ ZS	± P	* SH	♢ PB	π A	̄ B	Y	π C	HPO: 2018	↻	1	0	0	0	0	0	600

CELKEM	0	64	0	0	0	0	161 800	1 200	163 000
	64						ks	163 000	
KČ CELKEM BEZ DPH								163 000	
KČ DPH 21%								34 230	
KČ CELKEM S DPH								197 230	