

OBJEDNÁVKA č. 10164319/361

Ze dne **01.12.2025**

Odběratel-fakturační adresa

Vysoká škola báňská
Technická univerzita Ostrava
Fakulta strojní
17. listopadu 2172/15
708 00 Ostrava-Poruba
Bankovní spojení:
Číslo účtu: /

Dodavatel

Český institut pro akreditaci, o.p.
Olšanská 54/3
130 00 Praha 3, Žižkov
Česká republika
IČ: 25677675 DIČ: CZ25677675

Zboží dodejte na adresu:

Vysoká škola báňská
Technická univerzita Ostrava
Fakulta strojní
17. listopadu 2172/15
708 00 Ostrava-Poruba

Vyřizuje
Telefon
e-mail
Fax

Termín dodání 31.12.2025

Dozorová návštěva ČIA.

Měna objednávky: CZK

Materiál	Text	Množství	Celk.bez DPH
20000088	518800 Ost.služby-ostatní	1 JV	80.000,00
Zdroj: 9501 SPP: HS3612528			

Celková hodnota objednávky bez DPH: 80.000,00

Pokud správce daně zveřejní způsobem umožňující dálkový přístup skutečnost, že plátce (dodavatel) v den uskutečnění zdanitelného plnění je NESPOLEHLIVÝ PLÁTCE, příjemce zdanitelného plnění (odběratel) uhradí za poskytovatele zdanitelného plnění daň (DPH) na účet Finančního úřadu místně příslušného pro poskytovatele (dodavatele). Pokud příjemce (odběratel) uhradí za poskytovatele zdanitelného plnění daň Finančnímu úřadu, příjemce (odběratel) si o tuto úhradu poniží platbu faktury vůči poskytovateli (dodavateli).

Pokud správcem daně nebude zveřejněn v den úhrady faktury bankovní účet, na který příjemce zdanitelného plnění má provést úhradu faktury, příjemce zdanitelného plnění (odběratel) uhradí za poskytovatele zdanitelného plnění daň (DPH) na účet Finančního úřadu místně příslušného pro poskytovatele (dodavatele). Pokud příjemce (odběratel) uhradí za poskytovatele zdanitelného plnění daň Finančnímu úřadu, příjemce (odběratel) si o tuto úhradu poniží platbu faktury vůči poskytovateli (dodavateli).

Tato objednávka nahrazuje smlouvu

Evidenční č. smlouvy: **S221/25-361-01**

Příkazce operace	Správce rozpočtu	NS	SPP	Zdroj	Cena	Měna
			HS3612528	9501	80.000,00	CZK

Schváleno:

Příkazce operace
Správce rozpočtu

Datum

02.12.2025
02.12.2025

Podpis

schváleno elektronicky
schváleno elektronicky


Objednávka schválena:

02.12.2025

Jednu kopii objednávky potvrďte a zašlete zpět na VŠB- TUO.

podpis dodavatele

Na faktuře prosím uvádějte číslo objednávky!



the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1970s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [12]. In the 1980s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [13]. In the 1990s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [14].

The purpose of this study was to determine the prevalence of *S. flexneri* in children with shigellosis in the United Kingdom. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [14].