



Invoice Nr.: 88691489

Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

Hradecká kulturní a vzdělávací společnost s.r.o.
Ceskoslovenské Armády 300

CZ-50003 Hradec Králové

Delivery address:

Hradecká kulturní a vzdělávací společnost s.r.o.
Ceskoslovenské Armády 300

CZ-50003 Hradec Králové

Invoice Nr.: 88691489

Date: 04.04.2026

Your customer no.: 20165816

Order No.: 202613.112815 / CS_CZSK

Sales Person: Zákaznický servis CZ/SK

Telephone: +420 9546 9223-66

Method of Shipment:

Your Reference:

Your VAT No.: CZ27472809

dodani zboží do jineho clenkeho statu, osvobozene od DPH

Please include your customer no.: 20165816 with payment by bank transfer!

Receiver: Thomann GmbH

Account Number / Sort Code: 1387943816 / 2700

IBAN: CZ31 2700 0000 0013 8794 3816

BIC: BACXCZPPXXX

Pos.	Article	Amount	Unit	Unit Price	Total Price
	Lieferschein-Nr.: 1816433 vom 04.04.2026	5	Stck		
001.00	354114 Stairville PDC3CC 3 pin DMX cable 3.0 mtr. white color coding. Professional DMX cable with 110 Ohms., Connectors: 1x 3 pin. XLR male, 1x 3 pin. XLR female, Ø 2 x 0.34 mm ² cable and connector color: black, color ring: white, including cable ties Hook and loop.	5	piece	156,20 CZK	781,00 CZK
	Lieferschein-Nr.: 1816433 vom 04.04.2026	1	Stck		
002.00	469323 Flyht Pro Cable Case 65x40x49 Wheels; External dimensions: 68,5 x 58,3 x 51 cm (including wheels); internal dimensions: 65,8 x 40,5 x 49,2 cm (WxHxD), dividing wall, 2 Braked Wheels and 2 non Braked; Made of 10 mm plywood, black Coated; weight: 23 kg Note: Wheels not mounted on delivery.	1	piece	5453,72 CZK	5.453,72 CZK
	Lieferschein-Nr.: 1816433 vom 04.04.2026	9	Stck		
003.00	424974 Varytec TR1 Power Twist Link Cable 2,0 m, 3x 2,5 mm ² . Extension cable with TR1 Power Twist connectors male and, female, Length: 2,0 m, cable: 3x 2,5 mm, H05VV-F, Ø 8,5 mm	9	piece	508,26 CZK	4.574,34 CZK

Amount carried forward : **10.809,06 CZK**

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Railfeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1816433 vom 04.04.2026 10 Stck					
004.00	167473	10	piece	152,07 CZK	1.520,70 CZK
Stairville Safety 100cm/6mm 35kg, steel wire rope sling with hard eye thimble loops according to DIN 56927, made of steel wire rope EN 12385 6 x 19 + FC 6 mm Ø, Hard eye steel thimble loops (BF DIN 6899 RW 6), ferrule termination at each end (EN 13411-3), incl. quick link (DIN 56926 - B - 200) opening width ca. 14,5 mm, labeled "Stairville max. 35 kg" according to DGUV 115-002 17 (former BGV C1), Length: 1000 mm, Quick Link separately available #393256					
Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck					
005.00	590547	2	piece	200,83 CZK	401,66 CZK
Accu-Cable Safety SC6B; safety rope with fall brake loop; Length: 800mm; Cable diameter: 6mm; Load capacity: 70 kg; quick connection link with screw-in fastening; TÜV tested: Test Report 64.190.23.0904.01-00;					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
006.00	246895	1	piece	80,99 CZK	80,99 CZK
pro snake TPA 1003 MF5, DMX Adapter 3Pol Male to 5Pol Female					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
007.00	246896	1	piece	80,99 CZK	80,99 CZK
pro snake TPA 1003 FM5, DMX adapter 3Pol Female to 5Pol Male					
Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck					
008.00	352781	2	piece	321,49 CZK	642,98 CZK
Stairville DMX cable PDC5CC 10.0 mtr. red color coding. Professional DMX cable with 110 Ohms. Connectors: 1x 5 pin. XLR male, 1x 5 pin. XLR female, Ø 2 x 0.34 mm ² cable and connector color: black, color ring: red, including cable ties Hook and loop.					
Amount carried forward :					13.536,38 CZK



Page 3 of Invoice Nr.: 88691489 from 04.04.2026 to spolecnost s.r.o. (customer number: 20165816)

Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
009.00	354118	1	piece	508,26 CZK	508,26 CZK
Stairville PDC3CC 3 pin DMX cable 20.0 mtr. dark blue color coding. Professional DMX cable with 110 Ohms., Connectors: 1x 3 pin. XLR male, 1x 3 pin. XLR female, Ø 2 x 0.34 mm ² cable and connector color: black, color ring: dark blue, including cable ties Hook and loop.					
Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck					
010.00	354116	2	piece	302,48 CZK	604,96 CZK
Stairville PDC3CC 3 pin DMX cable 10.0 mtr. red color coding. Professional DMX cable with 110 Ohms., Connectors: 1x 3 pin. XLR male, 1x 3 pin. XLR female, Ø 2 x 0.34 mm ² cable and connector color: black, color ring: red, including cable ties Hook and loop.					
Lieferschein-Nr.: 1816433 vom 04.04.2026 5 Stck					
011.00	352777	5	piece	156,20 CZK	781,00 CZK
Stairville DMX cable PDC5CC 2.0 mtr. heaven blue color coding. Professional DMX cable with 110 Ohms. Connectors: 1x 5 pin. XLR male, 1x 5 pin. XLR female, Ø 2 x 0.34 mm ² cable and connector color: black, color ring: heaven blue, including cable ties Hook and loop.					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
012.00	334409	1	piece	1193,39 CZK	1.193,39 CZK
pro snake Cat5e Cable 30m, Cat 5e cable, 30m length, 2x RJ 45 plug with detachable connector housing, allows the connector to be used in D-Form or regular RJ 45 sockets, colour blue, extremely robust cable, F/UTP, AWG24, outer jacket 7,5mm, suitable for touring, -20°C to +60°C					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
013.00	615018	1	piece	362,81 CZK	362,81 CZK
pro snake CAT6E CC Cable 10.0m red - professional CAT6 cable with color coding for live, studio and installations; plug: 2x RJ45; for D-format jacks; 6.5 mm PVC sheath; conductor diameter 0.8 mm; 4-pair 26 AWG CAT6 F/UTP cable, color: black; Colour ring: red; length: 10.0 m					

Amount carried forward : 16.986,80 CZK

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEDB760



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
014.00	615015	1	piece	180,99 CZK	180,99 CZK
pro snake CAT6E CC Cable 1.0m white - professional CAT6 cable with color coding for live, studio and installations; plug: 2x RJ45; for D-format jacks; 6.5 mm PVC sheath; conductor diameter 0.8 mm; 4-pair 26 AWG CAT6 F/UTP cable, color: black; Colour ring: white; length: 3.0 m					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
015.00	465527	1	piece	587,60 CZK	587,60 CZK
passive splitter from RJ 45 female to 4x XLR 5 pin female; stagebox which uses the 4 pairs of cables + ground of the network cable to send 4 channels from A to B; compatible to all shielded networkcables with RJ45 or Ethercon plugs; also useable for DMX; uses pin 1-3; dimensions 50 x 180 x 52mm, weight 450g, compatible to all products of the sssnake Cat Snake Serie;					
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
016.00	465523	1	piece	577,69 CZK	577,69 CZK
the sssnake Cat Snake 5MC; passive cable splitter from RJ 45 female to 4x XLR 5 pin male; cable spilt which uses the 4 pairs of cables + ground of the network cable to send 4 channels from A to B; compatible to all shielded networkcables with RJ45 or Ethercon plugs; also useable for DMX; uses pin 1-3; dimensions 48 x 110 x 40mm, weight 400g, compatible to all products of the sssnake Cat Snake Serie;					
Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck					
017.00	624492	2	piece	42644,63 CZK	85.289,26 CZK
Varytec Hero Wash 760 IP Bundle containing					
Amount carried forward :					103.622,34 CZK

MUSIC IS OUR PASSION

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF18GB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760



Pos.	Article	Amount	Unit	Unit Price	Total Price
------	---------	--------	------	------------	-------------

Lieferschein-Nr.: 1816433 vom 04.04.2026 4 Stck

017.01	605107	4	piece	0,00 CZK	0,00 CZK
---------------	---------------	----------	--------------	-----------------	-----------------

Varytec Hero Wash 760 IP; Outdoor Wash Moving Head; 7x60W RGBW LEDs; The ideal all-rounder for small to medium-sized outdoor stages; Motorised zoom; Pixel control; Versatile pixel effects pre-programmed and available via DMX; Four selectable dimmer curves; Automatic position correction; LC display with four capacitive buttons; Technical data: Light source: 7x 60W RGBW LEDs; Beam angle: 4-55°; 16bit dimming; Electronic shutter 0-20Hz; Pan/ Tilt : 540° / 220°; Control: DMX (22/50 channels); Protection class: IP65, fully dustproof, protected against water jets from all directions Power supply: Seetronic Power Twist TR1 in/out; Maximum power consumption: 480W; DMX: Seetronic 3/5-pin XLR IP65; Dimensions: (HxWxD) 490 x 344 x 227.5 mm; Weight: 15.5kg;

Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck

017.02	621563	2	piece	0,00 CZK	0,00 CZK
---------------	---------------	----------	--------------	-----------------	-----------------

Thon Case Varytec Hero Wash 760 IP 2-in-1; Live case for 2 x Varytec Hero Wash 760 IP; 6.5 mm phenol brown plywood; 30x30 aluminum edge; 4 x medium L-shaped corners; 4 x medium folding handles; 2 x medium butterfly hinges; 2 x large locking hinges; 4 x built-in wheel recesses in the lid; 4 x medium ball corners; 4 x medium ball corners with L-shaped corners; 4 x 100 mm swivel casters (2 with brakes); foam padding; approx. 13 cm accessory compartment along the entire length; Made in Germany; External dimensions WxDxH: 599 x 599 x 717 mm; Weight: 25,1 kg

Lieferschein-Nr.: 1816433 vom 04.04.2026 8 Stck

017.03	218562	8	piece	0,00 CZK	0,00 CZK
---------------	---------------	----------	--------------	-----------------	-----------------

Global Truss Selflock Clamp - designed to fit tube sizes from 48mm to 52mm. Colour: Black

Lieferschein-Nr.: 1816433 vom 04.04.2026 2 Stck

018.00	374508	2	piece	635,54 CZK	1.271,08 CZK
---------------	---------------	----------	--------------	-------------------	---------------------

Adam Hall SMB55 W- white steel wall-mount speaker bracket with mounting pole. Adjustable tilt, maximum load capacity: 30kg, length: 30cm. Weight: 2kg.

Amount carried forward : **104.893,42 CZK**



Page 6 of Invoice Nr.: 88691489 from 04.04.2026 to spolecnost s.r.o. (customer number: 20165816)

Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1816433 vom 04.04.2026 1 Stck					
019.00.	10		1 piece	980,00 CZK	980,00 CZK
	International Shipping Rate				
Lieferschein-Nr.: 1816433 vom 04.04.2026 4 Stck					
020.00	342		4 piece	0,00 CZK	0,00 CZK
	Please note: Position 017.04 (ACCU-CABLE SAFETY SC3B 3MM 25KG) has already been charged. 4 piece(s) will be dispatched automatically at no extra cost as soon as the item is back in stock.				
The following items will be dispatched automatically as soon as they are back in stock:					
017.04	604895		4 piece	0,00 CZK	0,00 CZK
	Accu-Cable Safety SC3B; safety rope with fall brake loop; Length: 600mm; Cable diameter: 4mm; Load capacity: 25 kg; quick connection link with screw-in fastening;				

Value of goods: **105.873,42 CZK**

Method of payment:

Bank transfer **105.873,42 CZK**

Thank you for your purchase!

Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760

MUSIC IS OUR PASSION