



Thomann GmbH, Hans-Thomann-Str. 1, D-96138 Burgebrach

**Základní umelecká škola, Vysoké
Mýto, příspěvková organizace; ICO: 21551189
Jeronýmova 100**

CZ-566 01 Vysoké Mýto**Delivery address:**

Základní umelecká škola, Vysoké
Mýto, příspěvková organizace; ICO: 21551189
Jeronýmova 100

CZ-566 01 Vysoké Mýto**Invoice Nr.: 89536583**

Date: 15.05.2026

Your customer no.: 15245241

Order No.:**202620.268486 / CS_CZSK**

Sales Person:

Zákaznický servis CZ/SK

Telephone:

+49-9546-9223-649

Method of Shipment:

Freight

Your Reference:

Please include your customer no.: 15245241 with payment by bank transfer!

Receiver: Thomann GmbH

Account Number / Sort Code: 1387943816 / 2700

IBAN: CZ31 2700 0000 0013 8794 3816

BIC: BACXCZPPXXX

Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1831714 vom 15.05.2026 5 Stck					
001.00	416993	5	piece	539,00 CZK	2.695,00 CZK
Varytec Power Twist Link Cable 3,0 m. Extension cable with Power Twist connectors male and female (blue and grey)., Length: 3,0 m, 3x 1,5 mm, H05VV-F					
Lieferschein-Nr.: 1831714 vom 15.05.2026 8 Stck					
002.00	481569	8	piece	488,00 CZK	3.904,00 CZK
Duratruss Big Selflock Clamp 150kg Black; For truss pipes from 48-80mm diametric; Material: Aluminium 6061 T6; Device screw: M12x40; Colour: Black; Max. load/SWL: 200kg; Dimensions: 142,4 x 30,0 mm (without screw); Weight: 0,730kg;					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
003.00	388789	1	piece	46390,00 CZK	46.390,00 CZK
ETC ColorSource 20, RDM capable DMX-Controller, 7" multi-touch display, 20 faders, 4 configurable sliders, 5 configurable softkeys for common commands, 40 control channels/devices, Virtual level/rate paddle, Cue list record and playback functions, Color, intensity, positions and parameter effects, Intuitive color control of LEDs, RDM discovery & configuration, Onboard help system, 5-pol XLR DMX output; suitable case: Art. 393245 (not included)					
Amount carried forward :					52.989,00 CZK

**Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach**

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
004.00	309612	1	piece	10590,00 CZK	10.590,00 CZK
Thon Case for 4 Showtec Sunstrip Active DMX or Varytec Starstrip Active DMX with Bluewheels, 7mm plywood, 30 x 30 mm aluminium profile, min. 10mm foam padding, 4 Butterfly-Catches, 4 handles, 4 100mm Blue-wheels (2 with brakes), rounded-steel Corners, made in Germany, external Dimensions (WxDxH): 117,2 x 54,5 x 39,3 cm, weight: ca. 20,9 kg, weight with 4 Sunstrips: ca. 45,1 kg					
Lieferschein-Nr.: 1831714 vom 15.05.2026 10 Stck					
005.00	161836	10	piece	82,00 CZK	820,00 CZK
Vandoren ZZ reed for alto saxophone, strength: 2.5, combines the medium thick heart, spine and rounded tip of the V16 with the flexible palette design of the Java, giving the player a rich, colourful sound with quick response					
Lieferschein-Nr.: 1831714 vom 15.05.2026 10 Stck					
006.00	161837	10	piece	82,00 CZK	820,00 CZK
Vandoren ZZ reed for alto saxophone, strength: 3.0, combines the medium thick heart, spine and rounded tip of the V16 with the flexible palette design of the Java, giving the player a rich, colourful sound with quick response					
Lieferschein-Nr.: 1831714 vom 15.05.2026 5 Stck					
007.00	168102	5	piece	66,00 CZK	330,00 CZK
Vandoren ZZ soprano saxophone reed 2.5, Van Dorens jazz players these reeds to be immediately responsive without sacrificing the brightness or tone quality required for most styles of jazz, its free-blowing characteristics will win the hearts of jazz players anywhere					
Lieferschein-Nr.: 1831714 vom 15.05.2026 2 Stck					
008.00	368662	2	piece	1855,00 CZK	3.710,00 CZK
Behringer ULTRALINK MS8000 Ultra-low noise 8 in/16 out microphone splitter, Each channel features Direct and Link outputs, Output ground lift switch per channel, Flexible input link switches, Phantom power link to Link Output					
Amount carried forward :					69.259,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
009.00	441222	1	piece	715,00 CZK	715,00 CZK
Thon Rackdrawer 1, Tray 19" 1HE Pull-Out Rails, 19" x 1U Rack tray with pull out rails, mounting depth adjustable between 360-480 mm, usable surface 412 mm wide, 380 mm deep, 1.2 mm steel, up to 30 kg load capacity					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
010.00	194105	1	piece	8899,00 CZK	8.899,00 CZK
Thon RACK 18U LIVE 45 with wheels, prof. 19"-Standardcase with 7mm plywood, 18U double door version with butterflys, 42 cm deep (for amplifier), 4 handles, 25/25mm variable Aluminium rails with complete screws, dimensions (wxhxd): 55 x 99,5 x 60 cm, weight: 27,72 kg....Made in Germany					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
011.00	535501	1	piece	698,00 CZK	698,00 CZK
Thon 18U Live Rack rail, for self-assembly in Thon Live Rack 18U, 2 rack rails with bolt nuts and rubber inserts, rivets, M6x12 rack screws with washers, 4 bricks					
Lieferschein-Nr.: 1831714 vom 15.05.2026 16 Stck					
012.00	464843	16	piece	459,00 CZK	7.344,00 CZK
Sommer Cable Stage 22 SG0Q 1.5m, hgh quality microphone cable for stage and studio applications, 2x 0,22 mm², Neutrik NC3FXX-BAG - NC3MXX-BAG connectors, PVC outer jacket with 6,4mm diameter, colour black, length 1.5m					
Lieferschein-Nr.: 1831714 vom 15.05.2026 3 Stck					
013.00	340641	3	piece	999,00 CZK	2.997,00 CZK
Adam Hall 87478 19" /1U Power Strip, 8-Outlet 19" RackmountPower Strip, france norm, On/Off Switch, 16A, 250V, Cable Length: 2m, black aluminium, WxHxD : 485 mm x 44 mm x 44 mm,mounting brackets incl. can be used in 4 positions, Illuminated on / off switch					
Amount carried forward :					89.912,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
014.00	448424	1	piece	639,00 CZK	639,00 CZK
Behringer Powerplay P2, ultra-compact personal in-ear monitor amplifier, XLR and TRS input connector with locking mechanism, 3.5 mm mini jack socket for earphones, belt-pack clip included, internal stereo/mono source switch, level control with power on/off switch, runs up to 12 hours on 2 AAA batteries (not included), dimensions 33 x 38 x 132 mm (H x W x D), weight 0.140 kg Note: suitable batteries e.g. item code 417474					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
015.00	388886	1	piece	1319,00 CZK	1.319,00 CZK
Adam Hall 87463 ultra 19"/1U, Dual Gooseneck Cold White LED Rack Light, 12 V DC power supply incl., cabel lenght 2m, black, Dimensions WxHxD : 485 x 44 x 60 mm.					
Lieferschein-Nr.: 1831714 vom 15.05.2026 2 Stck					
016.00	122350	2	piece	2399,00 CZK	4.798,00 CZK
BSS Audio AR133 Active DI box - Battery or phantom power operated, XLR/jack in, jack link, XLR out, output ground lift, -20/40dB pad, galvanic isolation. Solid Construction with non slip rubber sides, stackable					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
017.00	105054	1	piece	555,00 CZK	555,00 CZK
the sssnake SXX8030 - Multicore cable 8-way XLR female / XLR male, length: 300 cm (SK418-3), colour: black					
Lieferschein-Nr.: 1831714 vom 15.05.2026 5 Stck					
018.00	168072	5	piece	88,00 CZK	440,00 CZK
Vandoren V12 Bb-Clarinet 3.0; reed for Bb clarinet (Boehm system); strength: 3.0; strength tip: 0.1 mm; strength shank: 3.15 mm; thicker heel and tip, strong reed spine; percussive response; warm, powerful, rich and dark sound; precise articulation; enlarged vibration range					
Amount carried forward :					97.663,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
Lieferschein-Nr.: 1831714 vom 15.05.2026 2 Stck					
019.00	147855	2	piece	85,00 CZK	170,00 CZK
Vandoren Classic Blue (Traditional); reed for alto saxophone; strength: 1.5; extremely pure sound; fine reed tip; solid shaft; very flexible; suitable for all styles of music; excellent response in all registers					
Lieferschein-Nr.: 1831714 vom 15.05.2026 2 Stck					
020.00	100422	2	piece	85,00 CZK	170,00 CZK
Vandoren Classic Blue (Traditional); reed for alto saxophone; strength: 1.0; extremely pure sound; fine reed tip; solid shaft; very flexible; suitable for all styles of music; excellent response in all registers					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
021.00	465656	1	piece	1175,00 CZK	1.175,00 CZK
Adam Hall 874 E 02 Rack Drawer ERGO, Rack Drawer, 19" / 2 U, heavy-duty 1.5 mm steel construction, ergonomic full width pull handle, fully extendable, pull-to-open latching mechanism, telescoping ball bearing slides, front disconnect for easy drawer removal, load capacity: 20 kg, outside depth: 387,8 mm, weight: 6.7 kg, colour: black					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
022.00	469117	1	piece	1319,00 CZK	1.319,00 CZK
Adam Hall 874 E 03 Rack Drawer ERGO, Rack Drawer, 19" / 3 U, heavy-duty 1.5 mm steel construction, ergonomic full width pull handle, fully extendable, pull-to-open latching mechanism, telescoping ball bearing slides, front disconnect for easy drawer removal, load capacity: 20 kg, outside depth: 387,8 mm, weight: 7,7 kg, colour: black					
Lieferschein-Nr.: 1831714 vom 15.05.2026 1 Stck					
023.00.	10	1	piece	980,00 CZK	980,00 CZK
International Shipping Rate					
Amount carried forward :					101.477,00 CZK



Pos.	Article	Amount	Unit	Unit Price	Total Price
	Value of goods:				101.477,00 CZK
	Value of goods for discount:				100.497,00 CZK
	3,00 % Discount:				-3.014,91 CZK
	Sub-total:				81.373,63 CZK
	Net amount:				81.373,63 CZK
	21,00% Vat.:				17.088,46 CZK
	Total amount:				98.462,09 CZK
	Method of payment:				
	Bank transfer				98.462,09 CZK

Thank you for your purchase!

Please see overleaf for our standard terms and conditions.
Unless otherwise specified the invoice date accounts for the date of payment /delivery.

Participation in the OSS procedure.

Thomann GmbH
Hans-Thomann-Str. 1
D-96138 Burgebrach

Bank Sparkasse Bamberg
IBAN DE97 7705 0000 0000 1030 85
BIC BYLADEM1SKB

info@thomann.de
Tel +49 (0)9546 9223-66
Fax +49 (0)9546 9223-24

Raiffeisenbank Burgebrach
DE58 7706 2014 0000 0056 30
GENODEF1BGB

Geschäftsführer: Johann Thomann
Amtsgericht Bamberg: HRB 5862
Sitz der Gesellschaft: Burgebrach

Postbank Nürnberg
DE41 7601 0085 0283 5648 54
PBNKDEFF

USt.-IdNr.: DE 257375233
Steuernummer: 207/132/90050
WEEE-Reg.-Nr.: DE 18280160

Deutsche Bank 24
DE19 7607 0024 0811 5008 00
DEUTDEB760