

Sml zak	Zp v.	Pod výk	Re-vír	Kód LHC	J P R L	DT	Prm hmt	Přibliž. tech, vzd	Cen. kód	Mě sc	Dř. zkr	Nal	Plocha ha	Množství m3
---------	-------	---------	--------	---------	---------	----	---------	--------------------	----------	-------	---------	-----	-----------	-------------

Výběrová kritéria:
 ("33 Typ projektu" je v seznamu (1, 2)) a
 ("38 Číslo zakázky" = 326))

326-České Budějovice Typ projektu: 1-Předaný projekt

11	2	6	1320	603Ea02a	1	4	77	1000	2	SM	1	0,98	11,68
11	2	6	1320	603Ea02a	1	43	77	1000	2	BO	1	0,02	6,45
			1320	603Ea02a*	1		77					1,00	18,13
11	2	6	1320	603Ea03	1	10	77	1000	6	SM	1	2,60	79,30
11	2	6	1320	603Ea03	1	26	77	1000	6	BO	1		13,79
			1320	603Ea03 *	1		77					2,60	93,09
11	2	6	1320	617Ba03b	1	7	77	1000	9	SM	1	0,89	34,80
11	2	6	1320	617Ba03b	1	10	77	1000	9	BO	1		23,20
			1320	617Ba03b*	1		77					0,89	58,00
11	2	6	1320	617Ca04	1	8	77	1000	10	SM	1		12,01
11	2	6	1320	617Ca04	1	3	77	1000	10	BR	1	0,32	0,99
			1320	617Ca04 *	1		77					0,32	13,00
	2	6	1320	celkem za revír a LHC								4,81	182,22

.....

11	2-Výchovná z probírek do 40 let									celkem		4,81	182,22
										Rozpis dle dřevin:			
										1-SM			137,79
										20-BO			43,44
										64-BR			0,99
										jehl.			181,23
										list.			0,99

11	3	6	1320	601Ba06	1	37	77	1000	1	SM			0,73
11	3	6	1320	601Ba06	1	22	77	1000	1	MD			1,96
11	3	6	1320	601Ba06	1	50	77	1000	1	DB		4,05	34,66
11	3	6	1320	601Ba06	1	28	77	1000	1	KL			1,13
11	3	6	1320	601Ba06	1	30	77	1000	1	JS			0,30
11	3	6	1320	601Ba06	1	33	77	1000	1	BR			8,68
11	3	6	1320	601Ba06	1	39	77	1000	1	LP			21,71
11	3	6	1320	601Ba06	1	86	77	1000	1	OS			4,32
			1320	601Ba06 *	1		77					4,05	73,49
11	3	6	1320	609Ba08 *	1	114	77	1000	10	DB		0,05	6,82
11	3	6	1320	610Da05a	1	13	77	1000	12	SM			96,00
11	3	6	1320	610Da05a	1	25	77	1000	12	DB		2,85	8,00
11	3	6	1320	610Da05a	1	42	77	1000	12	LP			18,00
			1320	610Da05a*	1		77					2,85	122,00
11	3	6	1320	613Aa08	1	91	77	1000	6	SM		7,13	64,00
11	3	6	1320	613Aa08	1	382	77	1000	6	MD			31,00
11	3	6	1320	613Aa08	1	87	77	1000	6	DB			89,00
11	3	6	1320	613Aa08	1	318	77	1000	6	BK			10,00
11	3	6	1320	613Aa08	1	122	77	1000	6	KL			5,00
11	3	6	1320	613Aa08	1	239	77	1000	6	OS			10,00
			1320	613Aa08 *	1		77					7,13	209,00
11	3	6	1320	613Ba08	1	73	77	1000	11	SM		2,08	35,71
11	3	6	1320	613Ba08	1	58	77	1000	11	MD			1,16
11	3	6	1320	613Ba08	1	75	77	1000	11	DB			12,67
11	3	6	1320	613Ba08	1	234	77	1000	11	BK			42,09
			1320	613Ba08 *	1		77					2,08	91,63
11	3	6	1320	614Ba08b	1	44	77	1000	1	DB			17,16
11	3	6	1320	614Ba08b	1	41	77	1000	1	BK			1,23
11	3	6	1320	614Ba08b	1	43	77	1000	1	BR			1,30
11	3	6	1320	614Ba08b	1	45	77	1000	1	LP		1,02	0,91
			1320	614Ba08b*	1		77					1,02	20,60
11	3	6	1320	615Ba08	1	30	77	1000	6	SM		1,39	15,61
11	3	6	1320	615Ba08	1	53	77	1000	6	BO			13,68
11	3	6	1320	615Ba08	1	64	77	1000	6	MD			8,00
11	3	6	1320	615Ba08	1	106	77	1000	6	DB			11,69
11	3	6	1320	615Ba08	1	88	77	1000	6	BK			16,00
			1320	615Ba08 *	1		77					1,39	64,98
11	3	6	1320	616Aa08	1	48	77	1000	10	SM			3,35
11	3	6	1320	616Aa08	1	73	77	1000	10	DB			21,97
11	3	6	1320	616Aa08	1	86	77	1000	10	BK		0,44	27,50
11	3	6	1320	616Aa08	1	63	77	1000	10	BR			1,26
11	3	6	1320	616Aa08	1	54	77	1000	10	LP			0,54
			1320	616Aa08 *	1		77					0,44	54,62
11	3	6	1320	617Aa08	1	82	77	1000	8	DB			3,27
11	3	6	1320	617Aa08	1	95	77	1000	8	BK			1,90
11	3	6	1320	617Aa08	1	61	77	1000	8	KL		0,26	21,88

Sml zak	Zp v.	Pod výk	Re- vír	Kód LHC	J P R L	DT	Prm hmt	Přibliž. tech, vzd	Cen. kód	Mě sc	Dř. zkr	Nal	Plocha ha	Množství m3		
11	3	6		1320	617Aa08	1	52	77	1000	8	JS			1,56		
11	3	6		1320	617Aa08	1	67	77	1000	8	JL			1,33		
11	3	6		1320	617Aa08	1	132	77	1000	8	BR			4,74		
11	3	6		1320	617Aa08	1	102	77	1000	8	OL			2,04		
				1320	617Aa08	*	1	77					0,26	36,72		
11	3	6		1320	617Ba05	1	22	77	1000	7	SM		1,30	19,14		
11	3	6		1320	617Ba05	1	14	77	1000	7	JD			4,20		
11	3	6		1320	617Ba05	1	18	77	1000	7	BO			7,38		
11	3	6		1320	617Ba05	1	29	77	1000	7	MD			9,57		
11	3	6		1320	617Ba05	1	19	77	1000	7	BK			0,76		
				1320	617Ba05	*	1	77					1,30	41,05		
11	3	6		1320	619Ba05	1	34	77	1000	7	SM		1,04	13,00		
11	3	6		1320	619Ba05	1	29	77	1000	7	BO			5,00		
11	3	6		1320	619Ba05	1	33	77	1000	7	DB			2,00		
11	3	6		1320	619Ba05	1	19	77	1000	7	OL			2,00		
				1320	619Ba05	*	1	77					1,04	22,00		
11	3	6		1320	620Aa05	1	27	77	1000	7	SM		1,34	41,00		
11	3	6		1320	620Aa05	1	21	77	1000	7	JD			6,00		
11	3	6		1320	620Aa05	1	65	77	1000	7	DG			8,00		
11	3	6		1320	620Aa05	1	23	77	1000	7	BO			20,00		
				1320	620Aa05	*	1	77					1,34	75,00		
11	3	6		1320	620Ca07	1	71	77	1000	11	SM			44,73		
11	3	6		1320	620Ca07	1	197	77	1000	11	BO		1,93	1,97		
11	3	6		1320	620Ca07	1	137	77	1000	11	DB			9,59		
11	3	6		1320	620Ca07	1	104	77	1000	11	BK			45,76		
				1320	620Ca07	*	1	77					1,93	102,05		
11	3	6		1320	625Ca05c	1	30	77	1000	2	SM		0,27	47,10		
11	3	6		1320	625Ca05c	1	13	77	1000	2	BO			2,21		
11	3	6		1320	625Ca05c	1	14	77	1000	2	MD			2,52		
11	3	6		1320	625Ca05c	1	17	77	1000	2	BR			1,02		
11	3	6		1320	625Ca05c	1	104	77	1000	2	OS			2,08		
				1320	625Ca05c*	1		77					0,27	54,93		
11	3	6		1320	625Ca06	1	18	77	1000	2	MD		0,18	6,30		
11	3	6		1320	625Ca06	1	23	77	1000	2	BR			2,07		
				1320	625Ca06	*	1	77					0,18	8,37		
11	3	6		1320	627Ba05a	1	9	77	1000	8	JD			24,00		
11	3	6		1320	627Ba05a	1	7	77	1000	8	BK		0,51	1,02		
				1320	627Ba05a*	1		77					0,51	25,02		
11	3	6		1320	629Aa08	1	52	77	1000	10	SM		0,63	11,96		
11	3	6		1320	629Aa08	1	49	77	1000	10	BO			8,33		
11	3	6		1320	629Aa08	1	58	77	1000	10	MD			1,74		
11	3	6		1320	629Aa08	1	79	77	1000	10	DB			11,06		
11	3	6		1320	629Aa08	1	38	77	1000	10	BR			0,38		
				1320	629Aa08	*	1	77					0,63	33,47		
	3	6		1320	celkem za revír a LHC								26,47	1041,75		
.....																
11	3-Výchovná z probírek přes 40 let										celkem	26,47	1041,75			
											Rozpis dle dřevin:					
											1-SM	392,33				
											10-JD	34,20				
											18-DG	8,00				
											20-BO	58,57				
											30-MD	62,25				
											40-DB	227,89				
											50-BK	146,26				
											53-KL	28,01				
											57-JS	1,86				
											60-JL	1,33				
											64-BR	19,45				
											80-LP	41,16				
											83-OL	4,04				
											86-OS	16,40				
											jehl.	555,35				
											list.	486,40				

11	13	6		1320	601Aa13b	2	54	77	1000	2	SM			5,36		
11	13	6		1320	601Aa13b	2	102	77	1000	2	BO			3,07		
11	13	6		1320	601Aa13b	2	166	77	1000	2	DB		2,35	191,07		
				1320	601Aa13b*	2		77					2,35	199,50		
11	13	6		1320	605Ea12	2	109	77	1000	2	SM			61,00		
11	13	6		1320	605Ea12	2	109	77	1000	2	SM			36,00		
11	13	6		1320	605Ea12	2	131	77	1000	2	BO			213,00		
11	13	6		1320	605Ea12	2	189	77	1000	2	DB			12,00		
				1320	605Ea12	*	2	77						322,00		
11	13	6		1320	606Ba11	2	50	77	1000	9	SM			52,17		
11	13	6		1320	606Ba11	2	128	77	1000	9	BO			14,08		
11	13	6		1320	606Ba11	2	99	77	1000	9	DB			4,97		
				1320	606Ba11	*	2	77						71,22		

Sml zak	Zp v.	Pod výk	Re- vír	Kód LHC	J	P	R	L	DT	Prm hmt	Přibliž. tech, vzd	Cen. kód	Mě sc	Dř. zkr	Nal	Plocha ha	Množství m3
---------	-------	---------	---------	---------	---	---	---	---	----	---------	--------------------	----------	-------	---------	-----	-----------	-------------

30-MD	1,61
40-DB	145,58
53-KL	16,02
64-BR	3,32
74-TR	1,78
80-LP	1,91
83-OL	1,33
86-OS	3,74
91-JIV	1,18
jehl.	474,91
list.	174,86

326 11-smluv. dříví při pni	celkem	3953,42
	Rozpis dle dřevin:	
	1-SM	1732,22
	10-JD	34,20
	18-DG	8,00
	20-BO	635,21
	30-MD	85,61
	40-DB	1141,19
	50-BK	146,26
	53-KL	44,03
	57-JS	19,98
	60-JL	1,33
	63-AK	4,19
	64-BR	23,92
	74-TR	1,78
	80-LP	47,67
	83-OL	5,37
	86-OS	21,28
	91-JIV	1,18
	jehl.	2495,24
	list.	1458,18

326-České Budějovice	Typ projektu: 1-Předaný projekt	3953,42
	Rozpis dle dřevin:	
	1-SM	1732,22
	10-JD	34,20
	18-DG	8,00
	20-BO	635,21
	30-MD	85,61
	40-DB	1141,19
	50-BK	146,26
	53-KL	44,03
	57-JS	19,98
	60-JL	1,33
	63-AK	4,19
	64-BR	23,92
	74-TR	1,78
	80-LP	47,67
	83-OL	5,37
	86-OS	21,28
	91-JIV	1,18
	jehl.	2495,24
	list.	1458,18

v tom způsob výroby dříví v rámci zakázky:
 11 smluv. dříví při pni 3953,42

Sml zak	Zp v.	Pod výk	Re- vír	Kód LHC	J	P	R	L	DT	Prm hmt	Přibliž. tech, vzd	Cen. kód	Mě sc	Dř. zkr	Nal	Plocha ha	Množství m3
---------	-------	---------	---------	---------	---	---	---	---	----	---------	--------------------	----------	-------	---------	-----	-----------	-------------

326-České Budějovice Typ projektu: 2-Předaný-podmíněný

11	5	6	1320	999Xa999*	4	99						9020	8	SM			212,15
	5	6	1320	celkem za revír a LHC													212,15
.....																	
11	5-Nahodilá - kůrovcová (PN i MN)														celkem	212,15	
															Rozpis dle dřevin:		
															1-SM	212,15	
															jehl.	212,15	

11	8	6	1320	999X	999	4	99	77				9040	3	SM			375,00
11	8	6	1320	999X	999	4	150	77				9040	3	DB			187,00
			1320	999X	999*	4		77									562,00
	8	6	1320	celkem za revír a LHC													562,00
.....																	
11	8-Nahodilá - živelná, nenapadená kůrovci (PN i MN)														celkem	562,00	
															Rozpis dle dřevin:		
															1-SM	375,00	
															40-DB	187,00	
															jehl.	375,00	
															list.	187,00	

11	11	6	1320	999X	999*	4	99	77				9030	5	SM			338,00
	11	6	1320	celkem za revír a LHC													338,00
.....																	
11	11-Nahodilá - lapáky (PN i MN)														celkem	338,00	
															Rozpis dle dřevin:		
															1-SM	338,00	
															jehl.	338,00	

11	12	6	1320	999X	999*	4	99	77				9010	9	SM			125,00
	12	6	1320	celkem za revír a LHC													125,00
.....																	
11	12-Nahodilá - ostatní (PN i MN)														celkem	125,00	
															Rozpis dle dřevin:		
															1-SM	125,00	
															jehl.	125,00	

326	11-smluv. dříví při pni														celkem	1237,15
															Rozpis dle dřevin:	
															1-SM	1050,15
															40-DB	187,00
															jehl.	1050,15
															list.	187,00

326-České Budějovice	Typ projektu: 2-Předaný-podmíněný														1237,15	
															Rozpis dle dřevin:	
															1-SM	1050,15
															40-DB	187,00
															jehl.	1050,15
															list.	187,00

v tom způsob výroby dříví v rámci zakázky:
 11 smluv. dříví při pni 1237,15

Sml zak	Zp v.	Pod výk	Re- vír	Kód LHC	J	P	R	L	DT	Prm hmt	Přibliž. tech, vzd	Cen. kód	Mě sc	Dř. zkr	Nal	Plocha ha	Množství m3
------------	----------	------------	------------	------------	---	---	---	---	----	------------	-----------------------	-------------	----------	------------	-----	--------------	----------------

Úhrn za LS 205 LS Hluboká nad Vltav (kontr.číslo) 50,36 5190,57

Rozpis dle dřevin:

1-SM	2782,37
10-JD	34,20
18-DG	8,00
20-BO	635,21
30-MD	85,61
40-DB	1328,19
50-BK	146,26
53-KL	44,03
57-JS	19,98
60-JL	1,33
63-AK	4,19
64-BR	23,92
74-TR	1,78
80-LP	47,67
83-OL	5,37
86-OS	21,28
91-JIV	1,18
jehl.	3545,39
list.	1645,18