

Technická specifikace plnění

Předmětem plnění je dodání dále specifikovaných výhradně nových, nepoužitých zařízení, dodaných do místa plnění zakázky v originálních obalech výrobce.

Níže uvedené specifikace jednotlivých položek předmětu plnění obsahují obchodní názvy, specifická označení, katalogová čísla, položky konfigurace, odkazy na informace publikované výrobcem, atp. Specifikace předmětu plnění je uvedením těchto údajů a informací natolik určitá, že na jejich základě lze jednoznačně identifikovat jednotlivé položky předmětu plnění, jejich specifikace a funkční vlastnosti.

4. Grafický tablet_Jano

Počet: 1 kus

Wacom Cintiq 22HD

DTK-2200

Záruka 36 měsíců



Podrobná technická specifikace:

<https://images-na.ssl-images-amazon.com/images/I/91KuXGfWivS.pdf>

Zařízení bezzbytku splňuje veškeré níže v tabulce uvedené požadavky zadavatele specifikované v zadávací dokumentaci veřejné zakázky, a to včetně požadavku na délku záruky, služby související s dodávkou zařízení a způsob poskytování záručního plnění.

Typ, technologie, povrchová úprava	a-Si Active Matrix TFT LCD H-IPS, vysoce odolné krycí sklo s antireflexní povrchovou úpravou
Úhlopříčka - viditelný rozměr	Min. 54cm
Rozlišení, poměr stran	Min. 1920x1080, 16:9
Kontrastní poměr typický	Min. 1000:1
Odezva (šedá/šedá)	Max. 15 ms
Jas	Min. 230 cd/m ²
Barevná hloubka	Min. 16.7 millionů barev
Pozorovací úhel	Min. 178° (vertikálně) 178° (horizontálně)
Rozhraní	Min.: 1x DVI-I, 1x USB
Pero	Technologie elektromagnetické rezonance, úhlopříčka aktivní plochy min. 10.5", výška čtení min. 5 mm, odezva min. 133 bodů/sec. citlivost přítlaku min. 2048 úrovní, rozlišení min. 0.005 mm / bod, přesnost min. ± 0.5 mm
Stojan	Zcela odnímatelný, změna sklonu v min. v rozmezí +10° až +65°, otočný okolo svislé osy o min. -180°/+180°

Další požadavky	Rozměry bez stojanu max. 650x410x60 mm, Napájecí zdroj 100-240V, 50/60Hz, VESA DPMS, spotřeba max. 45W, v režimu spánku max. 0.5W, kompatibilita s OS: Windows 7,Vista,XP 32/64-bit, OS X v.10.4 a vyšší, součásti dodávky: Monitor, napájecí kabel, DP kabel, USB 3.0 kabel na propojení s počítačovou jednotkou, SW výrobce tohoto monitoru pro správu a rozdělení obrazové plochy, protokol výrobce monitoru o provedení kalibrace obrazovky při výrobě.
Záruka	Min. 36 měsíců, záruční plnění v místě instalace nejpozději následující pracovní den po nahlášení závady.
Technická podpora	Podpora prostřednictvím internetu musí umožňovat stahování ovladačů a manuálů k zařízením z webových stránek výrobce zařízení, a to bez ohledu na to, zda je/není zařízení v záruce.

Součástí plnění je mimo jiné:

- Dodávka vyjmenovaných zařízení do místa plnění dodávky
- Konfigurace HW a instalace OS
- Implementace vyjmenovaných zařízení do síťové infrastruktury
- Zaškolení administrátorů zadavatele v rozsahu nezbytném pro:
 - převzetí a správu vyjmenovaných zařízení
 - nastavení procesů jednotné správy aktualizací SW a uživatelských oprávnění
 - uplatňování nároků na poskytování záručního plnění a pozáručních servisních služeb
- Ekologická likvidace obalového materiálu
- Periodický dohled dodavatele nad správou vyjmenovaných zařízení po dobu 3 měsíců po předání předmětu dodávky



PEN & LCD TABLET

Baik untuk desain *fashion*, grafis, produk, maupun fotografi, *pen & LCD tablet* Wacom siap mendukung Anda para pekerja kreatif. Dengan teknologi *pressure-sensitive* yang dimilikinya, Anda leluasa membuat konsep, mengeksekusi, mengedit, dan finalisasi karya secara intuitif dan efektif dengan perangkat lunak apapun.

Cintiq Series



PRODUCT	Cintiq 24HD touch	Cintiq 24HD
Ref. No.	DTH-2400	DTK-2400
GENERAL		
Overall dimensions	30.3" W x 18.3" H x 2.5" D (769.3 x 463.74 x 64 mm)	30.29" W x 18.26" H x 2.5" D (769.3 x 463.74 x 64 mm)
Weight	62.9 lbs with stand (28.6 kg)	63.8 lbs with stand (29.0 kg)
Pen data port	USB	
Graphics input	Analog RGB, digital DVI, DisplayPort	
Display connector	DVI-I, DisplayPort	
Display adapters included	DisplayPort, DVI-I to VGA, DVI-I to DVI-D	DVI-I to VGA, DVI-I to DVI-D
Bundled software	Adobe Photoshop Elements 10, Autodesk SketchBook Express, Corel Painter Sketch Pad, Nik Software Color Efex Pro 3	
System requirements	Windows 8, 7 (32 / 64-bit), Vista SP1, XP SP2, Mac OS X v10.6.8 or later (Intel processor)	
DISPLAY		
Aspect ratio	16 : 10	
Screen size	24.1" diagonal (612.14 mm)	
Display area	20.4" W x 12.8" H (518.4 x 324 mm)	
Native resolution	1920 x 1200	
Contrast ratio	850 : 1	550 : 1
Viewing angle	178° (89°/89°) H, (89°/89°) V	
PEN & TABLET		
Resolution	5080 lpi	
ExpressKeys	10 user-assignable	
Touch strips	2 Touch Rings, finger sensitive, front mounted	
Multi-touch	Yes	No
Pen type	Pressure-sensitive, cordless, battery-free	
Pressure levels	2048 on pen tip and eraser	



PEN & LCD TABLET

Cintiq Series



PRODUCT	Cintiq 22HD touch	Cintiq 22HD	Cintiq 13HD
Ref. No.	DTH-2200	DTK-2200	DTK-1300
GENERAL			
Overall dimensions	25.6" W x 15.7" H x 2.2" D (650 x 400 x 55 mm)	25.6" W x 15.7" H x 2.2" D (650 x 400 x 55 mm)	14.75" W x 9.75" H x 0.5" D (375 x 248 x 14 mm)
Weight	18.7 lbs. with stand (8.5 kg)	18.7 lbs. with stand (8.5 kg)	1.2 kg
Pen data port	USB		
Graphics input	Analog RGB, digital DVI		HDMI, USB
Display connector	DVI-I		Wacom 3-in-1
Display adapters included	DVI-I to DVI-D		Wacom 3-in-1
Bundled software	Adobe Photoshop Elements 10, Autodesk SketchBook Express, Corel Painter Sketch Pad, Nik Software Color Efex Pro 3		
System requirements	Windows 8, 7 (32 / 64-bit), Vista SP1, XP SP2, Mac OS X v10.6.8 or later (Intel processor)		
DISPLAY			
Aspect ratio	16 : 9		
Screen size	21.5" diagonal (546 mm)		13.3" diagonal (338 mm)
Display area	18.9" W x 10.7" H (479.2 x 271.3 mm)		11.75" W x 6.75" H (299 x 171 mm)
Native resolution	1920 x 1080		1920 x 1080 (Full-HD)
Contrast ratio	1000 : 1 (typical), 600 : 1 (min)		700 : 1
Viewing angle	178° (89°/89°) H, (89°/89°) V		178° (89°/89°) H, (89°/89°) V
PEN & TABLET			
Resolution	5080 lpi		
ExpressKeys	16 user-assignable		4 user-assignable
Touch strips	2, 4-function, rear mounted		N/A, but have Rocker Ring and Home Button with 4 position customizable
Multi-touch	YES	No	No
Pen type	Pressure-sensitive, cordless, battery-free		
Pressure levels	2048 on pen tip and eraser		

Intuos Pro Series



Product	Intuos Pro Large	Intuos Pro Medium Special Edition	Intuos Pro Medium	Intuos Pro Small
Ref. No.	PTH-851/K0	PTH-651/S0	PTH-651/K0	PTH-451/K0
Size	Large	Medium		Small
Physical Size (WxDxH) (mm)	487 x 318 x 12	380 x 251 x 12		320 x 208 x 12
Pen & Multi-touch Active Area (W x D) (mm)	Pen : 325 x 203 Multi-touch : 299 x 190	224 x 140		157 x 98
No. of ExpressKeys	8 customizable keys			6 customizable keys
Pen Pressure Level	2,048			
Resolution	5080 lpi			
Wireless RF Connection	YES			
Multi-function Touch Ring	YES			
Battery Operation Time (in wireless mode)	YES			
Accuracy (Pen)	+/-0.25 mm			
Tilt Range	+/-60°			
Maximum Report rate	200 points/second			
Interface	USB			
Bundled Software	Adobe Photoshop Elements 11, Autodesk SketchBook Express 6, CLIP STUDIO PAINT PRO, Nik Color Efex 3.0 WE6, Wacom Brushes 3			
Includes	Wacom Grip Pen, 5 standard black pen nibs, 1 stroke nib, 3 hard felt nibs, 1 flex nib, Pen stand, Nib extractor, Pen ring			



PEN & LCD TABLET

Intuos Series



Product	Intuos Pen & Touch Medium	Intuos Manga	Intuos Pen & Touch Small	Intuos Pen
Ref. No.	CTH-680/S0	CTH-480/S1	CTH-480/S0	CTL-480/S0
Size	Medium		Small	
Tablet dimensions (mm)	275 x 222 x 10		210 x 178 x 10	
Pen active area (mm)	216 x 135		152 x 95	
Touch active area (mm)	216 x 135	152 x 95		
Multi-touch		YES		
Pen pressure level			1024	
Resolution			2540 lpi	
Wireless accessory support			YES	
Express key			4	
Color			Silver - Black	
Bundled software	CLIP STUDIO PAINT DEBUT Adobe Photoshop Elements 11 ArtRage Studio MyScript Stylus	CLIP STUDIO PAINT PRO Anime Studio Ink-Squared Deluxe MyScript Stylus	CLIP STUDIO PAINT DEBUT Adobe Photoshop Elements 10 Ink-Squared Deluxe MyScript Stylus	CLIP STUDIO PAINT DEBUT ArtRage Studio Ink-Squared Deluxe MyScript Stylus
Includes	Wacom Intuos Pen, three standard black pen nibs, one colored pen holder, one colored pen ring			

Wireless Accessory Kit
ACK-40401
Some of the highlights of the Wireless Accessory Kit include:
<ul style="list-style-type: none"> •10-hour battery life with Intuos5 touch Small. •9-hour battery life with Intuos5 touch Medium. •6-hour battery life with Intuos5 touch Large. •15-hour battery life with Bamboo Capture (CTH470 and CTH470M) or 10 hours use on Bamboo Create (CTH670 and CTH670M). •RF wireless technology offers immediate pairing and avoidance of compatibility issues. •Wireless operating distance is up to 10 meters. •Recharging through your USB port takes 3.5 hours for an 85% charge and less than 6 hours for a 100% charge.

Signature Tablet



PRODUCT	DTU-1031	STU-530	STU-430
Ref. No.	DTU-1031	STU-530	STU-430
GENERAL			
Dimensions (W x H x D)	310 x 211 x 14 mm (excluding stand)	161.43 x 174.37 x 10.85 mm	161.43 x 174.37 x 10.85 mm
Weight	990 g	289 g	279 g
Power supply	via USB, no additional power adapter required		
Power consumption		2.5 W (maximum)	1.0 w (maximum)
Communication interface	USB 2.0 (for video via DisplayLink and data)	USB 2.0 (full-speed)	USB 2.0 (full-speed)
Supported operating systems	Windows® 8, 7, Vista, XPTM (excl. x64 version), Mac OS X 10.6.8 or later		
DISPLAY			
Screen size (diagonal)	10.1 inch	5.0 inch	4.5 inch
Screen resolution	1280 x 800 pixels, WXGA	800 x 480 pixels, WVGA	320 x 200 pixels
Display type	IPS TFT display, LED backlit	Amorphous TFT LCD, colour, LED backlight	F-STN positive reflective
Cover plate surface	Tempered anti-glare etched glass	Tempered anti-glare etched glass with anti-reflective coating	
Colours	262,144 colors	True colour (16,7 million colours)	B/W
Luminance (brightness)	210 cd/ m2	168 cd/ m2 (typical)	- / -
Contrast ratio	800:1 (typical), 600:1 (min)	600:1	- / -
Response time	TR 14 ms (typical) TF 11 ms (typical)	20 ms	- / -
Backlight lifetime		20,000 hours	No backlight
PEN & TABLET			
Pen pressure levels	512 levels		1024 levels
Pen tether		Yes	
Encryption		AES 256 bit encryption, RSA 2048 bit key exchange	
Active area	217 x 135.6 mm	108.0 x 64.8 mm	95.98 x 59.98 mm
Tablet resolution		2540 lpi	
Coordinate accuracy		± 0.5 mm (center)	
Report rate		200 points/ sec	
Data interface		USB	
Data cables		USB cable	
Pad identification	-		Unique ID
Connectivity security	-		USB cable locking system
Anti theft	-		Hole for Kensington locking system (3 rd party)