



Cenová nabídka: MN18087

Dr. [REDACTED]
Tel.: [REDACTED]
e-mail: [REDACTED]

Praha, 18. 6. 2018

Gradientový HPLC systém Streamline



Pol.	MJ	P/N	Popis	Cena Kč
1	1	SS201-101	<p>Streamline™ HPLC System, Binary gradient</p> <p>Watrex streamline gradient HPLC system consists of two P1 pumps, static mixer, manual injector, CT1 column thermostat, and programmable UV/VIS detector UV1. Optimized pumps mechanics with parallel piston design offers excellent flow rate accuracy and precision gradient composition at all solvents ratio. Excellent signal-to-noise ratio of the UV1 designates this detector for even the most demanding applications including microbore and capillary separations. Modular concept of this HPLC system offers easy and economical upgrades or future extensions. The system can be controlled by Clarity datastation.</p> <p>Gradient solvent delivery system Two P1 HPLC pumps Flow Rates 0.000 to 10.000 mL/min Pressure 0 to 6,000 psi (420 bar) Pressure Accuracy ±2% of full-scale pressure Pulsation ±0.5% @ 1 mL/min and 1000 psi Flow Accuracy ± 2% @ 1 mL/min and 1000 psi, with 80:20 Water/IPA @ 1000psi Flow Precision 0.2% RSD Remote Inputs RS-232</p> <p>UV1 UV detector Light Source: Deuterium Lamp, Tungsten Lamp Wavelength Range: 190 – 800 nm Baseline Noise: ± 1 x 10⁻⁵ AU (@240 nm, 2 sec. Risetime) Baseline Drift: < 3 x 10⁻⁴ AU/h Wavelength Accuracy: ± 2 nm Linearity: > 2.0 AU Analog Output: 1x 1 V</p> <p>CT1 Column thermostat Temperature range 10 °C above ambient temperature to 100 °C (without valve) Temperature accuracy deviation less than 0,5 °C Temperature stability RSD < 0,4% Setting and display resolution 0,1 °C T-compartment dimensions 320 x 50 x 30 mm (L x W x H)</p> <p>Clarity Full Datastation Advanced Chromatography Data Station (CDS) provides a universal solution for any commercially available chromatograph: Multi-instrument version with multi-detector measurement capabilities, data acquisition, evaluation and instrument control. Including SW modules for LC and AS control. PC hardware with LCD monitor is also included.</p> <p>HPLC Start up Kit All needed consumables and accessories to work with the system, including also Reprosil 100 C18 column</p>	428 000,00
			CELKEM bez DPH	Kč 428 000,00
			Sleva 10%	Kč 42 800,00
			CELKEM bez DPH včetně dopravy, instalace a zaškolení	Kč 385 200,00

Platnost cenové nabídky: do 31.12.2018
Platební podmínky: Cena splatná dle dohody se zákazníkem u Moneta, a. s., č.ú. 211195952/0600. Watrex Praha, s.r.o. si vyhrazuje právo vlastnictví zboží až do jeho úplného zaplacení. Pokud není v této nabídce uvedeno jinak, platí Všeobecné obchodní podmínky Watrex.
Záruční doba 2 roky
Dodací lhůta 6-8 týdnů
Zaruční i pozáruční servis zajišťuje:

Watrex Praha, s.r.o.
Drnovská 1112/60
161 00 Praha 6
TEL +420 603 574 882 (servis hot line)
+420 226 203 506
+420 226 203 500
E-mail watrex@watrex.com
WWW <http://www.watrex.cz>

Vypracoval:



Ing. Michal Náhunek, PhD.